THE POSSIBILITIES ARE INFINITE FUJITSU

Italy
End UserReference Price List
Prices Valid From : September 2010



Content

News and Highlights	**3**	**Positioning FUTRO**	**46**	CELSIUS R670	75	PRIMERGY RX300 S5	186
Positioning	**5**	FUTRO S100	47	CELSIUS V840	76	PRIMERGY RX330 S1	189
		FUTRO S450 & S500	48	CELSIUS Accessories	77	PRIMERGY RX600 S4	190
Positioning Tablet PC	**7**	FUTRO Accessories	49	CELSIUS Options	84	PRIMECENTER	191
STYLISTIC ST6012	8	FUTRO Options	50			PRIMECENTER SME Rack	194
LIFEBOOK T4310	9			**Positioning Displays**	**97**	Rack Servers Accessories	195
LIFEBOOK T900	10	**Positioning ESPRIMO**	**51**	Displays	98	Rack Servers Options	246
TABLET PC Accessories	12	ESPRIMO C	52				
TABLET PC Options	15	ESPRIMO E	53	**Positioning Keyboard & Security**	**99**	**Positioning PRIMERGY Blade**	**271**
		ESPRIMO P	54	Keyboards	100	PRIMERGY BX900 S1	273
Positioning Notebook	**18**	ESPRIMO Q	55			PRIMERGY BX600 S3	274
ESPRIMO Mobile D951x	19	ESPRIMO Accessories	56	**Positioning PRIMERGY Tower**	**101**	PRIMERGY BX620 S4	275
ESPRIMO Mobile Accessories	20	ESPRIMO Options	59	PRIMERGY TX100 S1	102	PRIMERGY BX620 S5	276
ESPRIMO Mobile Options	23			PRIMERGY TX120 S2	103	PRIMERGY SX650	277
LIFEBOOK S7220	26	**CELSIUS Positioning**	**66**	PRIMERGY TX150 S7	104	PRIMERGY SX940 S1	278
LIFEBOOK S710	27	CELSIUS H700	68	PRIMERGY TX200 S5	106	PRIMERGY NX650 NAS	279
LIFEBOOK S760	28	CELSIUS W370	69	PRIMERGY TX300 S5	108	Blade Servers Accessories	280
LIFEBOOK E780	29	CELSIUS W280	70	Tower Servers Accessories	109	Blade Servers Options	317
LIFEBOOK NH570	30	CELSIUS W380	71	Tower Servers Options	164		
LIFEBOOK Accessories	32	CELSIUS W480	72				
LIFEBOOK Options	35	CELSIUS M470	73	**Positioning PRIMERGY Rack**	**184**		
		CELSIUS R570	74	PRIMERGY RX100 S6	185		

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

News and Highlights

STYLISTIC ST6012

The STYLISTIC ST6012 is the perfect companion. The device weighs only 1.6 kg, is very easy to carry yet robust. It was specially developed for use when walking. The transmissive 12.1-inch TFT WXGA display offers the best image quality. Support for pen-based functions helps you carry out your work anywhere and to present it convincingly.
A further advantage is the accu lifespan which enables you to work for a long period. Take a good look at the new housing. As well as being lightweight, the housing provides additional protection against damp or dust.

LIFEBOOK P770

Small, lightweight and nevertheless high performance? The answer to those requirements is the LIFEBOOK P770. With one of the smallest footprints in the 12-inch market and weighing only 1.4 kg, it offers the
user quite a range of goodies: all standard interfaces including HDMI, 3G/UMTS, WLAN and Bluetooth, an integrated webcam and long battery runtime. As data security is immensely important for mobile users, the LIFEBOOK P770 meets such requirements thanks to its fingerprint sensor and optional TPM.

LIFEBOOK NH570

The LIFEBOOK NH570 notebook is a mobile cinema that enables users to experience their films, photos,
social networking and games in stunning quality on a brilliant widescreen 46.7cm (18.4-inch) display,
whenever and wherever they want. The solid design and the spill-resistant keyboard provide extra
reliability, while the high-gloss black finish and slim profile make the notebook a real head-turner.

FUTRO

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.

ESPRIMO

The ESPRIMO Q1500 is your living-room entertainer. Fully equipped PC weighing only 1.7kgs and in a new design - equipped with Intel® mobile technology, HDMI, Blu-ray and Microsoft® Windows® 7 support - extremely quiet and energy-efficient.

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.
With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering

CELSIUS

of mid-range and high-end workstations got a refresh to meet highest demands.

PRIMERGY TX100 S1

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.

PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Displays & Accessories

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additiional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Products Positioning

STYLISTIC

The STYLISTIC ST Series is thin, approximatly A4 in size, only 1.6 kg and relpaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.

ESPRIMO Mobile & LIFEBOOK

Our notebooks make you feel good, and not just when you are travelling. Genuine mobility, high performance, top quality, reliability and a stylish design make our complete
ESPRIMO Mobile and LIFEBOOK Series unique. They also demonstrate that state-of-the-art technology can also be a visual pleasure. These high performance, convenient professional notebooks can easily be adapted to your specified requirements

FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.

ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.

CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.

Displays & Peripherals

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser technology, all according to latest ergonomix standards.

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than

PRIMERGY

20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Tablet PC

STYLISTIC ST6012

The STYLISTIC ST6012 Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting.
The new chipset and the advantages its Display make it the ultimative working tool for every purpose.
It's light, thin and robust and enables a convenient working on every location - indoor and outdoor

LIFEBOOK T900

The LIFEBOOK T4220 and LIFEBOOK T5010 series are slim lightweight convertibles including a modular bay. The brilliant 12.1-inch respectively 13.3-inch active-digitizer TFT screen ensures exceptional image quality. Enjoy pen-based computing wireless with embedded mobile broadband access and the freedom to work all day long independent of any power supply.

LIFEBOOK T4310/T4410

The LIFEBOOK T900 is an ultra versatile lightweight convertible notebook for the professional user. Its bi-directional, rotatable, wide-view, high-bright LED display is a pleasure to use. With the LIFEBOOK T900 multiple touch you can either work with your fingers or with the patented multifunctional pen. Berliner Glass ensures the highest reliability

The LIFEBOOK T4410 / T4310 offers all the benefits of an ultraportable Convertible with multitouch capability. Scroll through documents, zoom into graphics or move files and folders – all with your fingertip. Working with a notebook has never been more intuitive and easier. Enjoy the advantages of flexible pen based data input. Like handwriting recognition and lots of additional features, that only a convertible notebook offers. In addition the LIFEBOOK T4410 / T4310 offers best connectivity with embedded 3G/UMTS, highest reliability and ultimate security with Computrace® enabled BIOS. Enhance your flexibility on the move with the modular bay and back up your data on a second hard disk drive or stay productive with the second battery

STYLISTIC Accessories

Extend your STYLISTIC tablet PC to your needs. More

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

STYLISTIC ST6012 Series — Data Sheets: http://ts.fujitsu.com/stylistic

The STYLISTIC ST6012 Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting.
It's specially designed for working while standing or walking.
It's light, thin and robust. Its brilliant display enables a convenient working on every location - indoor and outdoor.
Customers all over the world like sales professionals, service technicians, surveyors, inspectors or doctors are persuaded of the natural pen interface.
The smart worker will enjoy the outstanding connectivity of the ultimate tablet PC – embedded mobile broadband access (3G/UMTS), WLAN and Bluetooth.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC ST6012					
	STYL ST6012 /2x2GB/320GB/WIFI 5300/ (Promo)	STYL ST6012 /2x2GB/320GB/WIFI 5300/ NO 3G/BT/CK EU/COA_W7_MM_PROFES/ W7_RDVD32_PRO_ABC/W7_PRO-OR32MULI_A/ TWINLOAD XP/BATT 9-CELL/,	LKN:T6012M0001IT		Phased out
	STYL ST6012 /2x2GB/320GB/WIFI 5300/ (Promo)	STYL ST6012 /2x2GB/320GB/WIFI 5300/ UMTS MC8790/BT/CK EU/COA_W7_MM_PROFES/ W7_RDVD32_PRO_ABC/W7_PRO-OR32MULI_A/ TWINLOAD XP/BATT 9-CELL/,	LKN:T6012M0002IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
STYLISTIC ST6012					
	STYLISTIC ST6012 1.4GHz ULV Active	Intel Core2 Duo SU9400 (1.4 GHz ULV, 800 MHz FSB, 3MB L2-cache), Intel GS45, ICH9-M, 12.1" WXGA Display (anti-glare, 1280 x 800 max.), digitizer (active), 1 x pen, integrated fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), onboard-audio, LAN 10/100/1000MBit (RJ45), 1 x PCMCIA type I/II, integrated chipcard-reader, tablet buttons, ac-adapter 16V 3.75A, max. 4GB SDRAM DDR3-1066 (2 sockets), external connectors: 1x Fast IrDA, powersupply, VGA, 2 x USB 2.0, dual-microphone (mono), 1x headphone, LAN, 1 x SD MemoryStick-connector.	S26391-K279-V200	2.057,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T4310 — Data Sheets: http://ts.fujitsu.com/lifebook

The LIFEBOOK T4310 offers all the benefits of an ultraportable Convertible with multiple touch capability. Scroll through documents, zoom into graphics or move files and folders – all with your fingertip. Working with a notebook has never been more intuitive and easier. Enjoy the advantages of flexible and accurate pen based data input. Like handwriting recognition and lots of additional features, that only a convertible notebook offers. In addition the LIFEBOOK T4310 offers best connectivity with embedded 3G/UMTS, highest reliability and highest security with the integrated fingerprint sensor and Computrace® enabled BIOS. Enhance your flexibility on the move with the modular bay and back up your data on a second hard disk drive or stay productive with the second battery.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T4310					
	LIFEBOOK T4310, glossy black	LCD 30.7cm (12.1") TFT WXGA non-glare LED Display, glossy black, Dual Digitizer (for pen operation, finger-touch- and gesture-touch operation), Intel Chipset i45GM, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical drive, 2nd battery, 2nd HDD or weight-saver., Mobile Intel® GMA 4500MHD integrated graphics, Serial ATA HDD interface, 10/100/1000 MBit Broadcom LAN, Intel High Definition Audio, 2 microphones integrated, touchpad, LED status indication, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), Ambient Light sensor, G-sensor, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 54mm, SD/MS Card reader, SIM-Card reader, VGA, HDMI, 3x USB 2.0, RJ45 for LAN, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), optional Li-Ion battery 5,200mAh or 5,800mAh, AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K281-V200	1.040,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T900 — Data Sheets: http://ts.fujitsu.com/lifebook

The LIFEBOOK T900 is an ultra versatile lightweight convertible notebook for the professional user. Its bi-directional, rotatable, wide-view, high-bright LED display is a pleasure to use. With the LIFEBOOK T900 multiple touch you can either work with your fingers or with the patented multifunctional pen. Berliner Glass ensures the highest reliability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T900					
	LB T900 DUAL DIG. /I5-520M/2x2 GB/ (Promo)	LB T900 DUAL DIG. /I5-520M/2x2 GB/ SUPERMULTI/320GB/CAM/BT V2.1/ WLAN INTEL 6200/NO UMTS/MODEM/CK EU/ KB I/COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:T9000M0001IT		Phased out
	LB T900 DUAL DIG. /I3-370M/2x2 GB/ (Promo)	LB T900 DUAL DIG. /I3-370M/2x2 GB/ SUPERMULTI/320GB/CAM/WLAN INTEL 6200/ BT V2.1/NO UMTS/MODEM/CK EU/KB I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:T9000M0003IT		
	LB T900 DUAL DIG. /I5-560M/2x2 GB/ (Promo)	LB T900 DUAL DIG. /I5-560M/2x2 GB/ SUPERMULTI/500GB 7.2K/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/MODEM/ CK EU/KB I/COA_W7_MM_PROFES/,	LKN:T9000M0004IT		Orderable from: 27/09/2010
	LB T900 ACT. DIG. /ANTI-GLARE/I3-370M/ (Promo)	LB T900 ACT. DIG. /ANTI-GLARE/I3-370M/ 2x2 GB/SUPERMULTI/320GB/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/MODEM/ CK EU/KB I/COA_W7_MM_PROFES/,	LKN:T9000M0006IT		
	Base unit with 33.8cm (13.3") TFT wide-view-high-bright WXGA LED Display (with non-glare display shield / touch screen), Dual Digitizer (for operation with stylus pen and finger touch), Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Mobile Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader, SD/MS Card reader, VGA, 3x USB 2.0, RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 for Modem, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., Li-Ion battery 5,800mAh, AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.				
	LB T900 DUAL DIG. /I5-540M/2x2 GB/ (Promo)	LB T900 DUAL DIG. /I5-540M/2x2 GB/ SUPERMULTI/500GB 7.2K/CAM/BT V2.1/ WLAN INTEL 6200/UMTS GOBI 2000/CK EU/ KB I/COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:T9000M0002IT		Phased out
	LB T900 DUAL DIG. /I5-560M/2x2 GB/ (Promo)	LB T900 DUAL DIG. /I5-560M/2x2 GB/ SUPERMULTI/500GB 7.2K/CAM/ WLAN INTEL 6200/BT V2.1/UMTS GOBI 2000/ CK EU/KB I/COA_W7_MM_PROFES/,	LKN:T9000M0005IT		Orderable from: 27/09/2010

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T900					

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T900 — Data Sheets: http://ts.fujitsu.com/lifebook

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T900 (Continued)					
	LIFEBOOK T900 Active Digitizer	Base unit with 33.8cm (13.3") TFT wide-view-high-bright WXGA LED Display (with optional glare or non-glare display shield), active Digitizer for operation with stylus pen, Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader, SD/MS Card reader, VGA, 3x USB 2.0, RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 for Modem, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., Li-Ion battery 5,800mAh, AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K313-V100	1.460,00	
	LIFEBOOK T900 Dual Digitizer	Base unit with 33.8cm (13.3") TFT wide-view-high-bright WXGA LED Display (with non-glare display shield / touch screen), Dual Digitizer (for operation with stylus pen and finger touch), Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Mobile Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader, SD/MS Card reader, VGA, 3x USB 2.0, RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 for Modem, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., Li-Ion battery 5,800mAh, AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K313-V200	1.590,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories — Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix									
Memory									
	1GB DDR3-1066	1 Modul, PC3-8500 ub				x	S26391-F436-L100	65,00	
	2GB DDR3-1066	1 Modul, PC3-8500 ub				x	S26391-F436-L200	96,00	
OS/Application-SW									
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S				x	S26361-F2007-L903	21,00	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L556	290,00	Phased out
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit				x	S26361-F2727-L550	290,00	Phased out
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L553	290,00	Phased out
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L559	290,00	Phased out
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L562	290,00	Phased out
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L557	378,00	Phased out
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L551	378,00	Phased out
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L554	378,00	Phased out
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L560	378,00	Phased out
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L563	378,00	Phased out
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L558	471,00	Phased out
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L552	471,00	Phased out
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L555	471,00	Phased out
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L561	471,00	Phased out
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L564	471,00	Phased out
UPS/Power supply									
	1st battery 6cells					x	S26391-F421-L200	121,00	
	1st battery 9cells					x	S26391-F421-L300	151,00	
	External battery charger, incl. 16V AC	not fitting for main battery E8420				x	S26391-F458-L200	206,00	
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs			x	x	S26391-F5031-L800	27,00	
Security									
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x		S26361-F1571-L201	23,00	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x		S26361-F1571-L210	147,00	
	Absolute Track, Abo. 1J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L101	25,00	
	Absolute Track, Abo. 2J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L102	40,00	
	Absolute Track, Abo. 3J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L103	52,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories — Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix									
Security (Continued)									
	Data Protection, Abo. 1J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L104	40,00	
	Data Protection, Abo. 2J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L105	65,00	
	Data Protection, Abo. 3J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L106	79,00	
	ComputraceOne, Abo. 1J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L107	48,00	
	ComputraceOne, Abo. 2J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L108	79,00	
	ComputraceOne, Abo. 3J.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L109	104,00	
	Absolute Track, Abo. 1J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L201	25,00	
	Absolute Track, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L202	40,00	
	Absolute Track, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L203	52,00	
	Data Protection, Abo. 1J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L204	40,00	
	Data Protection, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L205	65,00	
	Data Protection, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L206	79,00	
	ComputraceOne, Abo. 1J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L207	48,00	
	ComputraceOne, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L208	79,00	
	ComputraceOne, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L209	104,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium				x	S26361-F2727-L100	27,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support	x	x	x	x	S26361-F2727-L730	42,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface				x	S26381-F331-L220	32,00	
Miscellaneous									
	Replacement cord	replacement cord for the pen	x	x	x	x	S26391-F2592-L600	13,00	
	Active Pen (2 pieces)					x	S26391-F413-L700	65,00	Phased out
Input Devices									

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories — Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix									
Input Devices (Continued)									
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function				x	S26381-K440-L100	62,00	
	WIRELESS KEYB ST5xxx GER	with touchpad	x	x	x	x	S26391-F5010-L121	103,00	
	WIRELESS KEYB ST5xxx I	with touchpad	x	x	x	x	S26391-F5010-L123	103,00	
	WIRELESS KEYB ST5xxx UK	with touchpad	x	x	x	x	S26391-F5010-L125	103,00	
	WIRELESS KEYB ST5xxx US INT	with touchpad	x	x	x	x	S26391-F5010-L133	103,00	
	Wireless KB ST50xx CZ		x	x	x	x	S26391-F5010-L144	103,00	
	Wireless KEYB ST50xx TR					x	S26391-F5010-L150	103,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Options matrix						
Memory						
	1GB DDR3-1066		x	S26391-F436-E100	40,00	
	2GB DDR3-1066		x	S26391-F436-E200	71,00	
Hard Disks						
	HDD SATA 160GB 5.4k		x	S26391-F437-E200	61,00	Phased out
	HDD SATA 320GB 5.4k		x	S26391-F437-E300	75,00	
	SSD 80GB Intel	A solid-state drive (SSD) is a reliable, flash memory-based persistent data storage device with no moving parts. SSDs are an ideal HDD replacement in high shock, high vibration, or high altitude environments. SSDs additionally feature lower power consumption resulting in longer battery run times.	x	S26391-F439-E800	260,00	Phased out
	SSD 128GB high speed	A solid-state drive (SSD) is a reliable, flash memory-based persistent data storage device with no moving parts. SSDs are an ideal HDD replacement in high shock, high vibration, or high altitude environments. SSDs additionally feature lower power consumption resulting in longer battery run times.	x	S26391-F727-E600	426,00	Phased out
Communication/Network						
	No WLAN		x	S26391-F435-E100	3,00	
	WLAN Atheros 802.11 b\g 13ch	No FCC certification with Atheros WLAN	x	S26391-F435-E200	8,00	Phased out
	Intel WiFi Link 5300 802.11a\g\n 13ch	not for Russia / Ukraine / Pakistan	x	S26391-F435-E300	48,00	
	UMTS module Sierra Wireless MC8790 3G	not for China	x	S26391-F435-E400	138,00	
	No 3G \ UMTS		x	S26391-F435-E450	3,00	
	Bluetooth module V2.1		x	S26391-F435-E500	18,00	
Country kits						
	Country Kit US		x	S26391-F417-E100	4,00	
	Country Kit GB		x	S26391-F417-E200	4,00	
	Country Kit EU		x	S26391-F417-E300	4,00	
	Country Kit D		x	S26391-F417-E400	4,00	
OS/Application-SW						
	TwinLoad Win XP-Tabl. Edition (D)		x	S26361-F2007-E641	3,00	Phased out
	TwinLoad Win XP-Tabl. Edition (GB)		x	S26361-F2007-E642	3,00	Phased out
	TwinLoad Win XP-Tabl. Edition (I)		x	S26361-F2007-E644	3,00	Phased out
	TwinLoad Win XP-Tabl. Edition (MUI-LP)	Languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish	x	S26361-F2007-E646	3,00	Phased out
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S	x	S26361-F2007-E903	3,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	S26361-F2009-E253	179,00	
	Vista Business 32Bit UK & MS OneNote UK		x	S26361-F2007-E199	195,00	Phased out
	Vista Business 32Bit D & MS OneNote D		x	S26361-F2007-E200	195,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E782	217,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E781	217,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E784	217,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E787	323,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E786	323,00	Phased out
	Vista Business 32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2007-E201	178,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E789	323,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	S26361-F1818-E792	425,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	S26361-F1818-E791	425,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	S26361-F1818-E794	425,00	Phased out
	No Operating System		x	S26361-F1818-E100	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	S26361-F2009-E353	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2007-E803	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	S26361-F2007-E804	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)	x	S26361-F2007-E805	3,00	Phased out
	Recovery DVD Vista Business 32bit (RUS)		x	S26361-F2007-E806	3,00	Phased out
	REC-DVD Win7 Professional 32 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	S26361-F2009-E553	3,00	
UPS/Power supply						
	Battery 6-Cell 5.200mAh		x	S26391-F421-E200	100,00	
	Battery 9-cell 7.800mAh		x	S26391-F421-E300	130,00	
Security						
	TPM module V1.2		x	S26391-F442-E200	8,00	
Miscellaneous						
	4GB Intel Turbo Memory (Vista only)	Attention! This option is not supported with Windows XP.	x	S26391-F444-E100	99,00	
	WebCam 1.3MPix		x	S26391-F449-E300	27,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options						Data Sheets: http://ts.fujitsu.com/stylistic
Category	Description	Details	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Options matrix						
Miscellaneous (Continued)						
	Medical Kit ST6012	With this option, STYLISTIC ST6012 is certified for usage in medical environment according to the product-standard EN60601-1-2.	x	S26391-F5062-E900	3,00	
Desk View						
	DV Adv. Migration (DVD + 1 Lic.)		x	S26361-F4040-E10	68,00	Orderable from: 01/09/2010

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Notebooks

Mini Notebooks

Enjoy your mobile lifestyle with a small and lightweight mini notebook, whenever and wherever you are.

ESPRIMO Mobile D Series

The ESPRIMO Mobile D9510 is ready for any challenge thanks to its state-of-the-art Intel® Centrino® 2 processor technology. The 15.4-inch display enable ergonomic working, whether you are in the office or travelling. Connectivity is ensured via a large number of interfaces and optional embedded mobile broadband (3G/UMTS).

LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.
Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.

LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.

LIFEBOOK T Series

You are looking for an ultra-portable notebook with the latest technology but also want to profit from the pen functionality of a Tablet PC. Have a look on the LIFEBOOK T Series and you will be fascinated.
The LIFEBOOK T Series is a convertible notebook which offers you pen enabled design in all modes. And just flip over the screen and it converts into a Tablet PC.

LIFEBOOK NH570

The LIFEBOOK NH570 notebook is a mobile cinema that enables users to experience their films, photos,
social networking and games in stunning quality on a brilliant widescreen 46.7cm (18.4-inch) display,
whenever and wherever they want. The solid design and the spill-resistant keyboard provide extra
reliability, while the high-gloss black finish and slim profile make the notebook a real head-turner.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Mobile D951x

Data Sheets: http://ts.fujitsu.com/esprimo_mobile

Do you require constant access to your data and an ergonomic display? The ESPRIMO Mobile D9510 is ready for any challenge thanks to its state-of-the-art Intel® Centrino® 2 processor technology. The 15.4-inch display enable ergonomic working, whether you are in the office or travelling. Connectivity is ensured via a large number of interfaces and optional UMTS/HSDPA. With its new clear-line design the ESPRIMO Mobile D9510 fits perfectly into your office environment.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO Mobile D9510					
	ESPRIMO Mobile D9510	Base unit 15.4" based on Intel Chipset i45GM, supports maximum 8 GB Dual channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Mobile Intel® GMA 4500MHD integrated graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel 82567LF LAN modular bay, Intel High Definition Audio, microphone integrated, touchpad, LCD Status display & LED, application buttons, Kensington Lock connector., Reader: Smart Card reader, PC Card reader (I/II), Express Card reader 34/54, SD/MS/xD Card reader, Interfaces: VGA, serial, parallel, 3x USB 2.0, 1xCombo E-SATA/USB, ieee 1394, RJ45 for LAN, RJ11 for Modem (opt.), audio in, audio outDocking connector, Li-Ion battery 58Wh (5,200mAh), AC Adapter 20V/90W	S26391-K262-V100	388,00	Phased out

ESPRIMO Mobile Accessories

Data Sheets: http://ts.fujitsu.com/esprimo_mobile

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile V6555	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Memory																										
	1GB DDR2-800																x	x	x	x				S26391-F6120-L483	65,00	
	2GB DDR2-800		x		x			x									x	x	x	x				S26391-F6120-L484	96,00	
	2GB DDR3-1066			x		x	x		x	x											x	x	x	S26391-F736-L200	96,00	
Removable Media Drives																										
	DVD Super multi (reader/writer)			x		x	x		x	x											x	x	x	S26391-F725-L200	68,00	
	ExpressCard bay								x	x														S26391-F725-L400	31,00	
OS/Application-SW																										
	Drivers&Utility DVD(XP/Vista/7)ESPRIMO		x	x	x	x		x		x							x		x	x	x	x	x	S26361-F2007-L908	21,00	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L556	290,00	Phased out
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L550	290,00	Phased out
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L553	290,00	Phased out
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L559	290,00	Phased out
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L562	290,00	Phased out
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L557	378,00	Phased out
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L551	378,00	Phased out
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L554	378,00	Phased out
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L560	378,00	Phased out
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L563	378,00	Phased out
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L558	471,00	Phased out
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L552	471,00	Phased out
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L555	471,00	Phased out
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L561	471,00	Phased out
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L564	471,00	Phased out
UPS/Power supply																										
	AC adapter 20V(90W)										x	x		x	x	x	x	x	x	x				S26391-F321-L400	30,00	
	1st Battery ESPRIMO Mobile 6-cell 56Wh		x		x			x																S26391-F405-L840	71,00	
	battery 6-cell 4400 mAh (48Wh)											x		x		x					x			S26391-F6120-L490	82,00	
	AC Adapter 20V/4,5A (90W) ESPRIMO Mobile		x		x			x																S26391-F696-L200	30,00	
	AC Adapter 20V (90W)			x		x	x		x	x												x	x	x	S26391-F740-L100	30,00	
	2ND BATTERY			x		x	x		x	x												x	x	x	S26391-F746-L100	123,00	Phased out
	1st Battery EM U+M 6-cell					x	x		x	x															S26391-F746-L500	82,00	
	1st Battery EM D+X 8-cell			x																		x	x		S26391-F746-L600	88,00	
Security																										
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM		x		x	x		x	x							x		x	x	x	x		S26361-F1571-L201	23,00	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM		x		x	x		x	x							x		x	x	x	x		S26361-F1571-L210	147,00	
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM Express Card54 - SCR3340	x	x	x	x	x										x	x	x	x	x	x	x	S26361-F2432-L710	65,00	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium		x		x	x		x	x											x	x		S26361-F2727-L100	27,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support	x	x	x	x	x	x	x	x							x		x	x	x	x		S26361-F2727-L730	42,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x			x		x	x	x	x	x	x	x	S26381-F331-L220	32,00	
Keyboard /Mouse																										
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	x	x	x	x	x	x	x	x	x	x			x							x	x		LTC:M-RCQ142	45,00	
	KB NUM CALC US	Numeric keybaord USB with integrated calculator in retail box															x	x	x	x			x	S26381-K272-L410	30,00	
	KB NUM CALC D	Numeric keybaord USB with integrated calculator in retail box															x	x	x	x			x	S26381-K272-L420	30,00	
	KBPC PX ECO US	keyboard professional USB, USA, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED		x		x			x															S26381-K341-L110	40,00	

ESPRIMO Mobile Accessories

Data Sheets: http://ts.fujitsu.com/esprimo_mobile

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile V6555	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Keyboard /Mouse (Continued)																										
	KBPC PX ECO D	keyboard professional USB, Germany, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED		x		x			x															S26381-K341-L120	40,00	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED		x		x			x															S26381-K341-L165	40,00	
	KBPC PX ECO I	keyboard professional USB, Italy, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED		x		x			x															S26381-K341-L185	40,00	
	KB SLIM MF PIANO BLACK USA	KB SLIM MF PIANO BLACK, USA, brilliant black multifunction keyboard, 2m USB cable, cleaning tissue, retail box															x	x	x	x			x	S26381-K370-L210	26,00	Phased out
	KB SLIM MF PIANO BLACK D	KB SLIM MF PIANO BLACK, german, brilliant black multifunction keyboard, 2m USB cable, cleaning tissue, retail box															x	x	x	x			x	S26381-K370-L220	26,00	Phased out
	Laser Mouse GL5600	Laser Mouse GL5600 Gamer, USB Mouse with add. weights, 10 keys, 4-way-scroll function, 400 upto 2000 dpi, class 1 Laser, software CD, manual, retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K417-L800	25,00	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K423-L100	18,00	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K429-L100	23,00	
	KB400 USB D	KB400 USB INT, SLIM value keyboard black, german layout, USB		x		x			x															S26381-K550-L420	17,00	
	Keyboard KB900 USB USA	Keyboard KB900 american layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.															x	x	x	x			x	S26381-K560-L402	30,00	
	Keyboard KB900 USB D	Keyboard KB900 german layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.															x	x	x	x			x	S26381-K560-L420	30,00	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.															x	x	x	x			x	S26381-K560-L465	30,00	
	Keyboard KB900 USB I	Keyboard KB900 italian layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.															x	x	x	x			x	S26381-K560-L485	30,00	
	Keyboard KB910 Backlight USA	Keyboard KB910 US layout, backlight keys, brightness adjustable in 3 steps, spill proof. multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.															x	x	x	x			x	S26381-K562-L402	36,00	
	Keyboard KB900 Backlight D	Keyboard KB910 German layout, backlight keys, brightness adjustable in 3 steps, spill proof. multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.															x	x	x	x			x	S26381-K562-L420	36,00	
	KBPC PX USA professional keyboard	keyboard professional PS2 - USB, US-English, global design, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED		x		x			x															S26381-K340-V110	39,00	Phased out
	KBPC PX D professional keyboard	keyboard professional PS2 - USB, Germany, global design, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED		x																				S26381-K340-V120	39,00	Phased out
	KBPC PX GB professional keyboard	keyboard professional PS2 - USB, Great-Britain, global design, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED		x		x			x															S26381-K340-V165	39,00	Phased out
	KBPC PX I professional keyboard	keyboard professional PS2 - USB, Italy, global design, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED		x		x			x															S26381-K340-V185	39,00	Phased out
Input Devices																										

ESPRIMO Mobile Accessories

Data Sheets: http://ts.fujitsu.com/esprimo_mobile

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile V6555	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Input Devices (Continued)																										
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26381-K440-L100	62,00	
Additional Software																										
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321	500,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00	

ESPRIMO Mobile Options

Data Sheets: http://ts.fujitsu.com/esprimo_mobile

Category	Description	Details	ESPRIMO Mobile D9510	Product Code	EUP (€)	Comments
Options matrix						
LCD-Display						
	15.4" WSXGA+ magnesium (1680x1050)		x	S26391-F722-E301	238,00	
Processor						
	Intel Core2 Duo P8700 2.53GHz 3MB 1066MH		x	S26391-F731-E300	336,00	
	Intel Core2 Duo P8800 2.66GHz 3MB 1066MH		x	S26391-F731-E400	388,00	
	Intel C2 Duo T9600 2.8GHz 6MB 1066MHz		x	S26391-F732-E200	510,00	
Memory						
	1GB DDR3 SO-DIMM PC8500		x	S26391-F744-E100	40,00	
	2GB DDR3 SO-DIMM PC8500		x	S26391-F744-E200	71,00	
Removable Media Drives						
	2nd battery		x	S26391-F746-E100	103,00	Phased out
	DVD Super multi (reader/writer)		x	S26391-F725-E200	45,00	
	weight saver		x	S26391-F725-E300	4,00	
Hard Disks						
	HDD SATA 160GB 5.4k		x	S26391-F727-E200	61,00	Phased out
	HDD SATA 320GB 5.4k		x	S26391-F727-E300	75,00	
	HDD SATA 320GB 7.2k		x	S26391-F728-E300	79,00	
	HDD FDE-4 320GB 5.4k	Hardware-based full disk encryption (FDE) is the most reliable and secure form of hard disk encryption. The encryption is both automatic and transparent to the end-user and has no performance overhead.	x	S26391-F729-E600	90,00	
	Mobile Thin client upgrade kit	Please be aware, that Thin client upgrade kit is released for projects only after confirmation with Product Management! Includes 1GB CF-card and eLux RL preinstalled.	x	S26391-F727-E999	148,00	
Communication/Network						
	No WLAN		x	S26391-F735-E100	3,00	
	WLAN Atheros 802.11 b\g 13ch	No FCC certification with Atheros WLAN	x	S26391-F735-E200	8,00	Phased out
	Intel WiFi Link 5300 802.11a\g\n 13ch	not for Russia / Ukraine / Pakistan	x	S26391-F735-E300	48,00	
	UMTS module Option GTM 382 3G	not for China	x	S26391-F735-E400	116,00	
	No 3G \ UMTS		x	S26391-F435-E450	3,00	
	Bluetooth module V2.1		x	S26391-F735-E500	8,00	
	No Modem		x	S26391-F737-E100	3,00	
	Modem		x	S26391-F737-E200	6,00	
	Modem adapter kit (EU)	includes all adapter for EU	x	S26361-F3145-E50	13,00	
Country kits						
	Country Kit US	includes manual and AC-cable	x	S26391-F741-E100	6,00	
	Country Kit GB	includes manual and AC-cable	x	S26391-F741-E200	6,00	
	Country Kit EU	includes manual and AC-cable	x	S26391-F741-E300	6,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	S26391-F404-E911	2,00	
OneBox-Keyboards						
	Keyboard D w\ TS black	German	x	S26391-F250-E221	10,00	
	Keyboard I w\ TS black	Italian	x	S26391-F250-E223	10,00	
	Keyboard GB w\ TS black	British	x	S26391-F250-E225	10,00	
	Keyboard US w\ TS black	US american (for netherlands, poland, ...too)	x	S26391-F250-E234	10,00	
OS/Application-SW						

ESPRIMO Mobile Options

Data Sheets: http://ts.fujitsu.com/esprimo_mobile

Category	Description	Details	ESPRIMO Mobile D9510	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD	x	S26361-F1818-E893	4,00	
	Twinload XP Pro SP3 DVD (D)		x	S26361-F2007-E721	3,00	Phased out
	Twinload XP Pro SP3 DVD (GB)		x	S26361-F2007-E722	3,00	Phased out
	Twinload XP Pro SP3 DVD (I)		x	S26361-F2007-E724	3,00	Phased out
	Twinload XP Pro SP3 DVD MUI-LP	Languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish	x	S26361-F2007-E740	3,00	Phased out
	Drivers & Utility DVD (Vista /7 / XP)		x	S26361-F2007-E908	3,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	S26361-F2009-E253	179,00	
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E782	217,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E781	217,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E784	217,00	Phased out
	Vista HomeBasic32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2007-E101	92,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E787	323,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E786	323,00	Phased out
	Vista Business 32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2007-E201	178,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E789	323,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	S26361-F1818-E792	425,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	S26361-F1818-E791	425,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	S26361-F1818-E794	425,00	Phased out
	No Operating System		x	S26361-F1818-E100	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	S26361-F2009-E353	3,00	Phased out
	Recov. DVD Vista HomeBasic 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2007-E801	3,00	Phased out
	Recovery DVD Vista Home Basic 32bit RUS		x	S26361-F2007-E802	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2007-E803	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	S26361-F2007-E804	3,00	Phased out

ESPRIMO Mobile Options — Data Sheets: http://ts.fujitsu.com/esprimo_mobile

Category	Description	Details	ESPRIMO Mobile D9510	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	Recovery DVD Vista Business 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)	x	S26361-F2007-E805	3,00	Phased out
	Recovery DVD Vista Business 32bit (RUS)		x	S26361-F2007-E806	3,00	Phased out
	REC-DVD Win7 Professional 32 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	S26361-F2009-E553	3,00	
Port Replicator						
	Portreplicator\AC Adapter\EU cable		x	S26391-F740-E200	62,00	
	Portreplicator\AC Adapter\GB cable		x	S26391-F740-E300	65,00	
	Portreplicator		x	S26391-F740-E500	48,00	
UPS/Power supply						
	2nd Cable EU		x	S26391-F408-E210	3,00	
	2nd Cable US		x	S26391-F408-E220	4,00	
	2nd Cable GB		x	S26391-F408-E230	3,00	
	2nd AC Adapter 20V\90W		x	S26391-F740-E100	14,00	
Security						
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support	x	S26361-F2727-E730	6,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable	x	S26381-F331-E220	30,00	
	TPM module V1.2		x	S26391-F738-E100	6,00	
Mouse						
	Mouse 400NB Black	Notebook Mouse M400NB Black, optical 3 button tilt wheel USB new Fujitsu design	x	S26381-K428-E100	9,00	
Miscellaneous						
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	S26361-F2542-E90	4,00	
	WebCam 1.3MPix		x	S26391-F739-E100	10,00	
	4GB Intel Turbo Memory (Vista only)		x	S26391-F739-E200	99,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S7220 — Data Sheets: http://ts.fujitsu.com/lifebook

Fujitsu is the leading European IT manufacturer. With a strategic focus on innovative mobility and the dynamic data center, we offer a unique range of products and services from notebooks and desktops to servers and IT infrastructure solutions. Famous German engineering and exceptional in-house quality testing capabilities in our test centers ensure extraordinary product quality and reliability across all product lines.

LIFEBOOK S7220

The LIFEBOOK S7220 offers the perfect balance between low weight and high-end performance. Weighing only 2.2 kg this is the ideal choice in the 14.1-inch notebook segment. A flexible modular bay, port replicator and a long battery life make work easy. Integrated 3G/UMTS and the optional ConfCamera enable connectivity anytime, anywhere.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S7220					
	LIFEBOOK S7220 14.1" FP	LCD 14,1" TFT, Intel i45GM Chipset, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd battery and 2nd HDD. Mobile Intel® GMA 4500MHD integrated graphics, Serial ATA HDD interface, 10/100/1000 MBit 88E8055 Marvell LAN, Intel High Definition Audio, 2 microphones integrated, touchpad, LCD Status display, application buttons, Fingerprint Sensor (incl. SmartCase Logon+ Security Software) Kensington Lock connector., Interfaces: 1x ExpressCard slot Type 34/54, Smart Card reader, SD/MS Card reader, VGA, 3x USB 2.0, RJ45 for LAN, RJ11 for analog modem, microphone in, audio out, Docking connector, Li-Ion battery, AC Adapter 19V/80W.	S26391-K274-V200	619,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S710

Data Sheets: http://ts.fujitsu.com/lifebook

The LIFEBOOK S710 offers the perfect balance between low weight and high-end performance. Weighing only 2.15 kg it is one of the lightest modular 35.6cm (14-inch) notebooks. A flexible modular bay and a long battery life enable convenient working. Integrated 3G/UMTS and the optional webcam enable connectivity anytime, anywhere.

Model	Processor	Operating System	Memory	HDD	CD-RW/DVD	DVD-RW	DVD-RW Dual DL	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	Product Code	EUP (€)	Comments
Standard products																							
LIFEBOOK S710																							
	LB S710 FP /35,6 CM HD CAM/I7-620M/ 2x2 GB/DVD SUPER MULTI/320GB/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB I BL/COA_W7_MM_PROFES/,																				LKN:S7100M0003IT		Phased out
	LB S710 FP /35,6 CM HD CAM/I7-620M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ WLAN INTEL 6200/UMTS GOBI 2000/MODEM/ CK EU/KB I BL/COA_W7_MM_PROFES/,																				LKN:S7100M0004IT		Phased out
	LB S710 FP /35,6 CM HD CAM/I7-640M/ 2x2 GB/DVD SUPER MULTI/SSD 128GB FDE/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W\O TS I/COA_W7_MM_PROFES/,																				LKN:S7100M0007IT		Orderable from: 27/09/2010
	LB S710 FP /35,6 CM HD CAM/I7-640M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W\O TS I/COA_W7_MM_PROFES/,																				LKN:S7100M0008IT		Orderable from: 27/09/2010
	LB S710 FP /35,6 CM HD CAM/I5-460M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ WLAN INTEL 6200/UMTS GOBI 2000/MODEM/ CK EU/KB W\O TS I/COA_W7_MM_PROFES/,																				LKN:S7100M0009IT		Orderable from: 27/09/2010

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S710					
	LIFEBOOK S710	Base unit, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Bluetooth 2.1, Intel High Definition Audio and 1 Microphone integrated, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x E-SATA, Firewire, RJ45 for LAN optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., Please do not forget to configure the 1st Battery extra	S26391-K302-V100	409,00	
	LIFEBOOK S710 with Fingerprint	Base unit with Fingerprint Sensor and Smart case logon+ SW, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Bluetooth 2.1, Intel High Definition Audio and 1 Microphone integrated, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x E-SATA, Firewire, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., Please do not forget to configure the 1st Battery extra	S26391-K302-V200	421,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S760

Data Sheets: http://ts.fujitsu.com/lifebook

The LIFEBOOK S760 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. With the 33.8cm (13.3-inch) display and just 1.6kg it is equipped with a full-featured performance processor and extra thin second battery or DVD-drive. The LIFEBOOK S760 leaves nothing to be desired.

Model	Processor	Operating System	Memory	HDD	CD-RW/DVD	DVD-RW	DVD-RW Dual DL	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	Product Code	EUP (€)	Comments
Standard products																							
LIFEBOOK S760																							
	LB S760 /33,8 CM HD CAM/I7-640M/2x2 GB/ DVD/500GB 7.2K/NO UMTS/WLAN INTEL 6200/ BT/MODEM/CK EU/KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/,																			LKN:S7600M0003IT		Orderable from: 27/09/2010

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S760					
	LIFEBOOK S760	Base unit, Intel QM57 Chipset with iAMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drive and 2nd battery. Mobile Intel® HD integrated graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel 82577LM, Intel High Definition Audio, 2 microphones integrated, touchpad and ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, AC Adapter 19V/80W, Sleeve Case., supports iAMT 6.0: vPro requires Core i5-5xx/ i7 processor, Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 3x USB 2.0 thereof 1 with anycharge functionality, 1x RJ45 for LAN, 1x RJ11 optional for analogue modem, microphone in, audio out, docking connector	S26391-K300-V100	757,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E780

Data Sheets: http://ts.fujitsu.com/lifebook

The simple philosophy behind LIFEBOOK E780: only the best is good enough. State-of-the-art Intel® technology and an optional NVIDIA® graphics card ensure brilliant graphics and best performance. This 39.6cm (15.6-inch) notebook supports HD or HD+ display with LED backlight. With features like fingerprint and Fujitsu's Advanced Theft Protection (ATP) your notebook is secured from any data theft.

Model	Processor	Operating System	Memory	HDD	CD-RW/DVD	DVD-RW	DVD-RW Dual DL	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	Product Code	EUP (€)	Comments
Standard products																							
LIFEBOOK E780																							
	LB E780 INTEL GFX FP /39,6 CM HD CAM/ I5-520M/2x2 GB/DVD SUPER MULTI/320GB/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\ TS I/COA_W7_MM_PROFES/,																				LKN:E7800M0003IT		Phased out
	LB E780 INTEL GFX FP /39,6 CM HD CAM/ I5-520M/2x2 GB/DVD SUPER MULTI/ 500GB 7.2K/BT V2.1/WLAN INTEL 6200/ UMTS GOBI 2000/MODEM/CK EU/KB W\ TS I/,																				LKN:E7800M0004IT		Phased out
	LB E780 GFX FP /39,6 CM HD+ CAM/I7-620M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\ TS I/COA_W7_MM_PROFES/,																				LKN:E7800M0005IT		Phased out
	LB E780 INTEL GFX FP /39,6 CM HD CAM/ I5-460M/2x2 GB/DVD SUPER MULTI/ 500GB 7.2K/BT V2.1/WLAN INTEL 6200/ UMTS GOBI 2000/MODEM/CK EU/KB W\O TS I/,																				LKN:E7800M0009IT		Orderable from: 27/09/2010
	LB E780 INTEL GFX FP /39,6 CM HD CAM/ I5-560M/2x2 GB/DVD SUPER MULTI/ 500GB 7.2K/BT V2.1/WLAN INTEL 6200/ NO 3G/MODEM/CK EU/KB W\O TS I/,																				LKN:E7800M0010IT		Orderable from: 27/09/2010
	LB E780 GFX FP /39,6 CM HD CAM/I5-560M/ 2x2 GB/DVD SUPER MULTI/320GB/BT V2.1/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W\O TS I/COA_W7_MM_PROFES/,																				LKN:E7800M0011IT		Orderable from: 27/09/2010
	LB E780 GFX FP /39,6 CM HD+ CAM/I7-640M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\O TS I/COA_W7_MM_PROFES/,																				LKN:E7800M0012IT		Orderable from: 27/09/2010

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E780					
	LIFEBOOK E780 Intel gfx	Base unit, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1PC Card slot type I/II, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1xserial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Fast Infrared, Firewire, RJ45 for LAN optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., , Please do not forget to configure the 1st Battery extra	S26391-K310-V100	500,00	
	LIFEBOOK E780 Intel gfx with FP	Base unit with Fingerprint Sensor and Smart case logon+ SW, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1PC Card slot type I/II, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1xserial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Fast Infrared, Firewire, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., , Please do not forget to configure the 1st Battery extra	S26391-K310-V200	521,00	
	LIFEBOOK E780 NVidia gfx with FP	Base unit with Fingerprint Sensor and Smart case logon+ SW, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Geforce 330GT performance graphics with 1GB DDR3 Speicher, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1PC Card slot type I/II, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1xserial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Firewire, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., , Please do not forget to configure the 1st Battery extra	S26391-K310-V400	744,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK NH570

Data Sheets: http://ts.fujitsu.com/lifebook

The LIFEBOOK NH570 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 46.7cm (18.4-inch) display, whenever and wherever they want. The solid design and the spillproof keyboard provide extra reliability, while the high-gloss black finish and slim profile make the notebook a real head-turner.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK NH570					
	Base unit 18.4" (46.7cm, 16:9) based Intel® HM55, supports maximum 8 GB Dual channel DDR3 1066MHz memory (2 DIMM slots), Mobile Intel® Graphics Media Accelerator HD, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated IEEE 802.11b/g/n, integrated 1.3 megapixel WebCam, 2 integrated speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, Li-Ion 6-cell battery 5.200 mAh, AC adapter 19V/80W, , Interfaces: 1x VGA, 1xHDMI, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out ExpressCard Slot 34/54mm, Firewire, 1x eSATA, 1xDC-in, 1x kensington lock				
	LB NH570 /I3-370M/2x2GB/DVD/320GB/ (Promo)	LB NH570 /I3-370M/2x2GB/DVD/320GB/ BT V2.1/CK EU/KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/ DUDVD/,	LKN:NH570M0001IT		
	LB NH570 /I5-460M/2x2GB/DVD/500GB/ (Promo)	LB NH570 /I5-460M/2x2GB/DVD/500GB/ BT V2.1/CK EU/KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/ DUDVD/,	LKN:NH570M0002IT		
	Base unit 18.4" (46.7cm, 16:9) based Intel® HM55, supports maximum 8 GB Dual channel DDR3 1066MHz memory (2 DIMM slots), NVIDIA® GeForce® GT 330M with 1GB dedicated DDR3 VRAM, Bluetooth, Fingerprint, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated IEEE 802.11b/g/n, integrated 1.3 megapixel WebCam, 2 integrated speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, Li-Ion 8-cell battery 5.200 mAh, AC adapter 19V/100W, , Interfaces: 1x VGA, 1xHDMI, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, Firewire, 1x eSATA, 1xDC-in, 1x kensington lock				
	LB NH570 /I5-460M/2x2GB/BD WRITER/500GB/ (Promo)	LB NH570 /I5-460M/2x2GB/BD WRITER/500GB/ CK EU/KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/ DUDVD/,	LKN:NH570M0003IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK NH570					

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK NH570 — Data Sheets: http://ts.fujitsu.com/lifebook

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK NH570 (Continued)					
	LIFEBOOK NH570	Base unit 18.4" (46.7cm, 16:9) based Intel® HM55, supports maximum 8 GB Dual channel DDR3 1066MHz memory (2 DIMM slots), Mobile Intel® Graphics Media Accelerator HD, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated IEEE 802.11b/g/n, integrated 1.3 megapixel WebCam, 2 integrated speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, Li-Ion 6-cell battery 5.200 mAh, AC adapter 19V/80W, , Interfaces: 1x VGA, 1xHDMI, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out ExpressCard Slot 34/54mm, Firewire, 1x eSATA, 1xDC-in, 1x kensington lock	S26391-K307-V100	781,00	
	LIFEBOOK NH570/GFX	Base unit 18.4" (46.7cm, 16:9) based Intel® HM55, supports maximum 8 GB Dual channel DDR3 1066MHz memory (2 DIMM slots), NVIDIA® GeForce® GT 330M with 1GB dedicated DDR3 VRAM, Bluetooth, Fingerprint, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated IEEE 802.11b/g/n, integrated 1.3 megapixel WebCam, 2 integrated speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, Li-Ion 8-cell battery 5.200 mAh, AC adapter 19V/100W, , Interfaces: 1x VGA, 1xHDMI, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, Firewire, 1x eSATA, 1xDC-in, 1x kensington lock	S26391-K307-V200	868,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Notebooks Accessories — **Data Sheets: http://ts.fujitsu.com/lifebook**

| Category | Description | Details | LIFEBOOK A1130 | LIFEBOOK A530 | LIFEBOOK A550 | LIFEBOOK AH530/GR | LIFEBOOK AH550/GR | LIFEBOOK C1320 | LIFEBOOK C1410 | LIFEBOOK E780 | LIFEBOOK E8010 | LIFEBOOK E8020 | LIFEBOOK E8210 | LIFEBOOK E8310 | LIFEBOOK E8410 | LIFEBOOK E8420 | LIFEBOOK NH570 | LIFEBOOK P1610 | LIFEBOOK P1620 | LIFEBOOK P1630 | LIFEBOOK P2120 | LIFEBOOK P7120 | LIFEBOOK P7230 | LIFEBOOK P770 | LIFEBOOK P8010 | LIFEBOOK P8020 | LIFEBOOK P8110 | LIFEBOOK P8120 | LIFEBOOK P8130 | LIFEBOOK P8230 | LIFEBOOK Q2010 Executive | LIFEBOOK Q2010 Supreme | LIFEBOOK S2110 AMD Glare | LIFEBOOK S6410 | LIFEBOOK S6420 | LIFEBOOK S7010 | LIFEBOOK S7010 Supreme | LIFEBOOK S7010 Basic | LIFEBOOK S7020 Secure Edition | LIFEBOOK S7020 Supreme | LIFEBOOK S7020 Value | LIFEBOOK S710 | LIFEBOOK S7110 Supreme | LIFEBOOK S7110 Value | LIFEBOOK S7110 Value FP | LIFEBOOK S7210 | LIFEBOOK S7220 | LIFEBOOK S760 | LIFEBOOK T1030 | LIFEBOOK T1410 | LIFEBOOK T4410 | LIFEBOOK T5010 | LIFEBOOK T730 | LIFEBOOK T900 | LIFEBOOK TH700 | Product Code | EUP (€) | Comments |
|---|---|---

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Notebooks Accessories — Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK A1130	LIFEBOOK A530	LIFEBOOK A550	LIFEBOOK AH530/GFX	LIFEBOOK AH550	LIFEBOOK AH550/GFX	LIFEBOOK C1320	LIFEBOOK C1410	LIFEBOOK E780	LIFEBOOK E8030	LIFEBOOK E8030	LIFEBOOK E8130	LIFEBOOK E8230	LIFEBOOK E8330	LIFEBOOK E8410	LIFEBOOK E8420	LIFEBOOK NH570	LIFEBOOK P1630	LIFEBOOK P1630	LIFEBOOK P3110	LIFEBOOK P7120	LIFEBOOK P7230	LIFEBOOK P770	LIFEBOOK P8030	LIFEBOOK P8030	LIFEBOOK P8130	LIFEBOOK P8530	LIFEBOOK Q2010 Executive	LIFEBOOK Q2010 Supreme	LIFEBOOK S2110 AMD Clare	LIFEBOOK S6420	LIFEBOOK S6420	LIFEBOOK S7020	LIFEBOOK S7020 Supreme	LIFEBOOK S7020 Basic	LIFEBOOK S7020 Secure Edition	LIFEBOOK S7020 Supreme	LIFEBOOK S7020 Value	LIFEBOOK S7110	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7120 Value FP	LIFEBOOK S7210	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T1010	LIFEBOOK T4310	LIFEBOOK T4410	LIFEBOOK T5010	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Accessories & services matrix																																																								
Security (Continued)																																																									
	ATP, Data Protection,PE, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description					x				x							x	x						x																															S26361-F2009-L215	116,00	
	ATP, ComputraceOne, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description					x				x							x	x						x																															S26361-F2009-L217	82,00	
	ATP, ComputraceOne, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description					x				x							x	x						x																															S26361-F2009-L218	100,00	
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM ExpressCard54 - SCR3340	x	x			x		x	x	x		x						x			x			x			x		x				x		x	x	x	x	x	x	x	x	x							S26361-F2432-L710	65,00	Phased out
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support, SmartLogon plus support		x		x	x				x								x			x			x				x																		x	x			x	x	x	S26361-F2432-L720	65,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium									x								x	x					x																									x	x		x	x	x	x	S26361-F2727-L100	27,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7, no eLux support								x	x	x	x	x	x	x	x	x	x	x		x		x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L730	42,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x			x		x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x								x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	32,00	
Miscellaneous																																																									
	LIFEBOOK driver CD								x	x		x	x	x	x							x								x		x			x	x	x	x	x		x	x	x	x								S22452-P919-L100	21,00	
	Replacement part	replacement cord for the pen																																																	x		x		S26391-F2602-V1	15,00	
	Keyboard Rubber caps	10 caps							x	x		x	x	x	x	x	x	x													x				x	x	x	x	x	x		x	x	x	x	x						S26391-F2602-V1	21,00	
	Passive Pen (2 pieces)																																																						S26391-F413-L600	25,00	
	Active Pen (5 pieces)																																																						S26391-F413-L705	65,00	Phased out
	Additional Pens&TS rubber caps (3 Stück)																			x	x																																	S26391-F5031-L300	30,00	Phased out
	Pen (2 pieces)																																																					S26391-F796-L800	69,00	
	Feet for vertical position (set)																																																					S26361-F2421-300	13,00	
Cables																																																								
	S-Video cable																																																							S26391-F6071-L400	27,00	
	Power cord three-wire EU	Power cord three-wire EU		x							x																																												S26361-F2581-L310	10,00	
Inout Devices																																																								
	Presenter IV Air	2.4 GHz presenter with laser pointer, mouse und Gamepad function	x	x			x		x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x																		S26381-K440-L100	62,00	
Additional Software																																																							
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C171	######	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs							x		x	x											x													x	x	x	x	x	x												U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows Server 2003, 2000, XP, NT4, 98 / ME							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C186	######	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C202	######	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C203	######	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C204	######	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C205	######	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C206	######	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C207	710,00	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C208	######	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C209	######	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C210	######	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C211	######	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C212	######	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C213	######	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C214	######	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C215	######	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C216	######	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C217	710,00	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C218	######	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C219	######	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C220	######	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C221	######	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C222	500,00	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C223	814,00	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C224	######	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C225	######	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206							x		x	x								x	x		x													x	x	x	x	x	x												U11081-C226	######	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301	######	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	######	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321	500,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Notebooks Accessories — Data Sheets: http://ts.fujitsu.com/lifebook

| Category | Description | Details | LIFEBOOK A1130 | LIFEBOOK A530 | LIFEBOOK A550 | LIFEBOOK AH530/GFX | LIFEBOOK AH550 | LIFEBOOK AH550/GFX | LIFEBOOK C1320 | LIFEBOOK C1410 | LIFEBOOK E780 | LIFEBOOK E8020 | LIFEBOOK E8030 | LIFEBOOK E8110 | LIFEBOOK E8210 | LIFEBOOK E8310 | LIFEBOOK E8410 | LIFEBOOK E8420 | LIFEBOOK NH570 | LIFEBOOK P1610 | LIFEBOOK P1620 | LIFEBOOK P3110 | LIFEBOOK P7120 | LIFEBOOK P7230 | LIFEBOOK P770 | LIFEBOOK P8010 | LIFEBOOK P8020 | LIFEBOOK P8110 | LIFEBOOK P8610 | LIFEBOOK Q2010 Executive | LIFEBOOK Q2010 Supreme | LIFEBOOK S2110 AMD Glare | LIFEBOOK S6410 | LIFEBOOK S6420 | LIFEBOOK S7010 | LIFEBOOK S7020 Supreme | LIFEBOOK S7020 Basic | LIFEBOOK S7030 Secure Edition | LIFEBOOK S7030 Supreme | LIFEBOOK S7030 Value | LIFEBOOK S710 | LIFEBOOK S7110 Supreme | LIFEBOOK S7110 Value | LIFEBOOK S7120 Value FP | LIFEBOOK S7210 | LIFEBOOK S7220 | LIFEBOOK S760 | LIFEBOOK T1010 | LIFEBOOK T4310 | LIFEBOOK T4410 | LIFEBOOK T5010 | LIFEBOOK T720 | LIFEBOOK T900 | LIFEBOOK TH700 | Product Code | ELP (€) | Comments |
|---|---|---

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
LCD-Display																	
	35,6 cm (14.0") HD LED							x							S26391-F500-E100	151,00	
	35,6 cm (14.0") HD LED w\ cam							x							S26391-F500-E200	158,00	
	39,6 cm (15.6") HD compound LED		x												S26391-F501-E100	140,00	
	39,6 cm (15.6") HD magnesium LED w\ cam		x												S26391-F501-E200	188,00	
	39,6 cm (15.6") HD+ magnesium LED w\ cam		x												S26391-F501-E300	216,00	
	Standard WXGA LED Display										x				S26391-F623-E100	151,00	
	Anti-Glare Berliner Glass Display Shield												x		S26391-F643-E100	48,00	
	Glare Glass Display Shield												x		S26391-F643-E200	45,00	
	33,8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m², without Cam								x					S26391-F653-E200	140,00	
	33,8 cm (13.3") HD magn. T&L LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 300 cd/m², without Cam								x					S26391-F653-E300	255,00	Phased out
	33,8 cm (13.3") HD magn. STD LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 200 cd/m², without Cam								x					S26391-F653-E350	165,00	
	33,8 cm (13.3") HD compound LED w\ Cam	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m², with Cam								x					S26391-F653-E400	151,00	
	33,8 cm (13.3") HD magn. T&L LED w\ Cam	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 300 cd/m², with Cam								x					S26391-F653-E500	264,00	Phased out
	33,8 cm (13.3") HD magn. STD LED w\ Cam	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 200 cd/m², with Cam								x					S26391-F653-E550	175,00	
	30,7 cm (12.1") WXGA premium LED	Wide-View High-Bright LED Display										x			S26391-F660-E100	292,00	
	30,7 cm (12.1") WXGA standard LED											x		x	S26391-F660-E200	134,00	
	14.1" WXGA+ for S7220								x						S26391-F446-E200	184,00	Phased out
	14.1" WXGA Cam for S7220								x						S26391-F446-E300	175,00	Phased out
	14.1" WXGA+ Cam for S7220								x						S26391-F446-E400	206,00	Phased out
Thin Client Kit																	
	CF 2 GB (300x) Upgrade Kit		x					x							S26391-F535-E100	94,00	Orderable from: 20/09/2010
Processor																	
	Intel Core2 Duo P8700 2.53GHz 3MB 1066MH								x						S26391-F431-E870	336,00	
	Intel Core2 Duo P8800 2.66GHz 3MB 1066MH								x						S26391-F431-E880	388,00	
	Intel Core2 Duo T9600 2.8GHz 6MB 1066MHz								x						S26391-F432-E960	510,00	
	Intel Core i5-460M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		x											S26391-F461-E460	275,00	
	Intel Core i7-640M 2.80GHz 4MB			x											S26391-F461-E640	535,00	
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)	x					x							S26391-F503-E370	196,00	
	Intel Core i5-460M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)	x					x							S26391-F503-E460	275,00	Orderable from: 27/09/2010
	Intel Core i5-520M 2.4GHz 3MB		x					x							S26391-F503-E520	364,00	
	Intel Core i5-540M 2.53GHz 3MB		x					x							S26391-F503-E540	414,00	
	Intel Core i5-560M 2.66GHz 3MB		x					x							S26391-F503-E560	364,00	Orderable from: 27/09/2010
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)										x		x	S26391-F532-E370	196,00	Orderable from: 27/09/2010
	Intel Pentium P6100 2.00GHz 3MB	only for shipments to retail customers												x	S26391-F532-E610	104,00	Orderable from: 27/09/2010
	Intel Celeron P4600 2.00GHz 2MB									x					S26391-F534-E460	103,00	Orderable from: 27/09/2010
	Intel Core2 Duo P8700 2.53GHz 3MB 1066MH										x				S26391-F620-E870	336,00	
	Intel Celeron 900 2.2GHz 1MB 800MHz										x				S26391-F620-E900	56,00	
	Intel Celeron P4500 1.86GHz 2MB									x			x		S26391-F640-E145	103,00	
	Intel Core i3-350M 2.26GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)										x		x	S26391-F640-E350	190,00	
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)								x			x		S26391-F640-E370	196,00	
	Intel Core i5-450M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)										x		x	S26391-F640-E450	275,00	
	Intel Core i5-460M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)								x		x	x	x	S26391-F640-E460	275,00	Orderable from: 27/09/2010
	Intel Core i5-520M 2.4GHz 3MB									x		x	x	x	S26391-F640-E520	364,00	
	Intel Core i5-540M 2.53GHz 3MB									x		x	x		S26391-F640-E540	414,00	
	Intel Core i5-560M 2.66GHz 3MB									x		x	x	x	S26391-F640-E560	364,00	Orderable from: 27/09/2010
	Intel Pentium P6000 1.86GHz 3MB	only for shipments to retail customers												x	S26391-F640-E600	138,00	
	Intel Core i7-620M 2.66GHz 4MB									x		x	x		S26391-F640-E620	535,00	
	Intel Core i7-640M 2.80GHz 4MB									x		x	x		S26391-F640-E640	535,00	Orderable from: 27/09/2010
	Intel Core i7-620M 2.66GHz 4MB		x	x				x							S26391-F461-E620	535,00	
	Intel Core i7-640M 2.80GHz 4MB		x					x							S26391-F503-E640	535,00	Orderable from: 27/09/2010
	Intel Core i5-450M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		x											S26391-F461-E545	275,00	
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		x											S26391-F461-E370	196,00	
	Intel Core i3-350M 2.26GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)		x											S26391-F461-E350	190,00	
	Intel Pentium T4400 2.2GHz 1MB 800MHz	only for shipments to retail customers									x				S26391-F620-E440	103,00	
	Intel Pentium P6000 1.86GHz 3MB	only for shipments to retail customers		x											S26391-F461-E600	138,00	
	Intel Pentium P6100 2.00GHz 3MB	only for shipments to retail customers		x											S26391-F461-E610	104,00	
	Celeron P4500 1.86GHz 2MB		x					x							S26391-F461-E450	103,00	
	Intel Celeron P4600 2.00GHz 2MB							x							S26391-F530-E460	103,00	Orderable from: 27/09/2010
	Intel Core2 Duo T6600 2.2GHz 2MB 800MHz										x				S26391-F620-E660	182,00	
Memory																	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
Memory (Continued)																	
	2GB DDR2 PC2-6400				x										S26391-F363-E100	71,00	
	1GB DDR3-1066								x						S26391-F436-E100	40,00	
	2GB DDR3-1066								x						S26391-F436-E200	71,00	
	2GB DDR3 PC3-8500			x											S26391-F462-E102	71,00	
	4GB DDR3 PC3-8500			x											S26391-F462-E104	199,00	
	2 GB DDR3 1066 MHz PC3-8500							x							S26391-F504-E100	71,00	
	4 GB DDR3 1066 MHz PC3-8500							x							S26391-F504-E200	199,00	
	2 GB DDR3 1066 MHz PC3-8500		x												S26391-F505-E100	71,00	
	4 GB DDR3 1333 MHz PC3-10600		x												S26391-F505-E300	199,00	
	2 GB DDR3 800 MHz PC3-6400						x								S26391-F521-E100	71,00	
	1GB DDR3 PC3-8500										x				S26391-F621-E100	40,00	
	2GB DDR3 PC3-8500										x				S26391-F621-E200	71,00	
	4GB DDR3 PC3-8500										x				S26391-F621-E300	199,00	
	2 GB DDR3 1066 MHz PC3-8500											x		x	S26391-F621-E500	71,00	
	4 GB DDR3 1066 MHz PC3-8500											x		x	S26391-F621-E600	199,00	
	2 GB DDR3 1066 MHz PC3-8500												x		S26391-F641-E100	71,00	
	4 GB DDR3 1066 MHz PC3-8500												x		S26391-F641-E200	199,00	
	2GB DDR3 PC8500					x									S26391-F791-E100	71,00	
	4GB DDR3 PC8500 (2 x 2GB)					x									S26391-F791-E300	142,00	
	4GB DDR3 PC8500 (1 x 4GB)					x									S26391-F791-E400	199,00	
	2 GB DDR3 1066 MHz PC3-8500									x					S26391-F650-E200	71,00	
	4 GB DDR3 1066 MHz PC3-8500									x					S26391-F650-E400	199,00	
Removable Media Drives																	
	DVD Super multi (reader/writer)								x						S26391-F440-E100	45,00	
	Blu-ray Triple Writer + BD playback SW			x											S26391-F464-E100	175,00	
	Blu-ray combo drive incl. BD playback SW			x											S26391-F464-E110	131,00	
	DVD Super multi (reader/writer)			x											S26391-F464-E120	40,00	
	Weight saver for modular bay										x	x	x	x	S26391-F777-E300	3,00	
	2nd Battery (10.8V, 3,800mAh)										x	x	x	x	S26391-F777-E400	113,00	
	DL Super Multi DVD+/-RW Drive										x		x		S26391-F777-E500	42,00	
	DVD Super Multi (reader/writer)											x		x	S26391-F777-E700	40,00	
	Blu-ray combo drive incl. BD playback SW											x		x	S26391-F777-E800	134,00	
	DVD Super Multi (reader/writer)					x									S26391-F797-E100	51,00	
	Weight saver for modular bay									x					S26391-F652-E100	3,00	
	2nd battery		x					x	x						S26391-F440-E200	130,00	
	2nd Battery (10,8V/ 2.500mAh)									x					S26391-F652-E200	117,00	
	weight saver		x					x	x						S26391-F440-E300	3,00	
	DVD Super Multi (reader/writer)	Nero on driver DVD								x					S26391-F652-E300	51,00	
	DVD Super multi (reader/writer)		x					x							S26391-F515-E200	44,00	
Hard Disks																	
	HDD SATA 250GB 5.4k				x		x								S26391-F363-E250	69,00	
	HDD SATA 320GB 5.4k				x										S26391-F363-E500	75,00	
	HDD SATA 500GB 5.4k				x										S26391-F363-E600	94,00	
	HDD SATA 160GB 5.4k								x						S26391-F437-E200	61,00	Phased out
	HDD SATA 320GB 5.4k								x						S26391-F437-E300	75,00	
	HDD FDE-4 320GB 5.4k								x						S26391-F439-E600	90,00	
	HDD SATA 160 GB 7.2k							x							S26391-F507-E400	65,00	
	HDD SATA 160GB 5.4k										x				S26391-F622-E100	61,00	
	HDD SATA 320GB 5.4k										x				S26391-F622-E200	75,00	
	HDD SATA 160GB 7.2k										x				S26391-F622-E300	65,00	
	HDD FDE 320GB 5.4k										x				S26391-F622-E400	90,00	
	SSD SATA 64GB FDE										x				S26391-F622-E700	271,00	
	SSD SATA 128GB FDE										x				S26391-F622-E800	432,00	
	HDD SATA 160 GB 5.4k												x		S26391-F642-E100	61,00	
	HDD SATA 320 GB 5.4k												x		S26391-F642-E200	75,00	
	HDD SATA 320 GB 5.4k FDE												x		S26391-F642-E400	90,00	
	HDD SATA 500 GB 7.2k												x		S26391-F642-E500	96,00	
	SSD SATA 64GB FDE												x		S26391-F642-E700	271,00	Orderable from: 17/09/2010
	SSD SATA 128GB FDE												x		S26391-F642-E800	432,00	
	HDD SATA 160 GB 7.2k									x					S26391-F651-E900	65,00	
	HDD SATA 320 GB 5.4k											x		x	S26391-F661-E200	75,00	
	HDD SATA 320 GB 5.4k FDE											x			S26391-F661-E400	90,00	
	HDD SATA 500 GB 7.2k											x		x	S26391-F661-E500	96,00	
	SSD SATA 64GB FDE											x		x	S26391-F661-E700	271,00	Orderable from: 17/09/2010
	SSD SATA 128GB FDE											x		x	S26391-F661-E800	432,00	
	HDD SATA 160GB 5.4k			x											S26391-F463-E160	61,00	
	HDD SATA 320GB 5.4k			x											S26391-F463-E320	75,00	
	HDD SATA 500GB 5.4k			x											S26391-F463-E500	94,00	
	2x HDD SATA 500GB 5.4k			x											S26391-F463-E505	192,00	
	HDD SATA 640 GB 5.4k			x											S26391-F463-E640	109,00	Orderable from: 20/09/2010
	2x HDD SATA 640 GB 5.4k			x											S26391-F463-E645	222,00	Orderable from: 20/09/2010
	HDD SATA 160GB 5.4k									x					S26391-F651-E100	61,00	
	HDD SATA 320 GB 5.4k									x					S26391-F651-E200	75,00	
	HDD SATA 320 GB 5.4k FDE									x					S26391-F651-E500	90,00	
	HDD SATA 500 GB 7.2k									x					S26391-F651-E450	96,00	
	SSD SATA 128GB FDE									x					S26391-F651-E700	432,00	
	HDD SATA 160 GB 5.4k		x												S26391-F508-E100	61,00	
	HDD SATA 160GB 5.4k					x									S26391-F792-E100	61,00	
	HDD SATA 160 GB 5.4k							x							S26391-F507-E100	61,00	
	HDD SATA 320 GB 5.4k							x							S26391-F507-E200	75,00	
	HDD SATA 500 GB 7.2k							x							S26391-F507-E300	96,00	
	HDD SATA 160 GB 7.2k		x												S26391-F508-E150	65,00	
	HDD SATA 320 GB 5.4k		x												S26391-F508-E200	75,00	
	HDD SATA 320 GB 5.4k FDE		x					x							S26391-F509-E100	90,00	
	HDD SATA 320GB 5.4k					x									S26391-F792-E300	75,00	
	HDD SATA 320 GB 5.4k						x								S26391-F522-E320	75,00	
	HDD SATA 500 GB 7.2k		x												S26391-F508-E400	96,00	
	HDD FDE 320GB 5.4k					x									S26391-F792-E400	90,00	
	HDD SATA 500 GB 5.4k						x								S26391-F522-E500	94,00	
	HDD SATA 500 GB 7.2k					x									S26391-F792-E500	96,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
Hard Disks (Continued)																	
	SSD SATA 128GB FDE		x					x							S26391-F510-E100	432,00	
	SSD SATA 128GB FDE					x									S26391-F792-E800	432,00	
WebCam																	
	No Camera										x				S26391-F625-E100	6,00	
	No Camera											x		x	S26391-F625-E110	6,00	
	1.3M pixels Camera										x				S26391-F625-E200	14,00	
	2M pixels Camera												x		S26391-F625-E300	21,00	
	2M pixels Camera											x		x	S26391-F625-E310	18,00	
	No Camera												x		S26391-F625-E350	6,00	
Communication/Network																	
	Bluetooth module V2.1			x											S26391-F465-E100	6,00	
	Bluetooth module V2.1		x												S26391-F511-E300	6,00	
	Air Command Plus			x											S26391-F7111-E200	78,00	
	External DVB-Tuner (Express Card)			x											S26391-F830-E400	38,00	
	Intel WiFi Link 5300 802.11a\g\n										x				S26391-F624-E200	48,00	
	Intel Centrino 6200 802.11a\b\g\n (WW)											x	x	x	S26391-F647-E500	23,00	
	WLAN Atheros 802.11 b\g\n										x				S26391-F624-E300	13,00	
	WLAN Atheros 802.11b\g\n (WW)											x	x	x	S26391-F647-E600	8,00	
	No WLAN										x	x		x	S26391-F624-E100	3,00	
	No WLAN												x		S26391-F647-E400	3,00	
	No WLAN		x					x	x						S26391-F435-E100	3,00	
	Bluetooth module V2.1+EDR										x	x		x	S26391-F624-E500	6,00	
	UMTS Sierra Wireless Gobi2000									x					S26391-F654-E100	127,00	
	Intel Centrino 6200 802.11a\b\g\n (WW)					x									S26391-F793-E800	21,00	
	Intel Centrino 6200 802.11a\b\g\n (WW)		x					x							S26391-F511-E100	21,00	
	WLAN Atheros 802.11b\g\n (WW)		x					x							S26391-F511-E200	10,00	
	No UMTS									x					S26391-F654-E120	3,00	
	WLAN Atheros 802.11 b\g 13ch	No FCC certification with Atheros WLAN							x						S26391-F435-E200	8,00	Phased out
	No Bluetooth										x	x		x	S26391-F624-E550	3,00	
	WLAN Atheros 802.11b\g\n (WW)					x									S26391-F793-E900	8,00	
	Intel WiFi Link 5300 802.11a\g\n 13ch	not for Russia / Ukraine / Pakistan							x						S26391-F435-E300	48,00	
	Intel Centrino 6200 802.11a\b\g\n (WW)									x					S26391-F654-E300	21,00	
	No WLAN					x									S26391-F793-E100	3,00	
	UMTS module Sierra Wireless MC8790 3G	not for China							x						S26391-F435-E400	138,00	
	WLAN Atheros 802.11b\g\n (WW)									x					S26391-F654-E400	8,00	
	No WLAN									x					S26391-F654-E410	3,00	
	No 3G \ UMTS		x		x		x	x	x						S26391-F435-E450	3,00	
	UMTS Sierra Wireless Gobi 2000	not for China	x		x		x	x							S26391-F364-E100	119,00	
	UMTS Sierra Gobi 2000 for Thin Client	not for China	x					x							S26391-F364-E110	119,00	Orderable from: 20/09/2010
	Bluetooth module V2.1								x						S26391-F435-E500	18,00	
	Bluetooth module V2.1									x					S26391-F793-E500	6,00	
	Bluetooth module V2.1					x									S26391-F793-E510	6,00	
	No Bluetooth					x				x					S26391-F793-E550	3,00	
	UMTS module Sierra Wireless Gobi 2000										x				S26391-F624-E700	142,00	
	UMTS Sierra Wireless Gobi2000	including GPS functionality										x			S26391-F647-E210	161,00	
	UMTS Sierra Wireless Gobi2000	including GPS functionality												x	S26391-F647-E220	161,00	
	No Bluetooth												x		S26391-F647-E800	3,00	
	No UMTS										x				S26391-F624-E600	3,00	
	No UMTS											x			S26391-F647-E110	3,00	
	No UMTS													x	S26391-F647-E120	3,00	
	Bluetooth module V2.1												x		S26391-F647-E900	13,00	
	No Modem		x												S26391-F513-E200	3,00	
	No Modem							x							S26391-F513-E400	3,00	
	Modem		x												S26391-F513-E100	8,00	
	Modem							x							S26391-F513-E300	6,00	
	Modem adapter kit (EU) w\ modem cable	includes all adapter for EU	x					x							S26391-F512-E100	13,00	
	UMTS module Sierra Wireless Gobi 2000					x									S26391-F793-E700	126,00	
	No 3G \ UMTS					x									S26391-F793-E600	3,00	
	No UMTS / No Modem												x		S26391-F647-E100	3,00	
	Modem									x					S26391-F654-E200	6,00	
	UMTS Sierra Wireless Gobi2000												x		S26391-F647-E200	148,00	
	No Modem									x					S26391-F654-E210	3,00	
	Modem												x		S26391-F647-E300	8,00	
	Modem adapter kit (EU) w\ modem cable	includes all adapter for EU								x			x		S26391-F646-E100	14,00	
	Modem adapter kit (EU)	includes all adapter for EU							x						S26361-F3145-E50	13,00	
Country kits																	
	Country Kit US	includes manual and AC-cable							x						S26391-F450-E100	6,00	
	Country Kit GB	includes manual and AC-cable							x						S26391-F450-E200	4,00	
	Country Kit EU	includes manual and AC-cable							x						S26391-F450-E300	4,00	
	Country Kit D	includes manual and AC-cable							x						S26391-F450-E400	4,00	
	Country Kit EU	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information		x											S26391-F467-E100	6,00	
	Country Kit GB	incl. power cord (GB),safety manual (Int), Getting Started, Service Desk Information		x											S26391-F467-E200	6,00	
	Country Kit US			x											S26391-F467-E300	8,00	
	Country Kit D			x											S26391-F467-E400	6,00	
	Country Kit EU	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information											x		S26391-F645-E100	8,00	
	Country Kit GB	incl. power cord (GB),safety manual (Int), Getting Started, Service Desk Information											x		S26391-F645-E200	10,00	
	Country Kit US	incl. power cord (US),safety manual (GB), Getting Started, Service Desk Information											x		S26391-F645-E300	8,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information											x		S26391-F645-E400	8,00	
	Country Kit EU	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information										x		x	S26391-F645-E500	18,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
Country kits (Continued)																	
	Country Kit GB	incl. power cord (GB),safety manual (Int), Getting Started, Service Desk Information										x		x	S26391-F645-E600	21,00	
	Country Kit US	incl. power cord (US),safety manual (GB), Getting Started, Service Desk Information										x		x	S26391-F645-E700	18,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information										x		x	S26391-F645-E800	21,00	
	Country Kit EU	includes manual and AC-cable									x				S26391-F796-E400	18,00	
	Country Kit GB	includes manual and AC-cable									x				S26391-F796-E500	21,00	
	Country Kit US	includes manual and AC-cable									x				S26391-F796-E600	18,00	
	Country Kit EU	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information								x					S26391-F657-E100	6,00	
	Country Kit GB	incl. power cord (GB),safety manual (Int), Getting Started, Service Desk Information								x					S26391-F657-E200	10,00	
	Country Kit US	incl. power cord (US),safety manual (GB), Getting Started, Service Desk Information								x					S26391-F657-E300	6,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information								x					S26391-F657-E400	6,00	
	Country Kit US	includes manual and AC-cable			x										S26391-F365-E100	8,00	
	Country Kit EU	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information	x					x							S26391-F520-E100	6,00	
	Country Kit EU	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information					x								S26391-F523-E100	6,00	
	Country Kit US	incl. power cord (US),safety manual (GB), Getting Started, Service Desk Information				x									S26391-F796-E100	18,00	
	Country Kit EU incl. 3pin AC 19V (120W)	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information;, if this option is selected, the 2pin AC Adapter, which is usually included in the base unit, will not be delivered anymore!	x					x							S26391-F520-E120	30,00	Orderable from: 17/09/2010
	Country Kit GB	includes manual and AC-cable			x										S26391-F365-E200	6,00	
	Country Kit GB	incl. power cord (GB),safety manual (Int), Getting Started, Service Desk Information	x					x							S26391-F520-E200	6,00	
	Country Kit GB	incl. power cord (GB),safety manual (Int), Getting Started, Service Desk Information					x								S26391-F523-E200	6,00	
	Country Kit GB	incl. power cord (GB),safety manual (Int), Getting Started, Service Desk Information				x									S26391-F796-E200	21,00	
	Country Kit EU	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information			x										S26391-F365-E300	6,00	
	Country Kit US	incl. power cord (US),safety manual (GB), Getting Started, Service Desk Information	x					x							S26391-F520-E300	8,00	
	Country Kit US	incl. power cord (US),safety manual (GB), Getting Started, Service Desk Information					x								S26391-F523-E300	6,00	
	Country Kit EU	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information				x									S26391-F796-E300	18,00	
	Power cord three-wire EU		x					x							S26391-F456-E310	4,00	
	Country Kit D	includes manual and AC-cable			x										S26391-F365-E400	6,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information	x					x							S26391-F520-E400	6,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information					x								S26391-F523-E400	6,00	
	Made in Germany sticker	The „Made in Germany" sticker prominently displays this universally admired differentiating product value		x	x										S26391-F404-E911	2,00	
OneBox-Keyboards																	
	Keyboard D	German		x											S26391-F179-E221	13,00	
	Keyboard I	Italian		x											S26391-F179-E223	13,00	
	Keyboard GB	British		x											S26391-F179-E225	13,00	
	Keyboard US\INT	US american (for netherlands, poland, ...too)		x											S26391-F179-E233	13,00	
	Keyboard US	US american (for netherlands, poland, ...too)		x											S26391-F179-E234	13,00	
	Keyboard w\o TS Spillproof D black	German	x					x							S26391-F2605-E521	8,00	
	Keyboard w\o TS Spillproof I black	Italian	x					x							S26391-F2605-E523	8,00	
	Keyboard w\o TS Spillproof GB black	British	x					x							S26391-F2605-E525	8,00	
	Keyboard w\o TS Spillproof US black	US american (for netherlands, poland, ... too)	x					x							S26391-F2605-E534	8,00	
	Keyboard D										x	x	x	x	S26391-F626-E121	10,00	
	Keyboard I										x	x	x	x	S26391-F626-E123	10,00	
	Keyboard GB										x	x	x	x	S26391-F626-E125	10,00	
	Keyboard US										x	x	x	x	S26391-F626-E134	10,00	
	Keyboard D					x									S26391-F790-E121	10,00	
	Keyboard I					x									S26391-F790-E123	10,00	
	Keyboard GB					x									S26391-F790-E125	10,00	
	Keyboard US\INT					x									S26391-F790-E134	10,00	
	Keyboard US					x									S26391-F790-E135	10,00	
	Keyboard w\ TS Spillproof D	German	x					x	x						S26391-F2605-E121	27,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
OneBox-Keyboards (Continued)																	
	Keyboard w\o TS Spillproof D	German								x					S26391-F628-E121	8,00	
	Keyboard w\ TS Spillproof I	Italian	x					x	x						S26391-F2605-E123	27,00	
	Keyboard w\o TS Spillproof I	Italian								x					S26391-F628-E123	8,00	
	Keyboard w\ TS Spillproof GB	British	x					x	x						S26391-F2605-E125	27,00	
	Keyboard w\o TS Spillproof GB	British								x					S26391-F628-E125	8,00	
	Keyboard w\ TS Spillproof US	US american (for netherlands, poland, ... too)	x					x	x						S26391-F2605-E134	27,00	
	Keyboard w\o TS Spillproof US	US american (for netherlands, poland, ... too)								x					S26391-F628-E134	8,00	
	Keyboard D	German			x										S26391-F110-E221	14,00	
	Keyboard Spillproof D	German					x								S26391-F121-E221	17,00	
	Keyboard w\o TS Spillproof D	German	x					x	x						S26391-F2605-E221	10,00	
	Keyboard I	Italian			x										S26391-F110-E223	14,00	
	Keyboard Spillproof I						x								S26391-F121-E223	17,00	
	Keyboard w\o TS Spillproof I	Italian	x					x	x						S26391-F2605-E223	10,00	
	Keyboard GB	British			x										S26391-F110-E225	14,00	
	Keyboard Spillproof GB						x								S26391-F121-E225	17,00	
	Keyboard w\o TS Spillproof GB	British	x					x	x						S26391-F2605-E225	10,00	
	Keyboard US\INT	US american (for netherlands, poland, ...too)			x										S26391-F110-E233	14,00	
	Keyboard US	US american (for netherlands, poland, ... too)			x										S26391-F110-E234	14,00	
	Keyboard Spillproof US						x								S26391-F121-E234	17,00	
	Keyboard w\o TS Spillproof US	US american (for netherlands, poland, ...too)	x					x	x						S26391-F2605-E234	10,00	
OS/Application-SW																	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD	x					x	x						S26361-F1818-E893	4,00	
	Twinload XP Pro SP3 DVD (D)								x						S26361-F2007-E721	3,00	Phased out
	Twinload XP Pro SP3 DVD (GB)								x						S26361-F2007-E722	3,00	Phased out
	Twinload XP Pro SP3 DVD (I)								x						S26361-F2007-E724	3,00	Phased out
	Twinload XP Pro SP3 DVD MUI-LP	Languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish							x						S26361-F2007-E740	3,00	Phased out
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S			x				x						S26361-F2007-E903	3,00	
	Drivers&Utilit.DVD(XP/Vista/7)LIFEBOOK	incl. Nero Essentials S									x				S26361-F2007-E988	3,00	
	No Operating System					x				x	x	x	x	x	S26361-F2008-E100	3,00	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD				x				x	x	x	x	x	S26361-F2008-E893	4,00	
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel,Outlook), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E108	217,00	Phased out
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel,Outlook), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E109	217,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel,Outlook), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E111	217,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E113	323,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E114	323,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E116	323,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel, Outlook,Powerpoint,Access), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E118	425,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint,Access), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E119	425,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint,Access), DVD, license, short documentation				x				x	x	x	x	x	S26361-F2009-E121	425,00	Phased out
	Windows Embedded Standard_7 German		x					x							S26361-F2009-E148	127,00	Orderable from: 20/09/2010
	Twinload XP Pro DVD (D)		x					x							S26361-F2009-E151	3,00	Phased out
	Twinload XP Pro DVD (GB)		x					x							S26361-F2009-E152	3,00	Phased out
	Twinload XP Pro DVD (I)		x					x							S26361-F2009-E154	3,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
OS/Application-SW (Continued)																	
	Twinload XP Pro DVD MUI-LP	Software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade. Basic language: Windows XP Professional English. Additional installable languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish	x					x							S26361-F2009-E168	3,00	Phased out
	Drivers & Utility (XP/Vista/7) LIFEBOOK		x	x			x	x							S26361-F2009-E172	3,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK									x			x		S26361-F2010-E164	3,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK					x									S26361-F2010-E165	3,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK											x		x	S26361-F2010-E166	3,00	
	Twinload XP Pro DVD (D)					x									S26361-F2010-E171	3,00	Phased out
	Twinload XP Pro DVD (GB)					x									S26361-F2010-E172	3,00	Phased out
	Twinload XP Pro DVD (I)					x									S26361-F2010-E174	3,00	Phased out
	Twinload XP Pro DVD MUI					x									S26361-F2010-E188	3,00	Phased out
	TwinLoad Win XP-TabI. Edition (D)											x			S26361-F2010-E192	3,00	Phased out
	TwinLoad Win XP-TabI. Edition (GB)											x			S26361-F2010-E193	3,00	Phased out
	TwinLoad Win XP-TabI. Edition (I)											x			S26361-F2010-E195	3,00	Phased out
	TwinLoad Win XP-TabI. Edition (MUI)											x			S26361-F2010-E197	3,00	Phased out
	OEM Office Home and Student 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.				x				x		x	x	x	S26361-F2110-E177	147,00	
	OEM Office Home and Student 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.				x				x		x	x	x	S26361-F2110-E180	147,00	
	OEM Office Home and Student 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.				x				x		x	x	x	S26361-F2110-E181	147,00	
	OEM Office Home and Business 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x		x	x	x	S26361-F2110-E182	261,00	
	OEM Office Home and Business 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x		x	x	x	S26361-F2110-E185	261,00	
	OEM Office Home and Business 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x		x	x	x	S26361-F2110-E186	261,00	
	OEM Office Professional 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x		x	x	x	S26361-F2110-E187	469,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
OS/Application-SW (Continued)																	
	OEM Office Professional 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x		x	x	x	S26361-F2110-E190	469,00	
	OEM Office Professional 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x		x	x	x	S26361-F2110-E191	469,00	
	Twinload XP Pro DVD (D)									x					S26361-F2010-E101	3,00	Phased out
	TwinLoad Win XP-Tabl. Edition (D)												x		S26361-F2010-E131	3,00	Phased out
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x		x	x							S26361-F2009-E243	136,00	
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.				x				x	x	x	x	x	S26361-F2010-E243	136,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x			x	x	x						S26361-F2009-E253	179,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.				x				x		x	x		S26361-F2010-E253	179,00	
	Twinload XP Pro DVD (GB)									x					S26361-F2010-E102	3,00	Phased out
	TwinLoad Win XP-Tabl. Edition (GB)												x		S26361-F2010-E132	3,00	Phased out
	Vista HomePrem 32bit MuLi A Office Ready										x				S26361-F2008-E301	140,00	Phased out
	Vista HomePrem 32bit MuLi B Office Ready										x				S26361-F2008-E302	140,00	Phased out
	Vista HomePrem 32bit MuLi C Office Ready										x				S26361-F2008-E303	140,00	Phased out
	Twinload XP Pro DVD (I)									x					S26361-F2010-E104	3,00	Phased out
	TwinLoad Win XP-Tabl. Edition (I)												x		S26361-F2010-E134	3,00	Phased out
	TwinLoad Win XP-Tabl. Edition (MUI-LP)	Languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish											x		S26361-F2010-E136	3,00	Phased out
	Recov. DVD Vista HomePrem. 32bit MuLi A										x				S26361-F2008-E811	3,00	Phased out
	Recov. DVD Vista HomePrem. 32bit MuLi B										x				S26361-F2008-E812	3,00	Phased out
	Recov. DVD Vista HomePrem. 32bit MuLi C										x				S26361-F2008-E813	3,00	Phased out
	Recov. DVD Vista HomePrem. 32bit RUS										x				S26361-F2008-E814	3,00	Phased out
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x					x	x						S26361-F1818-E782	217,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x					x	x						S26361-F1818-E781	217,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x					x	x						S26361-F1818-E784	217,00	Phased out
	Vista HomeBasic32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)							x						S26361-F2007-E101	92,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x					x	x						S26361-F1818-E787	323,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x					x	x						S26361-F1818-E786	323,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
OS/Application-SW (Continued)																	
	Vista Business 32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)							x						S26361-F2007-E201	178,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x					x	x						S26361-F1818-E789	323,00	Phased out
	Twinload XP Pro DVD MUI									x					S26361-F2010-E118	3,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x					x	x						S26361-F1818-E792	425,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x					x	x						S26361-F1818-E791	425,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x					x	x						S26361-F1818-E794	425,00	Phased out
	OEM Office Home and Student 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x				x							S26361-F2009-E177	147,00	
	OEM Office Home and Student 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x				x							S26361-F2009-E180	147,00	
	OEM Office Home and Student 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x				x							S26361-F2009-E181	147,00	
	OEM Office Home and Business 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x				x							S26361-F2009-E182	261,00	
	OEM Office Home and Business 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x				x							S26361-F2009-E185	261,00	
	OEM Office Home and Business 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x				x							S26361-F2009-E186	261,00	
	OEM Office Professional 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x				x							S26361-F2009-E187	469,00	
	OEM Office Professional 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x				x							S26361-F2009-E190	469,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
OS/Application-SW (Continued)																	
	OEM Office Professional 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x				x							S26361-F2009-E191	469,00	
	Win7 HomPrem32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)			x										S26361-F2009-E341	3,00	Phased out
	Win7 HomPrem32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)			x										S26361-F2009-E342	3,00	Phased out
	No Operating System		x	x	x		x	x	x						S26361-F1818-E100	3,00	
	Win7 HomPrem32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)			x										S26361-F2009-E343	3,00	Phased out
	Win7 HomPrem64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x			x	x							S26361-F2009-E441	3,00	Phased out
	Win7 HomPrem64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)				x				x	x	x	x	x	S26361-F2010-E441	3,00	Phased out
	Win7 HomPrem64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x			x	x							S26361-F2009-E442	3,00	Phased out
	Win7 HomPrem64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)				x				x	x	x	x	x	S26361-F2010-E442	3,00	Phased out
	Win7 HomPrem64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x			x	x							S26361-F2009-E443	3,00	Phased out
	Win7 HomPrem64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x	x	x	x	x	S26361-F2010-E443	3,00	Phased out
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x			x	x							S26361-F2109-E441	3,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.				x				x		x	x	x	S26361-F2110-E441	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	MuLi IBER-NE (Iberia and Northern Europe), Languages: EN, ES, FR, PT, CS, PL, SK, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x			x	x							S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x			x	x							S26361-F2109-E446	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)							x						S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)							x						S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)							x						S26361-F2009-E353	3,00	Phased out
	Win7 Pro64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x			x	x							S26361-F2009-E451	3,00	Phased out
	Win7 Pro64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)				x				x		x	x		S26361-F2010-E451	3,00	Phased out
	Win7 Pro64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x			x	x							S26361-F2009-E452	3,00	Phased out
	Win7 Pro64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)				x				x		x	x		S26361-F2010-E452	3,00	Phased out
	Win7 Pro64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x			x	x							S26361-F2009-E453	3,00	Phased out
	Win7 Pro64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x		x	x		S26361-F2010-E453	3,00	Phased out
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x			x	x							S26361-F2109-E451	3,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.				x				x		x	x		S26361-F2110-E451	3,00	
	Recov. DVD Vista HomeBasic 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)							x						S26361-F2007-E801	3,00	Phased out
	Recovery DVD Vista Home Basic 32bit RUS								x						S26361-F2007-E802	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)							x						S26361-F2007-E803	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)							x						S26361-F2007-E804	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)							x						S26361-F2007-E805	3,00	Phased out
	Recovery DVD Vista Business 32bit (RUS)								x						S26361-F2007-E806	3,00	Phased out
	REC-DVD Win7 Home Premium 32 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)			x										S26361-F2009-E543	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x			x	x							S26361-F2009-E643	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
OS/Application-SW (Continued)																	
	REC-DVD Win7 Home Premium 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x	x	x	x	x	S26361-F2010-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x				x	x						S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 32 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x		x	x		S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x		x	x		S26361-F2010-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi					x				x		x	x		S26361-F2010-E753	3,00	
	REC-DVD Win7 Professional 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x			x	x							S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x				x							S26361-F2009-E753	3,00	
Port Replicator																	
	Portrep\AC Adapter 100W \EU-Cable Kit		x					x							S26391-F516-E100	103,00	
	Portrep\AC Adapter 100W \GB-Cable Kit		x					x							S26391-F516-E200	104,00	
	Portreplicator		x					x							S26391-F516-E300	82,00	
	Portreplicator\AC Adapter\EU-Cable Kit												x		S26391-F644-E100	104,00	
	Portreplicator\AC Adapter\GB-Cable Kit												x		S26391-F644-E200	106,00	
	Portreplicator\AC Adapter\EU-Cable Kit									x					S26391-F655-E100	86,00	
	Portreplicator\AC Adapter\GB-Cable Kit									x					S26391-F655-E200	88,00	
	Portreplicator									x					S26391-F655-E300	68,00	
	Portreplicator\AC Adapter\EU-Cable Kit					x									S26391-F794-E100	94,00	
	Portreplicator					x									S26391-F794-E150	79,00	
	Portreplicator\AC Adapter\GB-Cable Kit					x									S26391-F794-E200	96,00	
	Portreplicator\AC Adapter\EU-Cable Kit											x			S26391-F794-E300	94,00	
	Portreplicator\AC Adapter\GB-Cable Kit											x			S26391-F794-E400	96,00	
UPS/Power supply																	
	2nd AC Adapter 19V/80W (w/o AC cable)		x					x	x						S26391-F405-E700	14,00	
	2nd Cable EU		x	x	x		x	x	x						S26391-F408-E210	3,00	
	2nd Cable US		x	x	x		x	x	x						S26391-F408-E220	4,00	
	2nd Cable GB		x	x	x		x	x	x						S26391-F408-E230	3,00	
	2nd AC-Adapter 19V/100W (w/o AC cable)		x												S26391-F408-E300	27,00	
	2nd AC Adapter 19V/80W (w/o cable)			x											S26391-F466-E110	18,00	
	2nd AC Adapter 19V/100W (w/o cable)			x											S26391-F466-E120	21,00	
	1st Battery 6cell 5.200mAh (56Wh)							x							S26391-F514-E100	51,00	
	1st Battery 6cell 5.800mAh (62Wh)							x							S26391-F514-E200	58,00	
	1st Battery 6cell 5.200mAh (56Wh)		x												S26391-F518-E100	71,00	
	1st Battery 8cell 5.800mAh (83Wh)		x												S26391-F518-E200	79,00	
	2nd AC Adapter 19V/80W (w/o AC cable)									x	x	x	x	x	S26391-F778-E500	18,00	
	2nd AC Adapter w/o Cable					x									S26391-F794-E500	10,00	
	2nd Cable EU					x				x	x	x	x	x	S26391-F794-E610	3,00	
	2nd Cable GB					x				x	x	x	x	x	S26391-F794-E620	6,00	
	2nd Cable US					x				x	x	x	x	x	S26391-F794-E630	3,00	
	1st Battery 6cells, 5200 mAh					x				x					S26391-F795-E300	51,00	
	1st Battery 6cells, 5800 mAh					x				x					S26391-F795-E400	61,00	
	1st Battery 6cells, 5200 mAh										x	x		x	S26391-F795-E500	61,00	
	1st Battery 6cells, 5800 mAh											x			S26391-F795-E600	68,00	
Security																	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable		x					x						S26381-F331-E220	30,00	
	TPM module V1.2								x						S26391-F442-E100	6,00	
	TPM module V1.2		x												S26391-F506-E100	6,00	
	TPM module V1.2							x							S26391-F506-E200	6,00	
	TPM module V1.2											x	x		S26391-F646-E300	6,00	
	Fingerprint sensor & SmartCase Logon+ SW									x					S26391-F656-E100	10,00	
	No Fingerprint									x					S26391-F656-E200	4,00	
	SmartCard reader for ExpressCard slot									x		x			S26391-F658-E100	42,00	
	TPM Module					x				x					S26391-F795-E110	6,00	
	TPM disabled					x									S26391-F795-E200	3,00	
Mouse																	
	Mouse 400NB Black	Notebook Mouse M400NB Black, optical 3 button tilt wheel USB new Fujitsu design	x					x	x						S26381-K428-E100	9,00	
Miscellaneous																	
	Sleeve						x								S26391-F119-E200	6,00	
	4GB Intel Turbo Memory (Vista only)	Attention! This option is not supported with Windows XP.							x						S26391-F444-E100	99,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: http://ts.fujitsu.com/lifebook

Category	Description	Details	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P3110	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T4310	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
Miscellaneous (Continued)																	
	Webcam cover and webcam BIOS disable	Attention! choosing this option, the WebCam will be mechanicaly covered and electricaly disabled!	x												S26391-F506-E300	3,00	
	MED Kit												x		S26391-F646-E200	3,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note				x				x	x	x	x	x	S26391-F782-E200	3,00	
	MED Kit											x			S26391-F796-E710	4,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x					x	x						S26361-F2542-E90	4,00	
Desk View																	
	DV Adv. Migration (DVD + 1 Lic.)		x	x	x		x	x	x						S26361-F4040-E10	68,00	Orderable from: 01/09/2010

Positioning FUTRO thin clients

FUTRO S100

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.

FUTRO S450
FUTRO S500

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Ownership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S100 — Data Sheets: http://ts.fujitsu.com/futro

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.

Model	Description	Details	Product Code	DRP (€)	EUP (€)	Comments
Base unit configurations						
FUTRO S100						
	FUTRO S100	S100, 10/100 Mbit/s Fast Ethernet LAN, Processor VIA Eden ULV 500, Interface: 1x seriell extern, 2x PS/2 (1x mouse, 1x keyboard), 4x USB2.0 (2x front side, 2x rear side) 1x Monitor, 1x Audio out, 1x Headphone Out, 1x micro, 1x LAN RJ45, Power supply external,Fulfills EPA 5.0 requirements	S26361-K420-V100	176,00	229,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S450 & S500 — Data Sheets: http://ts.fujitsu.com/futro

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client? The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss.
Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.
All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S450-2					
	FUTRO S450-2	FUTRO S450-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 1 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45	S26361-K522-V455	296,00	
FUTRO S550-2					
	FUTRO S550-2	FUTRO S550-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 2 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45, SCR optional, PCI Slot midsize (optional riser card in combination with a PCI card)	S26361-K528-V301	336,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Accessories

Data Sheets: http://ts.fujitsu.com/futro

Category	Description	Details	FUTRO A 210	FUTRO A 220	FUTRO A230	FUTRO A240	FUTRO A250	FUTRO A255	FUTRO B2xx	FUTRO C100 i845GV	FUTRO C200 i915GV	FUTRO C250 i915GV	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S450	FUTRO S450-2	FUTRO S500	FUTRO S550	FUTRO S550-2	Product Code	EUP (€)	Comments
Accessories & services matrix																									
Graphics																									
	Y-cable DVI/VGA	Dual Monitoring support																x	x	x	x	x	S26361-F2421-L100	23,00	
	DVI-D Adapter for Dual DVI	Dual Monitoring																	x			x	S26361-F2421-L110	45,00	
Communication/Network																									
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel																			x	x	S26361-F3465-L2	45,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel																				x	S26361-F3465-L3	38,00	
	WLAN 802.11g 54Mbps, PCI	D-Link DWL-G520, without Riser Card										x					x			x	x	x	S26391-F6121-L10	56,00	
	WLAN II, 802.11g 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface									x	x											S26361-F3108-L2	42,00	Phased out
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket, without Riser Card																		x	x	x	S26361-F3465-L1	31,00	
Security																									
	SmartCard Reader	internal																		x	x	x	S26361-F1260-L802	35,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium																				x	S26361-F2727-L100	27,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support																				x	S26361-F2727-L730	42,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x			x	x	x	x		x	x	x	x	x	x	x	S26381-F331-L220	32,00	
Miscellaneous																									
	Riser Card																			x	x	x	S26361-F2421-L200	13,00	
	Horizontal foot kit																	x	x		x	x	S26361-F2542-L290	13,00	
	Cable adapter 3 wire -> 2 wire																		x			x	S26361-F2542-L301	31,00	
	VESA Kit w/ subadapter S450+S550 series	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.																x	x		x	x	S26361-F2601-L530	40,00	
	Vesa Kit FUTRO S100	holder for TFT (15"-20") and PC (max 105x370x400mm)											x										S26361-F2601-L540	58,00	
	VESA Kit FUTRO S	VESA Kit for FUTRO S450, FUTRO S450-2, FUTRO S550 and FUTRO S550-2 w/o VESA subadapter. , , For FUTRO S100 please select S26361-F2601-L540.																	x			x	S26361-F2601-L550	44,00	
	VESA subadapter												x										S26361-F2601-L600	18,00	
	Scout EP	Scout Enterprise Version 11 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients,including 2 years software support					x	x					x				x	x	x	x	x	x	S26361-F2727-L701	62,00	
	eLux RL	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support											x					x	x	x	x	x	S26361-F2727-L702	45,00	
	Subscrytion Key eLux/Scout	eLux/Scout Subscription Key for 12 month, usable for all UniCon products		x	x		x	x					x				x	x	x	x	x	x	S26361-F2727-L703	23,00	
	PowerTerm WBT	Ericom Emulation for Win CE and eLuxNG	x	x	x	x	x	x				x	x				x	x	x	x	x	x	S26361-F2600-L144	38,00	
	eLux NG	eLux NG full license, including 2 years software support				x	x	x	x	x	x	x		x	x	x	x						S26361-F2600-L134	42,00	Phased out
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)									x	x			x	x							S26361-F2542-L35	201,00	
Additional Software																									
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	U10987-C525	500,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0														x	x	x	x	x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions														x	x	x	x	x	x	x	U10987-C499	15,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Data Sheets: http://ts.fujitsu.com/futro

Category	Description	Details	FUTRO S100	FUTRO S450-2	FUTRO S550-2	Product Code	EUP (€)	Comments
Options matrix								
Approvals								
	Energy Star 5.0		x		x	S26361-F2600-E170	2,00	
Memory								
	2GB DDR2-667,SODIMM	SODIMM			x	S26361-F2879-E400	71,00	
	1 GB DDR-800		x			S26361-F2896-E300	40,00	
	1 GB DDR2-667			x	x	S26361-F2879-E300	40,00	
Graphics								
	DVI-D Adapter for Dual DVI	Dual Monitoring		x	x	S26361-F2421-E110	35,00	
	Matrox EPICA TC2	2xDVI,no stock item			x	S26361-F2421-E64	369,00	
Hard Disks								
	CF 1 GB (80x)	CF module IDE, 1 GB	x	x	x	S26361-F3616-E100	23,00	
	CF 2 GB (300x)	CF module IDE, 2 GB	x	x	x	S26361-F3617-E100	38,00	
	CF 512MB		x	x	x	S26361-F3536-E100	23,00	Phased out
	CF 4GB				x	S26361-F3520-E100	68,00	
	CF 16GB	300x			x	S26361-F3538-E100	222,00	
Communication/Network								
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel			x	S26361-F3465-E2	31,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel			x	S26361-F3465-E3	25,00	
	WLAN 802.11g 54Mbps, PCI	D-Link DWL-G520			x	S26391-F6121-E10	40,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.PCI Card not supported in the OS. Additional driver installation necessary			x	S26361-F3465-E1	21,00	
Country kits								
	Country kit FUTRO S-series INT/D/CH/I/DK		x	x	x	S26361-F2841-E100	6,00	
	Country kit FUTRO S-series (GB/IL)		x	x	x	S26361-F2841-E101	6,00	
	Country kit FUTRO S-series (US)		x	x	x	S26361-F2841-E106	6,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	S26391-F404-E911	2,00	
OS/Application-SW								
	Windows Embedded CE 6.0	Windows Embedded CE 6.0 incl. Scout Agent	x			S26361-F2009-E101	31,00	
	Windows Embedded Standard_A	Windows Embedded Standard 2009 (WES 2009) incl. Altiris agent (additional software from Symantec is required)			x	S26361-F2009-E144	130,00	
	Windows Embedded Standard_SC	Windows Embedded Standard 2009 (WES 2009) incl. SCOUT agent (Scout Enterprise license S26361-F2727-L701 additionally required)			x	S26361-F2009-E145	103,00	
	eLux RL w/o license	Image without a license	x	x	x	S26361-F2727-E701	4,00	
	eLux RL with license	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x	x	x	S26361-F2727-E702	45,00	
	eLux RL Lite	RL lite with Scout workgroup	x			S26361-F2727-E703	25,00	
	eLux RL + Scout builtin license	incl. 2 years software support	x	x	x	S26361-F2727-E704	100,00	
	No Operating System		x	x	x	S26361-F1818-E100	3,00	
Security								
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500, requires int. USB interface,			x	S26361-F1260-E802	23,00	
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support			x	S26361-F2727-E730	6,00	
Mouse								
	optical USB Mouse		x			S26361-F2542-E280	8,00	
Miscellaneous								
	Y-cable DVI/VGA	Dual Monitoring support		x	x	S26361-F2421-E100	17,00	
	Horizontal foot kit			x	x	S26361-F2542-E290	4,00	
	Cable adapter 3 wire -> 2 wire			x	x	S26361-F2542-E300	21,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning ESPRIMO

ESPRIMO 3xxx Series

The ESPRIMO 3xxx Series is the right choice for large enterprises requiring up-to-date standard features. Freely configurable, with proven technology and an extended lifecycle of up to 12 months, these PCs are the perfect choice for cost-driven projects.

ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.

ESPRIMO E

Put your performace on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands.Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every costumer who requires high computing power. It can be positioned either horizontally or vertically.

ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable.
Add an eye catcher to your desk.

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO C

Data Sheets: http://ts.fujitsu.com/esprimo

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.
ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO C5731					
	Base unit, proprietary system board D3004, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCI slot (174mm), 3x serial ATA II ports (3GB/s/NCQ), 218W wide range power supply (82% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 3x USB 2.0 in front, 1x VGA, 1x DVI, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch				
	ESP C5731 ESTAR5 /C2D E7600/2GB/DVD SM/ (Promo)	ESP C5731 ESTAR5 /C2D E7600/2GB/DVD SM/ 320GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/ W7_PRO-OR64MULI_A/TWINLOAD/,	LKN:C5731P0001IT		Phased out
	ESP C5731 ESTAR5 /C2D E8400/2x2GB/ (Promo)	ESP C5731 ESTAR5 /C2D E8400/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/ W7_PRO-OR64MULI_A/TWINLOAD/,	LKN:C5731P0002IT		Phased out
	ESP C5731 ESTAR5 /P E6600/2GB/DVD SM/ (Promo)	ESP C5731 ESTAR5 /P E6600/2GB/DVD SM/ 320GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/,	LKN:C5731P0003IT		
	ESP C5731 ESTAR5 /C2D E7600/1GB/2GB/ (Promo)	ESP C5731 ESTAR5 /C2D E7600/1GB/2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/,	LKN:C5731P0004IT		
	ESP C5731 ESTAR5 /C2D E8500/2x2GB/ (Promo)	ESP C5731 ESTAR5 /C2D E8500/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/,	LKN:C5731P0005IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO C5731					
	ESPRIMO C5731 E-Star5	Base unit, proprietary system board D3004, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCI slot (174mm), 3x serial ATA II ports (3GB/s/NCQ), 218W wide range power supply (82% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 3x USB 2.0 in front, 1x VGA, 1x DVI, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch	S26361-K1002-V300	362,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Data Sheets: http://ts.fujitsu.com/esprimo

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop.
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW/Dual DL	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front side USB	Rear Panel	Security Hardware	Product Code	ELP (€)	Comments
Standard products																								
ESPRIMO E5731																								
	Configurations limited by Energy Star requirements, , Base unit, proprietary system board D3024, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphi internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 87% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial ex optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy.slot), , Lock in front panel, Intrusion s																							
	Intel® Core™2 Duo E8400	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	IT	2			LKN:E5731P0004IT		
ESPRIMO E7936																								
	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, proprietary system board D3028, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technol drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide power supply (up to 87% efficiency, main switch) , optical USB tilt scroll mouse., front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210m																							
	Intel® Core™2 Quad Q9505	Genuine Microsoft® Windows® 7 Professional	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	IT	2			LKN:E7936P0001IT		Phased out
	Intel® Core™2 Duo E8500	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	IT	2			LKN:E7936P0002IT		
ESPRIMO E9900																								
	vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, proprietary system board D2924, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LA (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports, 250W wide range power supply (up to 85% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license VGA adaptor), 1xDisplayPort, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x16, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full h																							
	Intel® Core™ i5 i5-650	Genuine Microsoft® Windows® 7 Professional	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"								x			up to 1759 MB	On board, Realtek ALC663, HD	x	IT	2			LKN:E9900P0001IT		Phased out
	Intel® Core™ i5-650 processor	Genuine Windows 7® Professional 64-bit	2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"								x			Intel® HD Graphics (integrated in dual-core processors only)	On board, Realtek ALC663, HD	x	IT	2			LKN:E9900P0002IT		
	Intel® Core™ i5-680 processor	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® HD Graphics (integrated in dual-core processors only)	On board, Realtek ALC663, HD	x	IT	2			LKN:E9900P0003IT		

Model	Description	Details	Product Code	ELP (€)	Comments
Base unit configurations					
ESPRIMO E3521					
	ESPRIMO E3521 E-Star5	Configurations limited by Energy Star requirements, , Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Dire LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 3 drive bays (1x 5.25" externally accessible; 2x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 250W wide range power supply (up to 85% efficiency, main Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1180-V300	304,00	
	ESPRIMO E3521 E85+	Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 Express x16, 1x PCI Express x1), 3 drive bays (1x 5.25" externally accessible; 2x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 250W wide range power supply (up to 85% efficiency, main switch), optical USB scroll mouse., , Interfaces: 1 PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1180-V311	304,00	
ESPRIMO E3721					
	ESPRIMO E3721 E-Star5	Base unit, µATX system board D2942, Intel iH55 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD graphics)/ audio Realtek ALC663/ LAN (10/100/100 (2x PCI, 1x PCI Express 2.0 x16, 1x PCI Express x4 (mech. x8)), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (main switch), optical USB scroll mouse., , Inte internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1180-V401	355,00	
ESPRIMO E5645					
	ESPRIMO E5645 E-Star5	Base unit: ESPRIMO E5645 E-Star5; Mainboard type D2984 proprietary; Chipset AMD 785G, max. 16 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules) Radeon® HD 4200; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 2 x PCI slots, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 1x PCI Express x16 low profile (190mm) and via Riser 2 x PCI full heigh (174 / 210 mm) external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 250 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-in, 1 x Audio 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 12 x USB 2.0 total, 2 x USB front, 6 x USB rear, 4 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS compatible), 1 (via DVI to VGA adapter; included for onboard graphics only) x VGA,	S26361-K1306-V311	375,00	
	ESPRIMO E5645 E85+	Base unit: ESPRIMO E5645 E85+; Mainboard type D2984 proprietary; Chipset AMD 785G, max. 16 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules);, Radeon® HD 4200; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 2 x PCI slots, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 1x PCI Express x16 low profile (190mm) and via Riser 2 x PCI full heigh (174 / 210 mm) external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 250 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-in, 1 x Audio 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 12 x USB 2.0 total, 2 x USB front, 6 x USB rear, 4 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS compatible), 1 (via DVI to VGA adapter; included for onboard graphics only) x VGA,	S26361-K1306-V321	375,00	
ESPRIMO E5731					
	ESPRIMO E5731 E-Star5	Configurations limited by Energy Star requirements, , Base unit, proprietary system board D3024, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphi Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 87% efficiency, main DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1 Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy.slot), , Lock in front panel, Intrusion switch	S26361-K691-V671	375,00	
	ESPRIMO E5731 E85+	Base unit, proprietary system board D3024, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on boa FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 87% efficiency, main switch) , optical USB tilt scroll mouse., DeskView licen external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy.slot), , Lock in front panel, Intrusion switch	S26361-K691-V681	375,00	
ESPRIMO E7936					
	ESPRIMO E7936 0-Watt	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, proprietary system board D3028, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technol memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/ to 89% efficiency) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x monitor power outlet, 1x VGA, audio (2x rear, 2 profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy.slot), , Lock in front panel, Intrusion switch	S26361-K1020-V201	419,00	
	ESPRIMO E7936 E-Star5	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, proprietary system board D3028, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technol memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/ 87% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy.slot), , Lock in front panel, Intrusion switch	S26361-K1020-V211	406,00	
	ESPRIMO E7936 E85+	vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, proprietary system board D2828, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR2 800 MHz (dual channel technology, needs the same memory capacity in each channel), g audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 85% efficienc mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (2 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy.slot), , Lock in front panel, Intrusion switch	S26361-K1020-V221	406,00	
ESPRIMO E9900					
	ESPRIMO E9900 0-Watt	vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, proprietary system board D2924, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LA board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports, 250W wide ran switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 8x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x DVI-I (incl. VGA adaptor), 1xDisplayPort, audio (2x rear, profile (2x PCI (210mm), 1x PCI Express x4 (mech. x16, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy.slot), , Lock in front panel, Intrusion switch	S26361-K1020-V101	457,00	
	ESPRIMO E9900 E-Star5	vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, proprietary system board D2924, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LA board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports, 250W wide ran switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 8x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x DVI-I (incl. VGA adaptor), 1xDisplayPort, audio (2x rear, profile (2x PCI (210mm), 1x PCI Express x4 (mech. x16, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy.slot), , Lock in front panel, Intrusion switch	S26361-K1020-V111	436,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Data Sheets: http://ts.fujitsu.com/esprimo

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code	ELP (€)	Comments
Standard products																								
ESPRIMO P5731																								
	Configurations limited by Energy Star requirements, , Base unit, µBTX system board D3011, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Dir Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch																							
	Intel® Core™2 Duo E8500	Genuine Microsoft® Windows 7® Professional	2 x 2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	IT	2			LKN:P5731P0005IT		Phased out
	Intel® Core™2 Duo E8400	Genuine Windows 7® Professional 64-bit	2 GB, DDR3, 1066 MHz + 1 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	IT	2			LKN:P5731P0008IT		
	Intel® Core™2 Duo E8500	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	IT	2			LKN:P5731P0009IT		
ESPRIMO P7936																								
	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, µBTX system board D3012, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, ne audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ) mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion s																							
	Intel® Core™2 Duo E8400	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	IT	2			LKN:P7936P0001IT		
	Intel® Core™2 Quad Q9505	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"								x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	IT	2			LKN:P7936P0002IT		

Model	Description	Details	Product Code	ELP (€)	Comments
Base unit configurations					
ESPRIMO P3521					
	ESPRIMO P3521 E-Star5	Configurations limited by Energy Star requirements, , Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Dire X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (up to efficiency, main switch), optical USB scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1003-V300	297,00	
	ESPRIMO P3521 E85+	Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (up to 85% efficiency, main switch), optical USB scroll m Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1003-V400	297,00	
ESPRIMO P3721					
	ESPRIMO P3721 E-Star5	Base unit, µATX system board D2942, Intel iH55 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD graphics)/ audio Realtek ALC663/ LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express 2.0 x16, 1x PCI Express x4 (mech. x8)), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (main switch), o scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1003-V500	344,00	
ESPRIMO P5645					
	ESPRIMO P5645 E85+	Base unit: ESPRIMO P5645 E85+; Mainboard type D2981 µBTX; Chipset AMD 785G, max. 16 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: ATI Radeon® HD 4200; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 2 x PCI slots, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.2 inch external bays; 4 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 300 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Fro headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 12 x USB 2.0 total, 2 x USB front, 6 x USB rear, 4 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x 232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adaptor; included for onboard graphics only) x VGA,	S26361-K1030-V800	378,00	
	ESPRIMO P5645 E-Star5	Base unit: ESPRIMO P5645 E-Star5; Mainboard type D2981 µBTX; Chipset AMD 785G, max. 16 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: ATI Radeon® HD 4200; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 2 x PCI slots, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal ba 2 x 5.25-inch external bays; 4 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 300 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including:; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 12 x USB 2.0 total, 2 x USB front, 6 x USB rear, 4 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/ (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adaptor; included for onboard graphics only) x VGA,	S26361-K1030-V850	378,00	
ESPRIMO P5731					
	ESPRIMO P5731 E-Star5	Configurations limited by Energy Star requirements, , Base unit, µBTX system board D3011, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II por 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VG rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch	S26361-K1030-V200	375,00	
	ESPRIMO P5731 E85+	Base unit, µBTX system board D3011, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% e main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , opti panel, Intrusion switch	S26361-K1030-V300	375,00	
ESPRIMO P7936					
	ESPRIMO P7936 0-Watt	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, µBTX system board D3012, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6 4x USB 2.0 internal, 2x USB 2.0 in front, 1x monitor power outlet, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch	S26361-K1030-V500	434,00	
	ESPRIMO P7936 E-Star5	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, µBTX system board D3012, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch	S26361-K1030-V600	413,00	
	ESPRIMO P7936 E85+	vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, µBTX system board D3012, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial A (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch	S26361-K1030-V700	413,00	
ESPRIMO P9900					
	ESPRIMO P9900 0-Watt	Configurations limited by Energy Star requirements, , vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, µBTX system board D2912, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the s memory capacity in each channel), audio/ LAN (10/100/1000) on board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x16), 2 of them FlexySlots), 6 drive bays externally accessible, 4x 3.5", thereof 2x externally accessible), 6x serial ATA II ports, 250W wide range power supply (up to 89% efficiency), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel inter 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x monitor power outlet, 1x DVI-I (incl. VGA adaptor), audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch	S26361-K1010-V100	461,00	
	ESPRIMO P9900 E-Star5	vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, µBTX system board D2912, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LAN (10/100/1000) on board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x16), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", the externally accessible), 6x serial ATA II ports, 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 8x USB 2.0 rear, internal, 2x USB 2.0 in front, 1x DVI-I (incl. VGA adaptor), audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch	S26361-K1010-V200	440,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Q

Data Sheets: http://ts.fujitsu.com/esprimo

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-flegded PC.
Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.
Add an eye catcher to your desk.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO Q9000					
	ESPRIMO Q9000	vPro with Core i5 processors, , Base unit, proprietary factor, Intel QM57 chipset with max. 4GB memory, 2x SODIMM slot DDR3 1066 MHz, graphics/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 2x serial ATA II ports (3GB/s/NCQ), 90W wide range power supply, optical USB scroll mouse; keyboard only optional., DeskView license included., , Interfaces: 4x USB 2.0 rear, 2x USB 2.0 in front, 1x eSATA, 1x DVI, 1x HDMI, audio (3x rear; optical SPDIF out), 1x LAN RJ45, , optional:, 1 MiniCard (for WLAN module), 1 Bluethooth module	S26361-K1001-V711	394,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Accessories — **Data Sheets:** http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C7731	ESPRIMO E5510	ESPRIMO E5520	ESPRIMO E5721	ESPRIMO E5725	ESPRIMO E5535	ESPRIMO E5545	ESPRIMO E5720	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E5925	ESPRIMO E7935	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2409	ESPRIMO P2540	ESPRIMO P2530	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P5510	ESPRIMO P5520	ESPRIMO P5521	ESPRIMO P5721	ESPRIMO P5525	ESPRIMO P5535	ESPRIMO P5545	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P5925	ESPRIMO P5935	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q1500	ESPRIMO Q1510	ESPRIMO Q5020	ESPRIMO Q5030	ESPRIMO Q5000	Product Code	EUP (€)	Comments
Accessories & services matrix																																																
Memory																																																
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x	x					x			x													x	x					x			x							S26361-F2994-L114	55,00	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x	x					x			x													x	x					x			x							S26361-F2994-L116	88,00	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit		x			x		x	x			x			x		x		x	x	x	x	x				x		x	x			x			x							S26361-F2995-L114	55,00	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit		x			x		x	x			x			x		x		x	x	x	x	x				x		x	x			x			x							S26361-F2995-L116	88,00	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit		x			x		x	x			x			x		x										x		x	x			x			x							S26361-F2994-L118	227,00	
	1GB DDR3-1333	1 module PC 1333, DIMM			x			x						x			x										x				x							x			x					S26361-F4401-L1	52,00	
	2GB DDR3-1333	1 module PC 1333, DIMM			x			x	x			x		x		x	x		x								x	x			x							x			x					S26361-F4401-L2	88,00	
	4GB DDR3-1333	1 module PC 1333, DIMM			x			x	x			x		x		x	x		x								x	x			x							x			x					S26361-F4401-L3	227,00	
	1GB DDR3-1066	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																																									x			x	S26361-F4406-L1	55,00	
	2GB DDR3-1066	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																																									x			x	S26361-F4406-L2	88,00	
Graphics																																															
	DVI Extension Adapter	DVI-D extension for on board graphics, 2 monitor mode possible (1 DVI-D + 1 VGA)							x	x																							x	x												S26361-F3305-L200	17,00	Phased out
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable																																				x			x					S26361-F2757-L655	40,00	Phased out
	2x DVI-D Extension Adapter PCIe LP	incl. DVI adapter cable											x			x																														S26361-F2757-L660	38,00	Phased out
	DVI-D + DisplayPort Extension Adapter FH	excl. DVI adapter cable																									x				x								x			x					S26361-F2757-L656	25,00	
	DVI-D + DisplayPort Extension Adapter LP	exkl. DVI Adapter Kabel						x							x															x																S26361-F2757-L661	25,00	
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible					x	x					x	x		x	x																					x	x							S26361-F3305-L210	21,00	
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																											x	x								x	x		x	x				S26361-F3305-L211	21,00	
	ATI Radeon HD3450 256 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA																			x	x	x	x	x	x	x	x	x		x	x		x	x	x	x	x	x	x					S26361-F3535-L345	73,00	Phased out
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX11, incl. 2 adapter DVI-VGA																			x					x	x		x					x				x		x					S26361-F3535-L545	95,00	
	NVIDIA GeForce 9300 GE DisplayPort 512MB	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, inkl. Adapter DVI-VGA						x	x		x	x		x	x	x	x	x	x													x	x		x	x		x	x	x				S26361-F3000-L934	99,00	
	NVIDIA GeForce 9300 GE 512MB FH	PCIe Gen2, dual monitor (2 DVI-I/VGA), HDCP, DirectX10, incl. 2 adapter DVI-VG																			x	x	x	x	x	x	x	x	x					x	x	x		x	x		x	x	x				S26361-F3000-L938	100,00	
	NVIDIA GeForce 310 DisplayPort 512MB	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, inkl. Adapter DVI-VGA									x			x		x	x																													S26361-F3000-L310	87,00	Deliverable from 14/09/2010,Orderable from: 01/11/2010
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable							x	x	x	x	x	x	x	x																													S26361-F3000-L951	148,00	
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable																x																													S26361-F3000-L952	151,00	
	NVIDIA GeForce 9500 GS 512MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable																												x			x	x		x	x		x	x	x				S26361-F3000-L957	142,00	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe																											x	x	x		x	x	x	x	x	x	x	x	x				S26361-F2748-L234	136,00	
	NVIDIA Quadro NVS 290 256MB PCIe x16LP	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe					x	x	x	x	x	x	x	x	x	x	x	x	x																												S26361-F2748-L334	147,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor							x	x		x	x		x	x	x																	x	x		x	x		x	x	x				S26361-F2391-L200	27,00	
Removable Media Drives																																																
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3,5"- bay and requires internal USB interface, Formats: CF I, CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic gate, HI-SPEED MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD					x				x																			x				x														S26361-F3077-L7	18,00	
	DVD SATA	occupies accessible 5,25"- bay, w ithout DVD-video playback softw are				x				x			x			x													x				x				x								S26361-F3418-L10	35,00	
	DVD SATA	occupies accessible 5,25"- bay, w ithout DVD-video playback softw are					x	x	x		x	x		x	x		x	x	x			x	x	x	x	x	x		x	x				x	x			x	x		x	x	x				S26361-F3418-L510	35,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning softw are included (w ithout DVD-video playback softw are)					x	x	x		x	x		x	x		x	x	x			x	x	x	x	x	x		x	x				x	x			x	x		x	x	x				S26361-F3420-L510	45,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/w rite + DVD read/w rite +CD read/w rite, Blu-ray Playback SW must be ordered separately					x	x	x		x	x		x	x		x	x	x		x	x	x	x	x	x	x		x	x				x	x			x	x		x	x	x				S26361-F3523-L510	230,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3,5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type					x	x	x		x	x		x	x		x	x	x			x	x	x	x	x	x		x	x				x	x			x	x		x	x	x				S26361-F3077-L5	18,00	
	FDD 1.44MB	occupies accessible 3,5"- bay,incl. cable					x	x			x			x	x		x	x			x	x	x	x		x			x	x				x				x	x		x	x					S26361-F1723-L510	27,00	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD burning softw are included (w ithout DVD-video playback softw are)			x	x																																								S26361-F3429-L510	52,00	
Communication/Network																																															
	Gigabit Ethernet SysKonnect LP	10/100/1000 Mbit/s, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI			x	x																																							S26361-F3067-L50	34,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0							x			x																								x									S26361-F3067-L60	34,00	Orderable from: 24/09/2010
	USB 3.0 PCIe x1				x			x	x			x		x			x	x			x				x	x			x	x				x				x			x	x				S26361-F3050-L10	42,00	Orderable from: 01/10/2010
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile				x	x		x	x		x	x	x	x	x	x	x				x				x	x			x	x		x	x	x	x	x	x	x				S26361-F3067-L30	31,00	
	WLAN II, 802.11g 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface	x			x	x		x			x	x		x	x													x	x		x			x				x	x					S26361-F3108-L2	42,00	Phased out
	WLAN II, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface					x	x	x		x	x		x	x		x	x	x			x		x	x	x	x		x	x				x	x			x	x		x	x	x				S26361-F3108-L5	31,00	
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, adapter to be ordered separately, full Height	x						x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x				S26361-F3088-L2	18,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x			x	x	x	x	x	x	x	x	x	x	x	x	x										x			x	x		x	x		x							S26361-F2542-L30	13,00	
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot			x	x																																							S26361-F2542-L60	13,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height																									x		x	x	x			x			x			x					S26361-F2542-L34	13,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot	x	x	x				x	x	x	x	x	x	x	x	x														x	x	x	x	x	x	x	x	x					S26361-F2542-L40	13,00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height																												x																S26361-F2542-L70	13,00	
	Dual serial card PCI	Dual Port RS232																									x	x		x	x			x			x			x	x					S26361-F3316-L4	38,00	
	Dual serial card PCI LP	Dual Port RS232 via splitter cabel				x			x	x			x		x			x	x																												S26361-F3316-L5	45,00	
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors	x							x	x	x	x	x	x	x	x	x	x			x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F3106-L520	31,00	
PRIMERGY-Software																																															
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.																				x																								S26361-F2565-L591	2.920,00	
OS/Application-SW																																															
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L556	290,00	Phased out
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L550	290,00	Phased out
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L553	290,00	Phased out
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L559	290,00	Phased out
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L562	290,00	Phased out
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L557	378,00	Phased out
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L551	378,00	Phased out
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L554	378,00	Phased out
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L560	378,00	Phased out
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L563	378,00	Phased out
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L558	471,00	Phased out
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L552	471,00	Phased out
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L555	471,00	Phased out
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L561	471,00	Phased out
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L564	471,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Accessories

Data Sheets: http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO E3510	ESPRIMO E3520	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5625	ESPRIMO E5635	ESPRIMO E5645	ESPRIMO E5720	ESPRIMO E5731	ESPRIMO E5925	ESPRIMO E7885	ESPRIMO E7886	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P2403	ESPRIMO P2460	ESPRIMO P2509	ESPRIMO P2560	ESPRIMO P2580	ESPRIMO P2760	ESPRIMO P3510	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5625	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P5925	ESPRIMO P7885	ESPRIMO P7886	ESPRIMO P9900	ESPRIMO Q1539	ESPRIMO Q1939	ESPRIMO Q5630	ESPRIMO Q5930	Product Code	EUP (€)	Comments
Accessories & services matrix																																														
OS/Application-SW (Continued)																																														
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-L910	21,00	
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	ESPRIMO, CELSIUS W, incl. Nero 7 Essentials S, Norton Internet Security 2007	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-L901	21,00	
Security																																														
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x			x				x			x			x											x			x			x			x								S26361-F1260-L520	35,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard		x	x		x	x	x		x	x		x	x		x	x	x									x	x			x		x	x	x	x							S26361-F1260-L521	34,00	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201	23,00	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210	147,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L100	27,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7, no eLux support	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L730	42,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	32,00	
Miscellaneous																																														
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x, incl. Riser Card										x						x																										S26361-F2542-L424	23,00	
	ESPRIMO Q mounting kit	incl. VESA subadapter																																							x		x	x	S26361-F2542-L75	40,00	
	Scout EP	Scout Enterprise Version 11 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients,including 2 years software support	x	x	x								x	x	x																												S26361-F2727-L701	62,00	
	eLux RL	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x	x	x								x	x	x																												S26361-F2727-L702	45,00	
	PowerTerm WBT	Ericom Emulation for Win CE and eLuxNG	x										x																														S26361-F2600-L144	38,00	
	Remote control																																								x	x			S26361-F2542-L235	25,00	
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x, incl. riser card								x	x		x	x	x	x	x																											S26361-F2542-L414	25,00	
	Feet for vertical position (set)					x	x	x	x	x	x	x	x	x	x	x	x	x																											S26361-F2542-L200	13,00	
	Rear USB 2.0 connector	2x USB 2.0																								x			x	x	x	x	x	x	x	x	x						S26361-F2438-L215	13,00	
	Blanking Plate 5.25" drive bays, 10 pcs.						x	x	x												x	x	x	x	x	x	x	x			x	x		x	x	x							S26361-F2542-L326	17,00	
	Blanking Plate 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage									x	x			x	x	x	x																										S26361-F2542-L328	17,00	
	Blanking Plate + cage 3.5" bay, 6 pcs.										x	x			x	x	x	x																										S26361-F2542-L329	13,00	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x																									S26361-F2542-L35	201,00	
Cables																																														
	Monitor outlet cable	necessary to contact monitor directly to the PC								x			x	x		x	x	x	x												x			x	x		x	x	x	x					S26361-F2542-L57	10,00	
	Cable for 2. USB device									x																					x														S26361-F2581-L10	13,00	
	VGA+DVI Dual View Cable	Y-cable from DVI-I to VGA and DVI-D																																								x	x	x	x	x	S26361-F2542-L58	14,00	
	Power cord three-wire US	Power cord three-wire US																																									x			S26361-F2581-L300	13,00	
	Power cord three-wire EU	Power cord three-wire EU																																									x			S26361-F2581-L310	10,00	
	Power cord three-wire GB	Power cord three-wire GB																																									x			S26361-F2581-L320	10,00	
	Power cord three-wire I	Power cord three-wire I																																									x			S26361-F2581-L330	10,00	
	Power cord three-wire CH	Power cord three-wire CH																																									x			S26361-F2581-L340	14,00	
Additional Software																																														
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V9.1	x																																									U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x																																									U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x																																									U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x																																									U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x																																									U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x																																									U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x																																									U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x																																									U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x																																									U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x																																									U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x																																									U11081-C204	3.988,00	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x																																									U11081-C205	5.982,00	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x																																									U11081-C206	7.976,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x																																									U11081-C207	710,00	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x																																									U11081-C208	1.156,00	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x																																									U11081-C209	2.313,00	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x																																									U11081-C210	3.469,00	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x																																									U11081-C211	4.626,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x																																									U11081-C212	1.225,00	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x																																									U11081-C213	1.994,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x																																									U11081-C214	3.988,00	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x																																									U11081-C215	5.982,00	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x																																									U11081-C216	7.976,00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x																																									U11081-C217	710,00	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x																																									U11081-C218	1.156,00	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x																																									U11081-C219	2.313,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO E3510	ESPRIMO E3520	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5625	ESPRIMO E5635	ESPRIMO E5645	ESPRIMO E5720	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E5925	ESPRIMO E7835	ESPRIMO E7886	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P2410	ESPRIMO P2460	ESPRIMO P2530	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2580	ESPRIMO P2760	ESPRIMO P3510	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5625	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P5925	ESPRIMO P7835	ESPRIMO P7886	ESPRIMO P9900	ESPRIMO Q1500	ESPRIMO Q1510	ESPRIMO Q5520	ESPRIMO Q5530	ESPRIMO Q5600	Product Code	EUP (€)	Comments
Accessories & services matrix																																																	
Additional Software (Continued)																																																	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x																																											U11081-C220	3.469,00	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x																																											U11081-C221	4.626,00	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x																																											U11081-C222	500,00	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x																																											U11081-C223	814,00	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x																																											U11081-C224	1.628,00	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x																																											U11081-C225	2.442,00	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x																																											U11081-C226	3.255,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321	500,00	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U11081-C312	1.994,00	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U11081-C322	814,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U11081-C303	3.988,00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U11081-C313	3.988,00	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U11081-C323	1.628,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C525	500,00	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10987-C502	1.994,00	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x																																											U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x																																											U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x																																											U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x																																											U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x																																											U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x																																											U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499	15,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Data Sheets: http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5731	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
Options matrix																			
Approvals																			
	GS approval	non glossy front bezel to fulfill GS approval	x			x	x	x	x			x	x	x	x		S26361-F2555-E200	3,00	
Processor																			
	Celeron 450	2.2 GHz, 512KB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: XD, EM64T		x			x	x		x			x	x			S26361-F3472-E450	44,00	
	Celeron E3200	2.4 GHz, 1 MB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3472-E320	62,00	
	Celeron E3300	2.5 GHz, 1 MB SLC, 800 MHz FSB, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3472-E330	62,00	Orderable from: 01/10/2010
	Celeron E3400	2.6 GHz, 1 MB SLC, 800 MHz FSB, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3472-E340	62,00	Orderable from: 27/09/2010
	Pentium E5400	2.7 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink,technologies: VT-x	x	x			x	x		x			x	x			S26361-F3473-E540	79,00	Phased out
	Intel Pentium E5500	2.8 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3473-E550	79,00	
	Pentium E5700	3.0 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3473-E570	79,00	Orderable from: 22/09/2010
	Pentium E6300	2.8 GHz, 2 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3473-E630	106,00	Phased out
	Pentium E6600	3.06 GHz, 2 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3473-E660	110,00	
	Core 2 Duo E7500	2.93 GHz, 3 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3517-E150	178,00	
	Core 2 Duo E7600	3.06 GHz, 3 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x		x			x	x			S26361-F3517-E160	192,00	
	Core 2 Duo E8400	3.0 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT	x	x			x	x		x			x	x			S26361-F3509-E141	278,00	
	Core 2 Duo E8500	3.16 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT	x	x			x	x		x			x	x			S26361-F3509-E151	313,00	
	Core 2 Duo E8600	3.33 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT	x	x			x	x		x			x	x			S26361-F3509-E160	436,00	
	Core 2 Quad Q8300	2.50 GHz, 4 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x		x			x	x		x			x	x			S26361-F3510-E30	209,00	
	Core 2 Quad Q9400	2.66 GHz, 6 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT					x	x					x	x			S26361-F3510-E140	313,00	Phased out
	Core 2 Quad Q9505	2.83 GHz, 6 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT		x			x	x		x			x	x			S26361-F3510-E150	366,00	
	Core 2 Quad Q9550	2.83 GHz, 12 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT		x			x	x		x			x	x			S26361-F3510-E156	426,00	
	Core 2 Quad Q9650	3.0 GHz, 12 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT		x			x	x		x			x	x			S26361-F3510-E165	504,00	
	Pentium G6950	incl. graphics, 2.8 GHz, 3 MB total cache, dual core, LGA1156, technologies: VT-x			x				x		x				x		S26361-F4014-E695	147,00	
	Core i3-540	incl. graphics, 3.06 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x			x				x		x				x		S26361-F4010-E540	175,00	
	Core i3-550	incl. graphics, 3.20 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x			x				x		x				x		S26361-F4010-E550	175,00	Orderable from: 27/09/2010
	Core i5-650	incl. graphics, 3.2 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT			x				x		x				x		S26361-F4011-E650	301,00	
	Core i5-660	incl. graphics, 3.33 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT			x				x		x				x		S26361-F4011-E660	336,00	
	Core i5-670	incl. graphics, 3.46 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT							x						x		S26361-F4011-E670	464,00	Phased out
	Core i5-680	incl. graphics, 3.6 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT			x				x		x				x		S26361-F4011-E680	464,00	
	Core i5-750	2.66 GHz, 8 MB total cache, quad core/4 threads, LGA1156, technologies: VT-x, TXT							x						x		S26361-F4012-E750	336,00	
	Core i5-760	2.80 GHz, 8 MB total cache, quad core/4 threads, LGA1156, technologies: VT-x, TXT			x				x		x				x		S26361-F4012-E760	336,00	
	Core i7-860	2.8 GHz, 8 MB total cache, quad core/8 threads, LGA1156, technologies: VT-x, TXT			x				x		x				x		S26361-F4013-E860	464,00	
	Core i7-870	2.93 GHz, 8 MB total cache,quad core/8 threads, LGA1156,technologies: VT-x, TXT			x				x		x				x		S26361-F4013-E870	481,00	
	Celeron P4500	incl. graphics, 1.86 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x														x	S26361-F4020-E450	104,00	
	Celeron P4600	incl. graphics, 2.0 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x														x	S26361-F4020-E460	104,00	Orderable from: 01/10/2010

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Data Sheets: http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5731	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
Options matrix																			
Processor (Continued)																			
	Core i3 i3-350M	incl. graphics, 2.20 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, Attention: not for Corporate Projects (only for SMB, education and government)														x	S26361-F4018-E350	192,00	
	Core i3-370M	Attention: not for Corporate Projects (only for SMB, education and government)														x	S26361-F4018-E370	212,00	Orderable from: 13/09/2010
	Intel Core i5-560M	incl. graphics, 2.66 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x														x	S26361-F4019-E650	368,00	Orderable from: 01/10/2010
	Core i5-520M	incl. graphics, 2.40 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x														x	S26361-F4019-E520	368,00	
	Sempron 140	2.7 GHz, 4000 MHz PSB, 1 MB total cache, socket AM2, incl. heat sink, AMD-V				x						x					S26361-F3511-E140	51,00	
	Athlon II X2 220	2.8 GHz, 1 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V				x						x					S26361-F3416-E220	73,00	
	AMD Athlon II X2 255	3.1 GHz, 2 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V				x						x					S26361-F3416-E255	92,00	
	AMD Phenom II X2 550	3.1 GHz, 2 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V				x						x					S26361-F3513-E555	138,00	
	Phenom II X4 945	3.0 GHz, 3600 MHz PSB, 8 MB total cache, socket AM2, quad core, incl. heat sink				x						x					S26361-F3513-E945	226,00	
	Phenom II X6 1035T	2.6 GHz, 9 MB total cache, socket AM2+, six core, incl. heat sink, AMD-V				x						x					S26361-F3513-E635	319,00	
Memory																			
	2GB DDR3-1333	1 module PC 1333, DIMM				x						x					S26361-F4404-E2	71,00	
	4GB DDR3-1333	1 module PC 1333, DIMM				x						x					S26361-F4404-E3	199,00	
	1GB DDR3-1066	1 module PC 1066, DIMM	x	x			x	x		x			x	x			S26361-F4402-E1	40,00	
	2GB DDR3-1066	1 module PC 1066, DIMM	x	x			x	x		x			x	x			S26361-F4402-E2	75,00	
	4GB DDR3-1066	1 module PC 1066, DIMM	x	x			x	x		x			x	x			S26361-F4402-E3	211,00	
	2GB DDR3-1333	1 module PC 1333, DIMM			x				x		x				x		S26361-F4401-E2	71,00	
	4GB DDR3-1333	1 module PC 1333, DIMM			x				x		x				x		S26361-F4401-E3	199,00	
	1GB DDR3-1066	1 module PC 1066 (PC2-8500), SO-DIMM														x	S26361-F4406-E1	40,00	
	2GB DDR3-1066	1 module PC 1066 (PC2-8500), SO-DIMM														x	S26361-F4406-E2	71,00	
Graphics																			
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible		x			x	x									S26361-F3305-E210	10,00	
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible								x			x	x			S26361-F3305-E211	10,00	
	DVI-D + DisplayPort Extension Adapter FH	excl. DVI adapter cable								x			x	x			S26361-F2757-E656	14,00	
	DVI-D + DisplayPort Extension Adapter LP	excl. DVI adapter cable		x			x	x									S26361-F2757-E661	14,00	
	ATI Radeon HD3450 256 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA								x			x	x	x		S26361-F3535-E345	58,00	Phased out
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA),, HDCP, DirectX11, incl. 2 Adapter, DVI-VGA								x	x	x	x	x	x		S26361-F3535-E545	77,00	
	NVIDIA GeForce 9300 GE DisplayPort 512MB	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, inkl. Adapter DVI-VGA		x	x	x	x	x	x			x	x	x	x		S26361-F3000-E934	82,00	
	NVIDIA GeForce 9300 GE 512MB	PCIe Gen2, dual monitor (2 DVI-I/VGA), HDCP, DirectX10, incl. 2 adapter DVI-VG								x	x	x	x	x	x		S26361-F3000-E938	83,00	
	NVIDIA GeForce 310 DisplayPort 512MB	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, inkl. Adapter DVI-VGA		x	x	x	x	x	x								S26361-F3000-E310	71,00	Deliverable from: 14/09/2010,Orderable from: 01/11/2010
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable				x	x	x									S26361-F3000-E951	130,00	
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter, DVI-VGA and LFH59 cable							x								S26361-F3000-E952	134,00	
	NVIDIA GeForce 9500 GS 512MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA											x	x			S26361-F3000-E956	123,00	
	NVIDIA GeForce 9500 GS 512MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter, DVI-VGA								x	x	x			x		S26361-F3000-E957	126,00	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe								x	x	x	x	x	x		S26361-F2748-E234	127,00	
	NVIDIA Quadro NVS 290 256MB PCIe x16LP	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe		x	x	x	x	x	x								S26361-F2748-E334	128,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor		x	x	x	x	x	x	x		x	x	x	x		S26361-F2391-E200	17,00	
Removable Media Drives																			
	ODD cover (dummy drive)	necessary when no ODD is configured														x	S26361-F2542-E52	3,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately		x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3418-E510	21,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately		x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3420-E510	30,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately		x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3523-E510	205,00	
	Cable for 2nd ODD	necessary for the operation of the 2nd optical disc drive								x	x	x	x	x	x		S26361-F2581-E20	3,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type		x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3077-E5	9,00	
	FDD 1.44MB	occupies accessible 3,5"- bay		x			x	x		x			x	x			S26361-F1723-E510	14,00	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	x														S26361-F3429-E510	40,00	
	DVD+/-RW SATA Slot-in slim	occupies accessible 5,25"- bay,DVD software must be ordered separately	x														S26361-F3522-E510	55,00	
	DVD+/-RW SATA Slot-in slim	occupies accessible 5,25"- bay, DVD software must be ordered separately														x	S26361-F3630-E200	55,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Data Sheets: http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5731	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
Options matrix																			
Removable Media Drives (Continued)																			
	Blu-Ray Combo SATA Slot-in slim	occupies 5.25"-bay, BD read + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately														x	S26361-F3562-E200	208,00	
Hard Disks																			
	CF 2 GB (300x) Upgrade Kit		x				x										S26361-F3634-E100	65,00	
	SSD 128GB high speed	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3575-E100	426,00	
	SSD 128GB high speed	very fast 2.5" solid state drive with SATA 3GB/s interface														x	S26361-F3584-E100	436,00	
	HDD SATA II 160GB 5.4k 2.5"	occupies 2,5"-bay (internal)														x	S26361-F3491-E200	58,00	
	HDD SATA II 250GB 5.4k 2.5"	occupies 2,5"-bay (internal)														x	S26361-F3528-E10	68,00	
	HDD SATA II 320GB 5.4k 2.5"	occupies 2,5"-bay (internal)														x	S26361-F3567-E100	73,00	
	HDD SATA II 500GB 5.4k 2.5	belegt 2,5"-Einbauplatz (intern)														x	S26361-F3603-E100	90,00	
	HDD SATA II 160GB 7.2k 2.5"	belegt 2,5"-Einbauplatz (intern)														x	S26361-F3560-E200	65,00	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3560-E100	65,00	
	HDD SATA II 160GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x	x			x	x		x			x	x			S26361-F3211-E100	58,00	Phased out
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3212-E100	58,00	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal)	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3570-E100	62,00	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal)	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3435-E100	71,00	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal)	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3568-E100	96,00	
	HDD SATA II 500GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x			x	x	x	x			x	x	x	x		S26361-F3497-E100	103,00	
	Cable for 2nd HDD/ SSD	necessary for the operation of the 2nd HDD or SSD		x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2581-E30	3,00	
Communication/Network																			
	Bluetooth Q (V7)															x	S26361-F2542-E5	25,00	
	WLAN Intel 802.11abgn	MiniCard														x	S26361-F3108-E8	24,00	
	USB 3.0 PCIe x1		x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3050-E10	30,00	Orderable from: 01/10/2010
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0				x					x	x					S26361-F3067-E60	21,00	Orderable from: 24/09/2010
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express		x		x	x	x	x	x			x	x	x		S26361-F3067-E30	20,00	
	Modem adapter kit (EU) w\ modem cable	includes all adapter for EU				x	x	x	x	x	x	x	x	x	x		S26391-F512-E100	13,00	
	Gigabit Ethernet SysKonnect LP	10/100/1000 Mbit/s, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI	x														S26361-F3067-E50	23,00	
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, , adapter to be ordered separately				x	x	x	x	x	x	x	x	x	x		S26361-F3088-E2	8,00	
	Modem adapter kit (EU)	includes all adapter for EU				x	x	x	x	x		x	x	x	x		S26361-F3145-E50	13,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface		x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3108-E5	17,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket,, occupies internal parallel interface, and one slot		x	x	x	x	x	x			x	x	x	x		S26361-F2542-E30	3,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket,, occupies internal parallel interface, and one slot								x	x						S26361-F2542-E34	3,00	
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x														S26361-F2542-E60	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot	x		x	x	x	x	x			x	x	x	x		S26361-F2542-E40	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot									x						S26361-F2542-E70	4,00	
	Dual serial card PCI	Dual Port RS232								x	x	x	x	x	x		S26361-F3316-E4	25,00	
	Dual serial card PCI LP	Dual Port RS232 via splitter cabel	x	x	x	x	x	x	x								S26361-F3316-E5	34,00	
	FireWire PCI-Card IEEE1394 FH	400 Mbit/s, 3 external and 1 internal connectors				x	x	x	x	x	x	x	x	x	x		S26361-F3106-E520	21,00	
Country kits																			
	Country kit (CDN,US)	incl. power cord (US),safety manual (GB)	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2930-E100	7,00	
	Country kit (D)	incl. power cord (EU),safety manual (D)	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2930-E101	7,00	
	Country kit (INT, power cord EU)	incl. power cord (EU),safety manual (INT)	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2930-E102	7,00	
	Country kit (I)	incl. power cord (I),safety manual (I)	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2930-E104	7,00	
	Country kit (GB)	incl. power cord (GB),safety manual (GB)	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2930-E105	7,00	
	CK ESPRIMO Q (INT, power cord EU)	incl. power cord (EU),safety manual (INT)														x	S26361-F2930-E122	6,00	
	Country kit ESPRIMO Q (I)	incl. power cord (I),safety manual (I)														x	S26361-F2930-E123	6,00	
	CK ESPRIMO Q (INT, power cord GB)	incl. power cord (GB),safety manual (INT)														x	S26361-F2930-E124	6,00	
	Country kit ESPRIMO Q (CDN, US)	incl. power cord US), safety manual (GB)														x	S26361-F2930-E127	6,00	
	Made in Germany sticker	The „Made in Germany" sticker prominently displays this universally admired differentiating product value	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F404-E911	2,00	
OneBox-Keyboards																			
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x			x	x	x	x		x	x	x	x	x		S26381-K341-E110	32,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x			x	x	x	x		x	x	x	x	x		S26381-K341-E120	32,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x			x	x	x	x		x	x	x	x	x		S26381-K341-E165	32,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Data Sheets: http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5731	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
Options matrix																			
OneBox-Keyboards (Continued)																			
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x			x	x	x	x		x	x	x	x	x		S26381-K341-E185	32,00	
	KBPC SX USB USA	KBPC SX USB keyboard standard, US-English, cable USB 2m, Global Design				x											S26381-K398-E110	14,00	Phased out
	KB500 USA	KB500 keyboard standard, marble grey, US, cable USB 2m, Global Design	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K500-E110	14,00	
	KB500 D	KB500 keyboard standard, marble grey, Germany, cable USB 2m, Global Design	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K500-E120	13,00	
	KB500 GB	KB500 keyboard standard, marble grey, Great Britain, cable USB 2m, Global Design	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K500-E165	13,00	
	KB500 I	KB500 keyboard standard, marble grey, Italy, cable USB 2m, Global Design	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K500-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K550-E102	10,00	
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K550-E120	10,00	
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K550-E165	10,00	
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K550-E185	10,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB	x	x		x	x	x		x	x	x	x	x	x		S26381-K550-E402	12,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K550-E420	12,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB	x	x		x	x	x		x	x	x	x	x	x		S26381-K550-E465	12,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB	x	x		x	x	x		x	x	x	x	x	x		S26381-K550-E485	12,00	
	KB400 PS2 black US	KB400 PS2 US, SLIM value Keyboard black US english PS2	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K551-E410	9,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K551-E420	9,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K551-E465	9,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italien PS2	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K551-E485	9,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K560-E402	23,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K560-E420	23,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K560-E465	23,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-K560-E485	23,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length	x			x	x	x	x			x	x	x	x		T26139-Y4530-E1	3,00	
OS/Application-SW																			
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E893	4,00	
	Downgrade Pack XP Prof 32bit GB/ MUI-LP	Software load to downgrade to XP. Basic language: Windows XP Professional English. Additional installable languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish			x	x					x	x					S26361-F2007-E832	3,00	Phased out
	eLux RL w/o license	Image without a license	x				x										S26361-F2727-E701	4,00	
	eLux RL with license	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x				x										S26361-F2727-E702	45,00	
	eLux RL + Scout builtin license	incl. 2 years software support	x				x										S26361-F2727-E704	100,00	
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E243	136,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E253	179,00	
	Linux	on DVD, open source	x	x			x	x		x			x	x			S26361-F2727-E894	3,00	
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E782	217,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x		x	x			x	x	x	x	x	x	x	S26361-F1818-E781	217,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Data Sheets: http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5731	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
Options matrix																			
OS/Application-SW (Continued)																			
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E784	217,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E787	323,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E786	323,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E789	323,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E792	425,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E791	425,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E794	425,00	Phased out
	OEM Office Home and Student 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E177	147,00	
	OEM Office Home and Student 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E180	147,00	
	OEM Office Home and Student 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E181	147,00	
	OEM Office Home and Business 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E182	261,00	
	OEM Office Home and Business 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E185	261,00	
	OEM Office Home and Business 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E186	261,00	
	OEM Office Professional 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E187	469,00	
	OEM Office Professional 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E190	469,00	
	OEM Office Professional 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E191	469,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD, Cyberlink PowerDVD BD		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E420	21,00	
	No Operating System		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	3,00	
	Win7 HomPrem64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E441	3,00	Phased out
	Win7 HomPrem64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E442	3,00	Phased out
	Win7 HomPrem64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E443	3,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Data Sheets: http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5731	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
Options matrix																			
OS/Application-SW (Continued)																			
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E441	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	MuLi IBER-NE (Iberia and Northern Europe), Languages: EN, ES, FR, PT, CS, PL, SK, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E446	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E353	3,00	Phased out
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E351	3,00	
	Win7 Pro 32 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E356	3,00	
	Win7 Pro64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E451	3,00	Phased out
	Win7 Pro64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E452	3,00	Phased out
	Win7 Pro64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E453	3,00	Phased out
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E451	3,00	
	TwinLoad Win XP Prof DVD (D)	software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade	x	x			x	x	x	x			x	x	x	x	S26361-F2009-E125	3,00	Phased out
	TwinLoad Win XP Prof DVD (GB)	software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade	x	x			x	x	x	x			x	x	x	x	S26361-F2009-E126	3,00	Phased out
	TwinLoad Win XP Prof DVD (I)	software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade	x	x			x	x	x	x			x	x	x	x	S26361-F2009-E128	3,00	Phased out
	TwinLoad Win XP Prof DVD MUI-LP	Software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade. Basic language: Windows XP Professional English. Additional installable languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish	x	x			x	x	x	x			x	x	x	x	S26361-F2009-E138	3,00	Phased out
	Win7 Starter32 EM+SE+Office2010s	MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, D, F, GB, GR, IL,TR, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.		x						x							S26361-F2109-E313	3,00	
	TwinLoad Win XP Prof DVD (D)	SW load to automatically downgrade Vista Business to XP Prof, incl. Nero 8 S NIS2008, prepared for Office 2007 upgrade		x													S26361-F2007-E561	3,00	Phased out
	TwinLoad Win XP Prof DVD (GB)	SW load to automatically downgrade Vista Business to XP Prof, incl. Nero 8 S NIS2008, prepared for Office 2007 upgrade		x													S26361-F2007-E562	3,00	Phased out
	TwinLoad Win XP Prof DVD (I)	SW load to automatically downgrade Vista Business to XP Prof, incl. Nero 8 S NIS2008, prepared for Office 2007 upgrade		x													S26361-F2007-E564	3,00	Phased out
	TwinLoad Win XP Prof DVD MUI-LP	Software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade. Basic language: Windows XP Professional English. Additional installable languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish		x													S26361-F2007-E574	3,00	Phased out
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E910	3,00	
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	incl. Nero 7 Essentials S, Norton Internet Security 2007	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E901	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RUS	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E532	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Data Sheets: http://ts.fujitsu.com/esprimo

Category	Description	Details	ESPRIMO C5731	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
Options matrix																			
OS/Application-SW (Continued)																			
	REC-DVD Win7 Home Premium 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E753	3,00	
Security																			
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2727-E730	6,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x		S26381-F331-E220	30,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F1260-E520	23,00	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface							x						x		S26361-F2542-E220	34,00	Phased out
Miscellaneous																			
	Med-Kit ESPRIMO/CELSIUS	incl. license and manual	x				x	x	x						x		S26361-F2542-E250	33,00	
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x				x			x								S26361-F2542-E424	13,00	
	Rear Panel for 4 low profile cards	4 low profile slots				x			x								S26361-F2542-E425	4,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC						x	x					x	x		S26361-F2542-E57	4,00	
	VGA+DVI Dual View Cable	Y-cable from DVI-I to VGA and DVI-D														x	S26361-F2542-E58	6,00	
	Lock in front panel		x														S26361-F2542-E321	4,00	
	Intrusion switch		x														S26361-F2542-E322	4,00	
	Key lock in side door	for lock of housing										x	x	x	x		S26361-F2542-E323	4,00	
	Intrusion switch												x	x	x		S26361-F2407-E3	4,00	
	Lock in front panel	for lock of housing				x	x	x	x								S26361-F2542-E325	4,00	
	Intrusion switch						x	x	x								S26361-F2542-E412	4,00	
	Feet for vertical position (set)			x	x	x	x	x	x								S26361-F2542-E200	4,00	
	Rear Panel for 4 low profile cards	4 low profile slots					x	x									S26361-F2542-E415	4,00	
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x					x	x									S26361-F2542-E414	13,00	
	Rear USB 2.0 connector	2x USB 2.0										x	x	x			S26361-F2438-E215	4,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations	x			x	x	x	x			x	x	x	x	x	S26361-F3436-E2	3,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-E216	6,00	
	Grey USB/PS2 mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-E217	10,00	
Desk View																			
	DV Adv. Migration (DVD + 1 Lic.)		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4040-E10	68,00	Orderable from: 01/09/2010

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning CELSIUS workstations

CELSIUS H Series

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.

CELSIUS W Series

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.

CELSIUS M Series

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.

CELSIUS R Series

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.

CELSIUS V

CELSIUS V Series. 64-bit workstation.
You need a powerful workstation for memory demanding applications? With support for up to two AMD Opteron™ processors and up to 64 GB main memory, the CELSIUS V Series provides maximum system performance when it is really needed. The wide range of professional 3D graphics, the large cabinet with room for additional components and ISV Software certifications are the ideal conditions for compute-intensive and multi-processor-optimized workstation applications.

Series

CELSIUS RemoteAccess

CELSIUS RemoteAccess
Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H700

Data Sheets: http://ts.fujitsu.com/celsius

The CELSIUS H700 delivers workstation power in a notebook form factor. Featuring the latest Intel® processors and powerful NVIDIA® Quadro graphics, the CELSIUS H700 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as CAD and digital content creation.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD_SUPERMULTI	FDD	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front-side USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Product Code	EUP (€)	Comments
Standard products																														
CELSIUS H700																														
	CELS H700 /39,6 CM HD+ CAM/I7-620M/ 2x2 GB/DVD SUPER MULTI/320GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\ TS I/COA_W7_MM_PROFES/,																											LKN:H7000M0001IT		Phased out
	CELS H700 /39,6 CM HD+ CAM/I5-520M/2 GB/ DVD SUPER MULTI/320GB/BT V2.1/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W\ TS I/COA_W7_MM_PROFES/,																											LKN:H7000M0002IT		Phased out
	CELS H700 /39,6 CM HD+ CAM/I5-540M/ 2x2 GB/DVD SUPER MULTI/320GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\ TS I/COA_W7_MM_PROFES/,																											LKN:H7000W0004IT		Phased out
	CELS H700 /15.6" FHD LED/CORE I7-8740QM/ 2x4 GB/BD WRITER/500GB 7.2K/BT V2.1/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W\ TS I/COA_W7_MM_PROFES/,																											LKN:H7000W0008IT		
	CELS H700 /39,6 CM HD+ CAM/I5-560M/2 GB/ DVD SUPER MULTI/320GB 7.2K/BT V2.1/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W\ TS I/COA_W7_MM_PROFES/,																											LKN:H7000W0010IT		Orderable from: 27/09/2010
	CELS H700 /39,6 CM HD+ CAM/I5-560M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\ TS I/COA_W7_MM_PROFES/,																											LKN:H7000W0011IT		Orderable from: 27/09/2010
	CELS H700 /39,6 CM HD+ CAM/I7-640M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\ TS I/COA_W7_MM_PROFES/,																											LKN:H7000W0012IT		Orderable from: 27/09/2010

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H700					
	CELSIUS H700	Base unit with Fingerprint Sensor, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 and 1333MHz PC10666 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Quadro FX 880M OpenGL graphics with 1GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1x PC Card slot type I/II, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x serial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Firewire, RJ45 for LAN, RJ11 for Modem optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 120W., , Li-Ion battery 5.800mAh, AC adapter 19V, 120W, , Modular bay concept for optical drives, second battery or second hard disk drive, , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Front interfaces: 1 x memory card slot, , , , , Left side interfaces: 1 x AC adapter, 1 x eSATA, 1 x Firewire (IEEE1394), 1 x Audio in, 1 x Audio out combined with S/PDIF, 1 x USB 2.0, 1 x Smartcard reader slot, 1 x PC Card slot Type I/II, 1 x Expresscard slot Type 34/54,, , Right side interfaces: 1 x wireless switch, 3 x USB 2.0, , 1 x multi bay (ODD, 2nd HD, 2nd Battery), 1 x Kensington, , Rear interfaces: 1 x Kensington, 1 x RJ11 for modem (optional), 1 x VGA, 1 x serial, 1 x RJ45 for LAN, 1 x DisplayPort, , Interfaces in battery bay: SIM card holder, , Interfaces in lower part: 1 x docking connector, 1 x battery bay	S26391-K311-V100	1.128,00	

CELSIUS W370
Your gateway to workstation power

CELSIUS W370 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS W series is the versatile all-round workstation for price-conscious users. Offering entry workstation performance, the CELSIUS W370 is your choice for business segments, such as computer aided design, digital content creation and finance. The ISV certification process enables workstation users to run their preferred applications with maximum system stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W370					
	CELSIUS W370 E85+	vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, BTX systemboard D2817, 300 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse;, Chipset: Intel Q45;, DeskView license included., , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR2-800, dual channel), 7 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x8), 1x PCIe x1, 4x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , graphics (Direct X10), network controller Intel 82567LM (1 Port, GB-LAN, ASF 2.0, vPro), Serial ATA Controller (6 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663;, , Bays: 8 (2x 5,25'' and 2x 3,5'' externally accessible, 4x 3,5'' internal HDD-bays);, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x VGA, 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K1000-V415	468,00	
	CELSIUS W370 E-Star5	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, BTX systemboard D2817, 300 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse;, Chipset: Intel Q45;, DeskView license included., , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR2-800, dual channel), 7 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x8), 1x PCIe x1, 4x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , graphics (Direct X10), network controller Intel 82567LM (1 Port, GB-LAN, ASF 2.0, vPro), Serial ATA Controller (6 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663;, , Bays: 8 (2x 5,25'' and 2x 3,5'' externally accessible, 4x 3,5'' internal HDD-bays);, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x VGA, 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K1000-V401	468,00	

CELSIUS W280
Your gateway to workstation power

CELSIUS W280 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS W280 is the manageable workstation for when a traditional PC just isn't enough. Powered by the latest Intel® processors and available with choice of professional graphics cards, it provides workstation performance in a compact PC design and is ideal for business environments such as entrylevel 2D CAD.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W280					
	CELSIUS W280	vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, BTX systemboard D2912, 300 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse;, Chipset: Intel Q57;, DeskView license included., , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR3-800, dual channel), 4 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x16), 2x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , Direct X10 graphics integrated in the processor (except Core i5-7xx und Core i7), network controller Intel 82578LM (1 Port, GB-LAN, ASF 2.0, iAMT), Serial ATA Controller (4 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663;, , Bays: 6 (2x 5,25'' and 2x 3,5'' externally accessible, 2x 3,5'' internal HDD-bays);, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Internal interfaces: 4x USB 2.0, , Rear interfaces: 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1357-V115	477,00	

CELSIUS W380
Your gateway to workstation power

CELSIUS W380 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS W380 is the versatile all-round workstation for entry-level graphics applications. Powered by the latest Intel® processors, it is the ideal choice business environments such as entry-level CAD, digital content creation and finance. Thanks to the ISV certification process you can be guaranteed that your preferred professional applications will run with maximum speed and system stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W380					
	CELSIUS W380	Base unit, BTX systemboard D2917, 300 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse;, Chipset: Intel 3450;, DeskView license included., , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR3-800, ECC or non ECC, dual channel), 7 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x16), 2x PCIe x1, 3x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , Direct X10 graphics integrated in the processor (except Xeon), network controller Intel 82578LM (1 Port, GB-LAN, ASF 2.0, iAMT), Serial ATA Controller (6 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663;, , Bays: 8 (2x 5,25'' and 2x 3,5'' externally accessible, 4x 3,5'' internal HDD-bays);, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 1x firewire, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) , Disable / Hide TPM option	S26361-K1000-V515	559,00	

CELSIUS W480
Your gateway to workstation power

CELSIUS W480 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS W480 is the advanced workstation for professional environments. Powered by the latest Intel® Processors, it is the ideal choice for business environments such as 3D CAD, financial forecasting and digital content creation. Thanks to the ISV certification process you can be guaranteed that your preferred professional applications will run with maximum speed and system stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W480					
	CELSIUS W480	Base unit, BTX systemboard D2917, 500 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse;, Chipset: Intel 3450;, DeskView license included., , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR3-800, ECC or non ECC, dual channel), 7 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x16), 2x PCIe x1, 3x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , Direct X10 graphics integrated in the processor (except Xeon), network controller Intel 82578LM (1 Port, GB-LAN, ASF 2.0, iAMT), Serial ATA Controller (6 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663;, , Bays: 8 (2x 5,25'' and 2x 3,5'' externally accessible, 4x 3,5'' internal HDD-bays);, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 1x firewire, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) , Disable / Hide TPM option	S26361-K1000-V615	625,00	

CELSIUS M470
Your new "thoroughbred" workstation

CELSIUS M470 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS M Series is the single-processor platform with a particularly well-balanced ratio between price and performance. The CELSIUS M470 incorporates the latest advances in performance technologies enabling you to meet increasingly demanding schedules using professional applications such as CAD/CAE, virtual reality and finance. To ensure that those tasks run with maximum system stability, the CELSIUS M470 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD_SUPERMULTI	FDD	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front-side USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Product Code	EUP (€)	Comments
Standard products																														
CELSIUS M470-2																														
	CELS M470-2 POW /XEON W3530/3x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 2x1000GB SATA II/2xHD CABLE/CK I/ KB400PS2I/COA_W7_MM_PROFES/,																											LKN:M4702W0001IT		Phased out
	CELS M470-2 POW /XEON W3550/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,																											LKN:M4702W0004IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS M470-2					
	CELSIUS M470-2 power	Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse;, Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), IEEE1394a, HD-audio Realtek ALC 663, , Bays: , 3x 5.25'' FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x firewire, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x firewire, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K990-V915	865,00	
	CELSIUS M470-2	Base unit, prepared for rack installation (rack mount kit optionally available), ATX systemboard D2778, power supply 500W, optical USB tilt scroll mouse;, Chipset: Intel x58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), IEEE1394a, HD-audio Realtek ALC 663, , Bays: , 3x 5.25'' FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x firewire, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x firewire, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K990-V815	832,00	

CELSIUS R570
Your compact "powerhouse" workstation

CELSIUS R570 — **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS R series is the dual-processor platform in the mid-range and high-end sector with a great selection of graphics subsystems. Energy efficiency and state-of-the-art microprocessor technology make this compact powerhouse the ideal solution for fields of activity, such as computer aided design, engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R570 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW / Dual DL	DVD. SUPERMULTI	FDD	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front-side USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboard/s	SCSI Controller	Security Hardware	Product Code	ELP (€)	Comments
Standard products																														
CELSIUS R570-2																														
	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus Systemman CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Contr FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: Disable / Hide TPM option																													
	Intel® Xeon® E5520	Genuine Microsoft® Windows® 7 Professional 6	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"					x				x					2		On board, Realtek ALC663, HD		x	IT			LKN:R5702W0001IT		Phased out
	Intel® Xeon® E5520	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"					x				x					2		On board, Realtek ALC663, HD		x	IT			LKN:R5702W0003IT		

Model	Description	Details	Product Code	ELP (€)	Comments
Base unit configurations					
CELSIUS R570-2					
	CELSIUS R570-2	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 700 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included, , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2. 1x audio out, 1x audio in;, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V515	1.036,00	
	CELSIUS R570-2 power	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus Systemmanagement, DeskView license included, , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interface 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) Infineon, Disable / Hide TPM option	S26361-K994-V615	1.103,00	

CELSIUS R670
The new uncompromising high-end workstation

CELSIUS R670 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS R series is the dual-processor platform for the mid-range and high-end segment with a great selection of graphics subsystems. Through the combination of standard-setting microprocessor technology and energy efficiency, the generous CELSIUS R670 embodies with its numerous expansion options the ideal system for memory-consuming applications. The CELSIUS R670 is the ideal solution for business segments, such as computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R670 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD SUPERMULTI	FDD	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front-side USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Product Code	ELP (€)	Comments
Standard products																														
CELSIUS R670-2																														
	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system man included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports 1E), Serial ATA Controller (4 Ports), IEEE1394a, HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x firewire, , Rear interfaces: 2x LAN RJ45 2x PS/2 for mouse and keyboard, 1x serial, 1x firewire, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option																													
	Intel® Xeon® E5507	Genuine Microsoft® Windows® 7 Professiona	3 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"					x					x					2			On board, Realtek ALC663, HD		x	IT			LKN:R6702W0001IT		Phased out
	Intel® Xeon® E5620	Genuine Microsoft® Windows® 7 Professiona	2 x 4 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"					x					x					2			On board, Realtek ALC663, HD		x	IT			LKN:R6702W0002IT		Phased out
	Intel® Xeon® E5620	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 500 GB, 3.5"					x					x					2			On board, Realtek ALC663, HD		x	IT			LKN:R6702W0004IT		
	Intel® Xeon® E5630	Genuine Windows 7® Professional 64-bit	3 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"					x					x					2			On board, Realtek ALC663, HD		x	IT			LKN:R6702W0005IT		
	Intel® Xeon® E5640	Genuine Windows 7® Professional 64-bit	4 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"					x					x					2			On board, Realtek ALC663, HD		x	IT			LKN:R6702W0006IT		
	Intel® Xeon® X5660	Genuine Windows 7® Professional 64-bit	3 x 4 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"					x					x					2			On board, Realtek ALC663, HD		x	IT			LKN:R6702W0007IT		

Model	Description	Details	Product Code	ELP (€)	Comments
Base unit configurations					
CELSIUS R670					
	CELSIUS R670	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0, 1), Serial ATA Controller (4 Ports), IEEE1394a, HD-audio Realtek ALC 663, , Bays: , 3x 5,25?? FlexiBays externally accessible and, 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x firewire, , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x firewire, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K991-V315	1.223,00	Phased out
CELSIUS R670-2					
	CELSIUS R670-2	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), IEEE1394a, HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x firewire, , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x firewire, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K991-V415	1.239,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS V840 — Data Sheets: http://ts.fujitsu.com/celsius

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS are certified for a huge variety of software applications, guaranteeing you optimum performance whatever your preferred software solution.
If you need more power, more memory, more data security, and more expandability than a conventional dual processor workstation can offer, opt for the ultra high-end 64-bit workstation CELSIUS V840.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS V840-2					
	CELSIUS V840-2	Base unit, prepared for rack mounting (rack mount kit optionally available), AT03 system board D2533, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: NVIDIA nForce Professional 3600, 3050 and NEC uPD720404 PCIe/PCI-X bridge;, DeskView license included., , Slots: , 2 x 4 DIMM-sockets (max. 64 GB DDR2-667/533 SDRAM, 2 x dual channel), 7 slots: 2x PCIe x16, 2x PCIe x8, 2x PCI-X (64-bit / 100 MHz), 1x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , SAS-Controller LSI 1068E, 8 Ports, RAID 0 / 1 (integrated mirroring, integrated mirroring enhanced / integrated striping), network controller 2 x NVIDIA LAN, 10/100/1000 Mbit/s ASF 2.0, serial ATA controller (6 ports, NvRAID 2.0, RAID 0 / 1 / 5 / 0+1), IEEE1394 (Texas Instruments TSB43AB23) and HD-Audio (Realtek ALC262);, , Drive bays: 7 (3x 5,25'' FlexiBays, externally accessible, 4x 3,5'' internal); , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x Firewire;, , Rear interfaces: 2x LAN RJ45, 6x USB 2.0, 1x Firewire, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial;	S26361-K992-V315	1.492,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R950	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Processor																										
	Opteron 2350 2.0 GHz	4x512KB L2 2MB L3																x						S26361-F3502-L50	399,00	
	Opteron 2356 2.3 GHz	4x512KB L2 2MB L3																x						S26361-F3502-L56	988,00	
	Opteron 2376 2.3 GHz	4x512KB L2 2MB L3																x						S26361-F3502-L76	349,00	
	Opteron 2380 2.5 GHz	4x512KB L2 2MB L3																x						S26361-F3502-L80	489,00	
	Opteron 2384 2.7 GHz	4x512KB L2 2MB L3																x						S26361-F3502-L84	971,00	
	XEON L5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L320	995,00	
	Xeon L5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L330	1.377,00	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x									S26361-F3612-L309	801,00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x									S26361-F3612-L330	995,00	
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores										x			x									S26361-F3612-L340	1.763,00	
	XEON E5502 1.86GHz 4MB	4.8 GT/s QPI, 2 cores									x	x		x	x									S26361-F3539-L102	385,00	
	Xeon E5503 2.00 GHz, 4 MB	2.00 GHz, 4 MB, 4.8 GT/s QPI, 2 cores										x			x									S26361-F3612-L103	385,00	
	XEON E5504 2.00GHz 4MB	4.8 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L104	445,00	
	XEON E5506 2.13GHz 4MB	4.8 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L106	445,00	
	Xeon E5507 2.26 GHz, 4 MB	2.26 GHz, 4 MB, 4.8 GT/s QPI, 4 cores										x			x									S26361-F3612-L107	520,00	
	XEON E5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L220	713,00	
	XEON E5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L230	995,00	
	XEON E5540 2.53GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L240	1.377,00	
	Xeon E5620 2,40 GHz, 12 MB Turbo Boost,	2,40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x									S26361-F3612-L220	713,00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x									S26361-F3612-L230	995,00	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x									S26361-F3612-L240	1.377,00	
	XEON X5550 2.66GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L950	1.763,00	
	XEON X5560 2.80GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L960	2.148,00	
	XEON X5570 2.93GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores									x	x		x	x									S26361-F3539-L970	2.532,00	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x			x									S26361-F3612-L950	1.763,00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x			x									S26361-F3612-L960	2.148,00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores										x			x									S26361-F3612-L967	2.532,00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x			x									S26361-F3612-L970	2.532,00	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores													x									S26361-F3612-L977	2.917,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores													x									S26361-F3612-L980	2.917,00	
	XEON W5580 3.20GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores									x	x		x	x									S26361-F3541-L580	2.917,00	
	Xeon W5590 3.33GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores												x	x									S26361-F3541-L590	2.917,00	
Memory																										
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub				x																		S26391-F504-L100	96,00	
	2GB DDR3-1333 PC3-10600					x																		S26391-F505-L200	88,00	
	4GB DDR3-1333 PC3-10600					x																		S26391-F505-L300	227,00	
	1GB DDR3-1066 SO-DIMM PC3-8500			x	x																			S26391-F736-L150	55,00	
	2GB DDR3-1066 SO-DIMM PC3-8500			x	x																			S26391-F736-L250	88,00	
	4GB DDR3-1066 SO-DIMM PC3-8500			x	x																			S26391-F736-L450	227,00	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit					x													x				S26361-F2994-L114	55,00	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit					x													x				S26361-F2994-L116	88,00	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																			x			S26361-F2995-L114	55,00	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																			x			S26361-F2995-L116	88,00	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																			x			S26361-F2994-L118	227,00	
	2GB DDR3-1333	1 module PC 1333, DIMM																	x			x	x	S26361-F4401-L2	88,00	
	4GB DDR3-1333	1 module PC 1333, DIMM																	x			x	x	S26361-F4401-L3	227,00	
	1GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM					x																	S26361-F3369-L423	73,00	
	2GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM					x																	S26361-F3369-L424	128,00	
	2GB 2x1GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary															x	x						S26361-F3367-L449	177,00	
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary															x	x						S26361-F3367-L459	265,00	
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3367-L464	419,00	
	16GB 2x8GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3367-L479	1.212,00	
	2GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																				x	x	S26361-F4411-L2	121,00	
	4GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																				x	x	S26361-F4411-L3	271,00	
	2GB FB-DIMM PC2-5300 ECC (2x 1GB)	PC2-5300, 2 modules, same number of modules for each processor necessary								x			x											S26361-F3370-L449	177,00	
	4GB FB-DIMM PC2-5300 ECC (2x 2GB)	PC2-5300, 2 modules, same number of modules for each processor necessary								x			x											S26361-F3370-L459	265,00	
	2GB 2x1GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3376-L482	168,00	
	4GB 2x2GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3376-L484	265,00	
	8GB 2x4GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3376-L488	445,00	
	1GB DDR3-1066	1 module						x				x			x									S26361-F3374-L403	55,00	
	1GB DDR3-1333	1 module							x				x			x								S26361-F3375-L403	55,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x				x			x									S26361-F3375-L413	73,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x				x			x									S26361-F3375-L414	121,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Memory (Continued)																										
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x			x			x										S26361-F3375-L415	288,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x			x			x									S26361-F3377-L413	73,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x			x			x									S26361-F3377-L414	128,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x			x			x									S26361-F3377-L415	288,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary									x			x										S26361-F3375-L424	135,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary									x			x										S26361-F3375-L425	245,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary									x			x										S26361-F3375-L426	565,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary										x			x									S26361-F3377-L424	135,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary										x			x									S26361-F3377-L425	245,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary										x			x									S26361-F3377-L426	565,00	
Graphics																										
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable																			x			S26361-F2757-L655	40,00	Phased out
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																			x			S26361-F3305-L210	21,00	
	NVIDIA Quadro NVS 290 256MB PCIe x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe					x	x	x		x	x	x	x	x			x		x	x			S26361-F2748-L233	136,00	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe					x			x			x					x	x	x	x	x	x	S26361-F2748-L234	136,00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters																	x			x	x	S26361-F2748-L235	133,00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F2748-L236	126,00	
	NVIDIA Quadro NVS 440 2x128MB PCIe x1	Connectors: Up to 4x DVI or VGA PCIe					x			x			x				x	x		x	x			S26361-F2748-L244	567,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters						x	x		x	x		x	x				x		x	x	x	S26361-F2748-L245	563,00	
	NVIDIA Quadro FX 380 256MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F2856-L38	167,00	
	NVIDIA Quadro FX 580 512MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F2856-L58	207,00	
	NVIDIA Quadro 600 1GB								x			x			x				x			x	x	S26361-F2856-L61	215,00	Orderable from: 07/10/2010
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F2856-L218	573,00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters							x			x			x				x			x	x	S26361-F2856-L201	607,00	Orderable from: 07/10/2010
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters					x	x	x		x	x		x	x			x					x	S26361-F2856-L238	1.031,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters							x			x			x								x	S26361-F2856-L401	1.061,00	
	NVIDIA Quadro 5000 2.5GB								x			x			x								x	S26361-F2856-L501	2.285,00	
	NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16							x			x			x									S26361-F2856-L258	4.029,00	
	ATI FirePro V3700 256 MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters					x	x			x			x				x	x		x	x	x	S26361-F2530-L370	121,00	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters							x			x			x				x			x	x	S26361-F2530-L380	133,00	
	ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters							x			x			x				x			x	x	S26361-F2530-L480	222,00	
	ATI FirePro V5700 512 MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters					x	x			x			x				x	x		x	x	x	S26361-F2530-L570	493,00	Phased out
	ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters							x			x			x				x			x	x	S26361-F2530-L580	519,00	
	ATI FirePro V7750 1GB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters						x	x		x	x		x	x			x						S26361-F2530-L775	901,00	
	ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters							x			x			x								x	S26361-F2530-L780	1.011,00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1					x	x	x		x	x	x	x	x			x						S26361-F3565-L1	543,00	
	CELSIUS RemoteAccess Portal	PCoIP, PCIe x1, 2x DVI-I,10/100/1000 Mbps LAN, 4x USB, audio					x	x	x		x	x	x	x	x			x						S26361-K1322-V1	592,00	
	NVIDIA Tesla C1060 Computing-Processor	PCIe x16						x	x		x	x	x	x	x			x						S26361-F2856-L106	1.801,00	
	NVIDIA Tesla C2050 Computing-Processor	Connectors: 1x DVI-I; PCIe x16							x			x			x									S26361-F2856-L205	2.751,00	
	NVIDIA Tesla C2070 Computing-Processor	Connectors: 1x DVI-I, PCIe x16							x			x			x									S26361-F2856-L207	4.556,00	Orderable from: 09/11/2010
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor				x	x	x	x	x	x	x	x	x	x			x	x		x	x	x	S26361-F2391-L200	27,00	
	DVI/VGA Adapter	for connection of one VGA-monitor					x	x	x	x	x	x	x	x	x			x	x		x	x	x	S26361-F2391-L1	14,00	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card									x	x		x	x		x	x						S26361-F2542-L95	67,00	
Removable Media Drives																										
	Blu-ray Triple Writer	bay module, BD read/write + DVD read/write + CD read/write				x																		S26391-F515-L100	227,00	
	DVD Super multi (reader/writer)					x																		S26391-F515-L200	65,00	
	Blu-ray combo drive	Bay Modul, BD read + DVD read/write , + CD read/write, Without BluRay Playback Software		x	x																			S26391-F725-L100	157,00	
	Blu-ray Disc Triple Writer SATA	bay module, BD read/write + DVD read/write + CD read/write, Blu-ray playback SW must be ordered separately		x	x																			S26391-F725-L150	236,00	
	DVD Super multi (reader/writer)			x	x																			S26391-F725-L200	68,00	
	weight saver					x																		S26391-F440-L300	21,00	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software					x			x			x				x	x		x				S26361-F3418-L10	35,00	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software						x	x		x	x		x	x				x		x	x	x	S26361-F3418-L510	35,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)						x	x		x	x		x	x				x		x	x	x	S26361-F3420-L510	45,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Removable Media Drives (Continued)																										
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately						x	x		x	x		x	x				x		x	x	x	S26361-F3523-L510	230,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																	x		x	x	x	S26361-F3077-L5	18,00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x		x	x		x	x									S26361-F3077-L4	25,00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type					x											x						S26361-F3077-L6	25,00	
	Floppy Disk Drive for 5.25" bay						x			x			x				x	x						S26361-F1723-L31	30,00	Phased out
	FDD 1.44MB	occupies accessible 3,5"- bay,incl. cable																			x			S26361-F1723-L510	27,00	
SCSI/RAID/SAS controller																										
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4					x	x	x	x	x	x												S26361-F3976-L1	135,00	
Communication/Network																										
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile					x	x	x	x	x	x	x	x	x			x	x		x	x	x	S26361-F3067-L30	31,00	
	WLAN II, 802.11g 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface					x			x			x				x	x		x	x			S26361-F3108-L2	42,00	Phased out
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface					x	x	x	x	x	x	x	x	x				x		x	x	x	S26361-F3108-L5	31,00	
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, adapter to be ordered separately, full Height																	x	x	x	x	x	S26361-F3088-L2	18,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot																		x	x	x	x	S26361-F2542-L30	13,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height					x	x	x		x			x					x					S26361-F2542-L34	13,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot																		x	x	x	x	S26361-F2542-L40	13,00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height					x	x	x		x	x		x	x				x					S26361-F2542-L70	13,00	
	Dual serial card PCI	Dual Port RS232					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F3316-L4	38,00	
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors								x	x	x							x	x	x	x	x	S26361-F3106-L520	31,00	
Rack-Infrastructure																										
	Rack mount kit CELSIUS	For assembling in racks from Fujitsu Technology Solutions and in third party racks, inclusive rails					x	x	x	x	x	x	x	x	x		x	x						S26361-F2581-L100	167,00	
OS/Application-SW																										
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L556	290,00	Phased out
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L550	290,00	Phased out
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L553	290,00	Phased out
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L559	290,00	Phased out
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L562	290,00	Phased out
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L557	378,00	Phased out
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L551	378,00	Phased out
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L554	378,00	Phased out
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L560	378,00	Phased out
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L563	378,00	Phased out
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L558	471,00	Phased out
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L552	471,00	Phased out
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L555	471,00	Phased out
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L561	471,00	Phased out
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L564	471,00	Phased out
	Drivers&Utilities DVD CELSIUS XP/ Vista	incl. Nero Essentials S, Norton Internet Security					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F2007-L909	21,00	
	Drivers&Utility (XP+Vista) Mobile H	incl. Nero 7 Essentials S, Norton Internet Security 2007	x	x	x	x																		S26361-F2007-L904	23,00	
UPS/Power supply																										
	2nd battery		x																					S26391-F405-L200	144,00	Phased out
	1st Battery E8410/ E8420 8-cell 75Wh		x																					S26391-F405-L810	83,00	
	AC-Adapter 19V/100W		x																					S26391-F408-L300	40,00	
	2nd battery					x																		S26391-F440-L200	147,00	
	External battery charger, incl. 16V AC	not fitting for main battery E8420				x																		S26391-F458-L200	206,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Accessories & services matrix																										
UPS/Power supply (Continued)																										
	External battery charger, incl. 16V AC	incl. AC adapter, without power cable	x																					S26391-F5031-L700	213,00	Phased out
	Ext. Battery Charger	without AC-adapter	x																					S26391-F5031-L710	201,00	Phased out
	1st Battery 8cell 5.800mAh (83Wh)					x																		S26391-F518-L200	96,00	
	AC-Adapter 19V/100W	w/o power cord; power cords are listed under "Miscellaneous"				x																		S26391-F519-L100	44,00	
	AC Adapter 120W	w/o power cord; power cords are listed under "Miscellaneous"		x	x																			S26391-F740-L120	31,00	
	2ND BATTERY			x	x																			S26391-F746-L100	123,00	Phased out
	1st Battery EM D+X 8-cell			x	x																			S26391-F746-L600	88,00	
Security																										
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																		x				S26361-F1260-L520	35,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																	x		x	x	x	S26361-F1260-L521	34,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only						x	x		x	x		x	x									S26361-F1260-L522	38,00	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F1571-L201	23,00	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F1571-L210	147,00	
	Absolute Track, Abo. 1J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L101	25,00	
	Absolute Track, Abo. 2J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L102	40,00	
	Absolute Track, Abo. 3J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L103	52,00	
	Data Protection, Abo. 1J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L104	40,00	
	Data Protection, Abo. 2J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L105	65,00	
	Data Protection, Abo. 3J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L106	79,00	
	ComputraceOne, Abo. 1J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L107	48,00	
	ComputraceOne, Abo. 2J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L108	79,00	
	ComputraceOne, Abo. 3J.	Single key licence, for more info please check hint box / product description	x			x																		S26361-F2009-L109	104,00	
	ATP, Data Protection, PE, Abo. 1J.	Single key licence, for more info please check hint box / product description				x																		S26361-F2009-L113	44,00	
	ATP, Data Protection, PE, Abo. 2J.	Single key licence, for more info please check hint box / product description				x																		S26361-F2009-L114	71,00	
	ATP, Data Protection, PE, Abo. 3J.	Single key licence, for more info please check hint box / product description				x																		S26361-F2009-L115	90,00	
	ATP, ComputraceOne, Abo. 1J.	Single key licence, for more info please check hint box / product description				x																		S26361-F2009-L116	52,00	
	ATP, ComputraceOne, Abo. 2J.	Single key licence, for more info please check hint box / product description				x																		S26361-F2009-L117	88,00	
	ATP, ComputraceOne, Abo. 3J.	Single key licence, for more info please check hint box / product description				x																		S26361-F2009-L118	116,00	
	Absolute Track, Abo. 1J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L201	25,00	
	Absolute Track, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L202	40,00	
	Absolute Track, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L203	52,00	
	Data Protection, Abo. 1J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L204	40,00	
	Data Protection, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L205	65,00	
	Data Protection, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L206	79,00	
	ComputraceOne, Abo. 1J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L207	48,00	
	ComputraceOne, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L208	79,00	
	ComputraceOne, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																		S26361-F2009-L209	104,00	
	ATP, Data Protection,PE, Abo. 1J. Master	Master key for multiple licences, for more info please check hint box / product description				x																		S26361-F2009-L213	52,00	
	ATP, Data Protection,PE, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description				x																		S26361-F2009-L214	88,00	
	ATP, Data Protection,PE, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description				x																		S26361-F2009-L215	116,00	
	ATP, ComputraceOne, Abo. 2J. Master	Master key for multiple licences, for more info please check hint box / product description				x																		S26361-F2009-L217	82,00	
	ATP, ComputraceOne, Abo. 3J. Master	Master key for multiple licences, for more info please check hint box / product description				x																		S26361-F2009-L218	100,00	
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM Express Card54 - SCR3340				x																		S26361-F2432-L710	65,00	Phased out
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support				x																		S26361-F2432-L720	65,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Security (Continued)																										
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium				x		x	x		x	x		x	x			x	x		x	x	x	S26361-F2727-L100	27,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support				x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F2727-L730	42,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26381-F331-L220	32,00	
Miscellaneous																										
	Keyboard Rubber caps	10 caps	x																					S26391-F2602-V1	21,00	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).					x	x	x	x	x	x	x	x	x		x	x						S26361-F2581-L200	77,00	
	Rear USB 2.0 connector	2x USB 2.0																	x					S26361-F2438-L215	13,00	
	Blanking Plate 5.25" drive bays, 10 pcs.																		x					S26361-F2542-L326	17,00	
	Blanking Plate 5.25" drive bays, 10 pcs.																				x	x	x	S26361-F2542-L325	36,00	
Cables																										
	Monitor outlet cable	necessary to contact monitor directly to the PC																		x	x			S26361-F2542-L57	10,00	
	Cable for 2. USB device						x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F2581-L10	13,00	
	Power cord three-wire US	Power cord three-wire US		x	x																			S26361-F2581-L300	13,00	
	Power cord three-wire EU	Power cord three-wire EU		x	x																			S26361-F2581-L310	10,00	
	Power cord three-wire GB	Power cord three-wire GB		x	x																			S26361-F2581-L320	10,00	
	Power cord three-wire I	Power cord three-wire I		x	x																			S26361-F2581-L330	10,00	
	Power cord three-wire CH	Power cord three-wire CH		x	x																			S26361-F2581-L340	14,00	
Input Devices																										
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x																		S26381-K440-L100	62,00	
Additional Software																										
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1															x	x						U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x						U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x						U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME															x	x						U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x						U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs															x	x						U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions															x	x						U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0															x	x						U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201															x	x						U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201															x	x						U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201															x	x						U11081-C204	3.988,00	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201															x	x						U11081-C205	5.982,00	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201															x	x						U11081-C206	7.976,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201															x	x						U11081-C207	710,00	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201															x	x						U11081-C208	1.156,00	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201															x	x						U11081-C209	2.313,00	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201															x	x						U11081-C210	3.469,00	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201															x	x						U11081-C211	4.626,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202															x	x						U11081-C212	1.225,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Additional Software (Continued)																										
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203															x	x						U11081-C213	1.994,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204															x	x						U11081-C214	3.988,00	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205															x	x						U11081-C215	5.982,00	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206															x	x						U11081-C216	7.976,00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207															x	x						U11081-C217	710,00	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208															x	x						U11081-C218	1.156,00	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209															x	x						U11081-C219	2.313,00	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210															x	x						U11081-C220	3.469,00	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211															x	x						U11081-C221	4.626,00	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202															x	x						U11081-C222	500,00	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203															x	x						U11081-C223	814,00	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204															x	x						U11081-C224	1.628,00	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205															x	x						U11081-C225	2.442,00	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206															x	x						U11081-C226	3.255,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321	500,00	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U11081-C312	1.994,00	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U11081-C322	814,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U11081-C303	3.988,00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U11081-C313	3.988,00	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U11081-C323	1.628,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C525	500,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Accessories & services matrix																										
Additional Software (Continued)																										
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U10987-C502	1.994,00	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU															x	x						U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU															x	x						U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU															x	x						U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU															x	x						U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU															x	x						U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU															x	x						U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C499	15,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
LCD-Display															
	39,6 cm (15.6") HD+ magnesium LED w\ cam		x										S26391-F501-E300	216,00	
	39,6 cm (15.6") FHD magnesium LED w\ cam		x										S26391-F501-E400	261,00	
Approvals															
	GS approval	non glossy front bezel to fulfill GS approval		x	x	x	x		x	x	x	x	S26361-F2555-E200	3,00	
	Blauer Engel (Blue Angel)			x						x			S26361-F2550-E100	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.		x									S26361-F2600-E110	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.			x								S26361-F2600-E120	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.				x	x						S26361-F2600-E130	3,00	
Processor															
	Intel Core i5-520M 2.4GHz 3MB		x										S26391-F503-E520	364,00	
	Intel Core i5-540M 2.53GHz 3MB		x										S26391-F503-E540	414,00	
	Intel Core i5-560M 2.66GHz 3MB		x										S26391-F503-E560	364,00	Orderable from: 27/09/2010
	Intel Core i7-720QM 1.60GHz 6MB		x										S26391-F503-E720	581,00	
	Intel Core i7-740QM 1.73GHz 6MB	1.73 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT	x										S26391-F503-E740	581,00	
	Intel Core i7-820QM 1.73GHz 8MB		x										S26391-F503-E820	870,00	
	Intel Core i7-840QM 1.86GHz 8MB	1.86 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT	x										S26391-F503-E840	870,00	
	Intel Core i7-620M 2.66GHz 4MB		x										S26391-F461-E620	535,00	
	Intel Core i7-640M 2.80GHz 4MB		x										S26391-F503-E640	535,00	Orderable from: 27/09/2010
	Celeron 450	2.2 GHz, 512KB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: XD, EM64T								x			S26361-F3472-E450	44,00	
	Celeron E3200	2.4 GHz, 1 MB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: VT-x								x			S26361-F3472-E320	62,00	
	Pentium E5400	2.7 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink,technologies: VT-x								x			S26361-F3473-E540	79,00	Phased out
	Intel Pentium E5500	2.8 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x								x			S26361-F3473-E550	79,00	
	Pentium E6300	2.8 GHz, 2 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x								x			S26361-F3473-E630	106,00	Phased out
	Core 2 Duo E7500	2.93 GHz, 3 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x								x			S26361-F3517-E150	178,00	
	Core 2 Duo E7600	3.06 GHz, 3 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: XD, EM64T, EIST								x			S26361-F3517-E161	186,00	
	Core 2 Duo E8400	3.0 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT								x			S26361-F3509-E141	278,00	
	Core 2 Duo E8500	3.16 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT								x			S26361-F3509-E151	313,00	
	Core 2 Duo E8600	3.33 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT								x			S26361-F3509-E160	436,00	
	Core 2 Quad Q8300	2.50 GHz, 4 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x								x			S26361-F3510-E30	209,00	
	Core 2 Quad Q9400	2.66 GHz, 6 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT								x			S26361-F3510-E140	313,00	Phased out
	Core 2 Quad Q9505	2.83 GHz, 6 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT								x			S26361-F3510-E150	366,00	
	Core 2 Quad Q9550	2.83 GHz, 12 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT								x			S26361-F3510-E156	426,00	
	Core 2 Quad Q9650	3.0 GHz, 12 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT								x			S26361-F3510-E165	504,00	
	Pentium G6950	incl. graphics, 2.8 GHz, 3 MB total cache, dual core, LGA1156, technologies: VT-x							x		x	x	S26361-F4014-E695	147,00	
	Core i3-540	incl. graphics, 3.06 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x							x		x	x	S26361-F4010-E540	175,00	
	Core i3-550	incl. graphics, 3.20 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x							x		x	x	S26361-F4010-E550	175,00	Orderable from: 27/09/2010

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
Processor (Continued)															
	Core i5-650	incl. graphics, 3.2 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT							x		x	x	S26361-F4011-E650	301,00	
	Core i5-660	incl. graphics, 3.33 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT							x		x	x	S26361-F4011-E660	336,00	
	Core i5-670	incl. graphics, 3.46 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT							x		x	x	S26361-F4011-E670	464,00	Phased out
	Core i5-680	incl. graphics, 3.6 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT							x		x	x	S26361-F4011-E680	464,00	
	Core i5-750	2.66 GHz, 8 MB total cache, quad core/4 threads, LGA1156, technologies: VT-x, TXT							x				S26361-F4012-E750	336,00	
	Core i5-760	2.80 GHz, 8 MB total cache, quad core/4 threads, LGA1156, technologies: VT-x, TXT							x				S26361-F4012-E760	336,00	
	Core i7-860	2.8 GHz, 8 MB total cache, quad core/8 threads, LGA1156, technologies: VT-x, TXT							x				S26361-F4013-E860	464,00	
	Celeron G1101	incl. graphics, 2.26 GHz, 2 MB total cache, dual core/4 threads									x	x	S26361-F4015-E110	117,00	
	Core i7-870	2.93 GHz, 8 MB total cache,quad core/8 threads, LGA1156,technologies: VT-x, TXT							x				S26361-F4013-E870	481,00	
	Core i7-880	3.0 GHz, 8 MB total cache, quad core/8 threads, LGA1156, technologies: VT-x, TXT							x				S26361-F4013-E880	896,00	
	Intel® Xeon® X3430 2.40 GHz, 8 MB	2.40 GHz, 8 MB total cache, quad core/4 threads, technologies: VT-x, TXT									x	x	S26361-F4017-E430	325,00	
	Intel® Xeon® X3440 2.53 GHz, 8 MB	2.53 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT									x	x	S26361-F4017-E440	372,00	
	Intel® Xeon® X3450 2.66 GHz, 8 MB	2.66 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT									x	x	S26361-F4017-E450	384,00	
	Intel® Xeon® X3460 2.80 GHz, 8 MB	2.80 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT									x	x	S26361-F4017-E460	533,00	Phased out
	Intel® Xeon® X3470 2.93 GHz, 8 MB	2.93 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT									x	x	S26361-F4017-E470	533,00	
	Xeon X3480 3.06 GHz, 8 MB	3.06 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT									x	x	S26361-F4017-E480	995,00	
	XEON L5506 2.13GHz 4MB Turbo Boost	4.8 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E306	733,00	
	2nd XEON L5506	2.13GHz 4MB Turbo Boost, 4.8 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E306	743,00	
	XEON L5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E320	912,00	
	2nd XEON L5520	2.26GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E320	924,00	
	Xeon L5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E330	1.273,00	
	2nd Xeon L5530	2.40GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E330	1.285,00	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x						S26361-F3612-E309	733,00	
	2nd Xeon L5609	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x		x						S26361-F3613-E309	743,00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x						S26361-F3612-E330	912,00	
	2nd Xeon L5630	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x		x						S26361-F3613-E330	924,00	
	Xeon L5640 2.26 GHz, 12 MB Turbo Boost,	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores		x	x		x						S26361-F3612-E340	1.635,00	
	2nd Xeon L5640	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores			x		x						S26361-F3613-E340	1.645,00	
	XEON E5502 1.86GHz 4MB	4.8 GT/s QPI, 2 cores		x	x	x	x						S26361-F3539-E102	344,00	
	2nd XEON E5502	1.86GHz 4MB 4.8 GT/s QPI, 2 cores			x	x	x						S26361-F3540-E102	352,00	
	Xeon E5503 2.00 GHz, 4 MB	2.00 GHz, 4 MB, 4.8 GT/s QPI, 2 cores		x	x		x						S26361-F3612-E103	344,00	
	2nd Xeon E5503	2.00 GHz, 4 MB, 4.8 GT/s QPI, 2 cores			x		x						S26361-F3613-E103	352,00	
	XEON E5504 2.00GHz 4MB	4.8 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E104	396,00	
	2nd XEON E5504	2.00GHz 4MB 4.8 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E104	405,00	
	XEON E5506 2.13GHz 4MB	4.8 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E106	396,00	
	2nd XEON E5506	2.13GHz 4MB 4.8 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E106	405,00	
	Xeon E5507 2.26 GHz, 4 MB	2.26 GHz, 4 MB, 4.8 GT/s QPI, 4 cores		x	x		x						S26361-F3612-E107	469,00	
	2nd Xeon E5507	2.26 GHz, 4 MB, 4.8 GT/s QPI, 4 cores			x		x						S26361-F3613-E107	479,00	
	XEON E5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E220	649,00	
	2nd XEON E5520	2.26GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E220	660,00	
	XEON E5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E230	912,00	
	2nd XEON E5530	2.40GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E230	924,00	
	XEON E5540 2.53GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E240	1.273,00	
	2nd XEON E5540	2.53GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E240	1.285,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
Processor (Continued)															
	Xeon E5620 2,40 GHz, 12 MB Turbo Boost,	2,40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x						S26361-F3612-E220	649,00	
	2nd Xeon E5620	2,40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x		x						S26361-F3613-E220	660,00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x						S26361-F3612-E230	912,00	
	2nd Xeon E5630	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x		x						S26361-F3613-E230	924,00	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x						S26361-F3612-E240	1.273,00	
	2nd Xeon E5640	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x		x						S26361-F3613-E240	1.285,00	
	XEON X5550 2.66GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E950	1.635,00	
	2nd XEON X5550	2.66GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E950	1.645,00	
	XEON X5560 2.80GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E960	1.996,00	
	2nd XEON X5560	2.80GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E960	2.007,00	
	XEON X5570 2.93GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores		x	x	x	x						S26361-F3539-E970	2.357,00	
	2nd XEON X5570	2.93GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores			x	x	x						S26361-F3540-E970	2.368,00	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x	x		x						S26361-F3612-E950	1.635,00	
	2nd Xeon X5650	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores			x		x						S26361-F3613-E950	1.645,00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x	x		x						S26361-F3612-E960	1.996,00	
	2nd Xeon X5660	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores			x		x						S26361-F3613-E960	2.007,00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores		x	x		x						S26361-F3612-E967	2.357,00	
	2nd Xeon X5667	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores			x		x						S26361-F3613-E967	2.368,00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x	x		x						S26361-F3612-E970	2.357,00	
	2nd Xeon X5670	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores			x		x						S26361-F3613-E970	2.368,00	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores		x			x						S26361-F3612-E977	2.720,00	
	2nd Xeon X5677	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores					x						S26361-F3613-E977	2.729,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x			x						S26361-F3612-E980	2.720,00	
	2nd Xeon X5680	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores					x						S26361-F3613-E980	2.729,00	
	Xeon W3503 2.40GHz 4MB	4.8 GT/s QPI, 2 cores		x									S26361-F3541-E103	344,00	
	Xeon W3505 2.53GHz 4MB	4.8 GT/s QPI, 2 cores		x									S26361-F3541-E105	396,00	
	XEON W3520 2.66GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores		x									S26361-F3541-E320	499,00	
	Xeon W3530 2.80 GHz, 8 MB Turbo Boost,	2.80 GHz, 8 MB Turbo Boost, 6.4 GT/s QPI, 4 cores		x									S26361-F3541-E330	499,00	
	XEON W3540 2.93GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores		x									S26361-F3541-E340	968,00	
	Xeon W3550 3.06GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores		x									S26361-F3541-E350	499,00	
	Xeon W3565 3.20 GHz, 8 MB Turbo Boost,	3.20 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores		x									S26361-F3541-E365	968,00	
	XEON W3570 3.20GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores		x									S26361-F3541-E370	1.769,00	
	Xeon W3580 3.33GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores		x									S26361-F3541-E380	1.769,00	
	Xeon W3670 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x									S26361-F3614-E570	1.457,00	
	Xeon W3680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x									S26361-F3614-E580	1.769,00	
	XEON W5580 3.20GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores		x		x	x						S26361-F3541-E580	2.720,00	
	2nd XEON W5580	3.20GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores				x	x						S26361-F3542-E580	2.729,00	
	Xeon W5590 3.33GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores		x		x	x						S26361-F3541-E590	2.720,00	
	2nd Xeon W5590	3.33GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores				x	x						S26361-F3542-E590	2.729,00	
	Opteron 2350 2.0 GHz	4x512KB L2 2MB L3 Second PCIe x16 graphics card possible only with a second processor., Onboard SAS-controller usable only with a second processor.						x					S26361-F3502-E50	388,00	
	Opteron 2356 2.3 GHz	4x512KB L2 2MB L3 Second PCIe x16 graphics card possible only with a second processor., Onboard SAS-controller usable only with a second processor.						x					S26361-F3502-E56	972,00	
	Opteron 2376 2.3 GHz	4x512KB L2 2MB L3 Second PCIe x16 graphics card possible only with a second processor. Onboard SAS-controller usable only with a second processor.						x					S26361-F3502-E76	319,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
Processor (Continued)															
	Opteron 2380 2.5 GHz	4x512KB L2 2MB L3 Second PCIe x16 graphics card possible only with a second processor. Onboard SAS-controller usable only with a second processor.						x					S26361-F3502-E80	448,00	
	Opteron 2384 2.7 GHz	4x512KB L2 2MB L3 Second PCIe x16 graphics card possible only with a second processor. Onboard SAS-controller usable only with a second processor.						x					S26361-F3502-E84	901,00	
Memory															
	2 GB DDR3 1066 MHz PC3-8500		x										S26391-F505-E100	71,00	
	2GB DDR3-1333 PC3-10600		x										S26391-F505-E200	71,00	
	4 GB DDR3 1333 MHz PC3-10600		x										S26391-F505-E300	199,00	
	1GB DDR2-800	memory mix, 1 module PC 800 (PC2-6400), DIMM								x			S26361-F2995-E114	40,00	
	2GB DDR2-800	memory mix, 1 module PC 800 (PC2-6400), DIMM								x			S26361-F2995-E116	71,00	
	2GB DDR2-800 (2x 1GB)	memory mix, 2 modules PC 800 (PC2-6400) each 1GB, DIMM								x			S26361-F2996-E214	79,00	
	2GB DDR2-800	memory mix, 1 module PC 800 (PC2-6400), DIMM								x			S26361-F2996-E116	71,00	
	1GB DDR2-800 further module	memory mix, 1 module PC 800 (PC2-6400), DIMM								x			S26361-F2997-E114	40,00	
	2GB DDR2-800 further module	memory mix, 1 module PC 800 (PC2-6400), DIMM								x			S26361-F2997-E116	71,00	
	2GB DDR3-1333	1 module PC 1333, DIMM							x		x	x	S26361-F4401-E2	71,00	
	4GB DDR3-1333	1 module PC 1333, DIMM							x		x	x	S26361-F4401-E3	199,00	
	2GB DDR3-1333 ECC	1 module PC 1333 (PC3-10600), ECC, DIMM									x	x	S26361-F4411-E2	94,00	
	4GB DDR3-1333 ECC	1 module PC 1333 (PC3-10600), ECC, DIMM									x	x	S26361-F4411-E3	216,00	
	2GB 2x1GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary						x					S26361-F3367-E449	140,00	
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary						x					S26361-F3367-E459	228,00	
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary						x					S26361-F3367-E464	383,00	
	16GB 2x8GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary						x					S26361-F3367-E479	1.115,00	
	1GB DDR3-1066	1 module				x							S26361-F3374-E403	43,00	
	2GB 2x1GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary						x					S26361-F3376-E482	131,00	
	1GB DDR3-1333	1 module		x	x		x						S26361-F3375-E403	40,00	
	1GB DDR3-1333 ECC	1 module, same number of modules, for each processor necessary				x							S26361-F3375-E413	56,00	
	4GB 2x2GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary						x					S26361-F3376-E484	216,00	
	2GB DDR3-1333 ECC	1 module, same number of modules, for each processor necessary				x							S26361-F3375-E414	100,00	
	8GB 2x4GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary						x					S26361-F3376-E488	361,00	
	4GB DDR3-1333 ECC	1 module, same number of modules, for each processor necessary				x							S26361-F3375-E415	228,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		x	x		x						S26361-F3377-E413	56,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		x	x		x						S26361-F3377-E414	100,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		x	x		x						S26361-F3377-E415	228,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules, for each processor necessary				x							S26361-F3375-E424	107,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules, for each processor necessary				x							S26361-F3375-E425	195,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules, for each processor necessary				x							S26361-F3375-E426	449,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary			x		x						S26361-F3377-E424	107,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary			x		x						S26361-F3377-E425	195,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary			x		x						S26361-F3377-E426	449,00	
Graphics															
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible								x			S26361-F3305-E211	10,00	
	NVIDIA Quadro NVS 290 256MB PCIe x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe		x	x	x	x	x		x			S26361-F2748-E233	127,00	
	2nd NVIDIA Quadro NVS 290 256MB PCIe x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe								x			S26361-F2748-E133	127,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
Graphics (Continued)															
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe		x	x	x	x	x	x	x	x	x	S26361-F2748-E234	127,00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters		x	x	x	x		x	x	x	x	S26361-F2748-E235	115,00	
	2nd NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters		x	x	x	x				x	x	S26361-F2748-E135	115,00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters		x	x	x	x	x	x	x	x	x	S26361-F2748-E236	109,00	
	NVIDIA Quadro NVS 440 2x128MB PCIe x1	Connectors: Up to 4x DVI or VGA PCIe						x					S26361-F2748-E244	549,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters		x	x	x	x		x	x	x	x	S26361-F2748-E245	545,00	
	NVIDIA Quadro FX 380 256MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters		x	x	x	x	x	x	x	x	x	S26361-F2856-E38	148,00	
	NVIDIA Quadro FX 580 512MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters		x	x	x	x	x	x	x	x	x	S26361-F2856-E58	188,00	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters		x	x		x		x		x	x	S26361-F2856-E61	197,00	Orderable from: 07/10/2010
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters		x	x	x	x	x	x	x	x	x	S26361-F2856-E218	556,00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters		x	x		x		x		x	x	S26361-F2856-E201	572,00	Orderable from: 07/10/2010
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters		x	x	x	x	x				x	S26361-F2856-E238	1.012,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters		x	x		x					x	S26361-F2856-E401	1.043,00	
	NVIDIA Quadro FX 4800 1.5GB	Connectors: 1x DVI-I and 2x DP, stereo; 1x DVI/VGA- adapter; PCIe x16		x	x	x	x	x				x	S26361-F2856-E248	1.735,00	
	Second NVIDIA Quadro FX 4800 1.5GB	Connectors: 1x DVI-I and 2x DP, stereo; 1x DVI/VGA- adapter; PCIe x16		x	x	x	x	x					S26361-F2856-E148	1.735,00	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16		x	x		x					x	S26361-F2856-E501	2.268,00	
	Second NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16		x	x		x						S26361-F2856-E502	2.268,00	
	NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16		x	x	x	x	x					S26361-F2856-E258	4.012,00	
	Second NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16		x	x	x	x	x					S26361-F2856-E158	4.012,00	
	ATI FirePro V3700 256 MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters				x		x	x	x	x	x	S26361-F2530-E370	104,00	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters		x	x		x		x		x	x	S26361-F2530-E380	115,00	
	ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters		x	x		x		x		x	x	S26361-F2530-E480	205,00	
	ATI FirePro V5700 512 MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters				x		x	x	x	x	x	S26361-F2530-E570	476,00	Phased out
	ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters		x	x		x		x		x	x	S26361-F2530-E580	500,00	
	ATI FirePro V7750 1GB	Anschlüsse: 1x DVI-I und 2x DP; PCIe x16; ohne Adapter		x	x	x	x	x				x	S26361-F2530-E775	884,00	
	ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters		x	x		x					x	S26361-F2530-E780	992,00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1		x	x	x	x	x					S26361-F3565-E1	499,00	
	NVIDIA Tesla C1060 Computing-Processor	PCIe x16		x	x	x	x	x					S26361-F2856-E106	1.783,00	
	Second NVIDIA Tesla C1060	PCIe x16		x	x	x	x	x					S26361-F2856-E107	1.783,00	
	NVIDIA Tesla C2050 Computing-Processor	Connectors: 1x DVI-I; PCIe x16		x	x		x						S26361-F2856-E205	2.733,00	
	Second NVIDIA Tesla C2050	Computing-Processor, Connectors: 1x DVI-I; PCIe x16		x	x		x						S26361-F2856-E206	2.733,00	
	NVIDIA Tesla C2070 Computing-Processor	Connectors: 1x DVI-I, PCIe x16		x	x		x						S26361-F2856-E207	4.539,00	Orderable from: 09/11/2010
	Second NVIDIA Tesla C2070	Computing-Processor, Connectors: 1x DVI-I, PCIe x16		x	x		x						S26361-F2856-E208	4.539,00	Orderable from: 09/11/2010
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor		x	x	x	x	x	x	x	x	x	S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor		x	x	x	x	x	x	x	x	x	S26361-F2391-E1	4,00	
	SLI bridge for NVIDIA graphics				x	x	x	x					S26361-F2542-E95	53,00	
	No graphics			x	x	x	x	x	x		x	x	S26361-F2748-E999	47,00	
Removable Media Drives															
	2nd battery		x										S26391-F440-E200	130,00	
	weight saver		x										S26391-F440-E300	3,00	
	DVD Super multi (reader/writer)		x										S26391-F515-E200	44,00	
	Blu-ray Triple Writer + BD playback SW	bay module, BD read/write + DVD read/write + CD read/write + Blu-ray playback SW	x										S26391-F515-E100	230,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately							x	x	x	x	S26361-F3418-E510	21,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately							x	x	x	x	S26361-F3420-E510	30,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
Removable Media Drives (Continued)															
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately							x	x	x	x	S26361-F3523-E510	205,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately						x					S26361-F3418-E30	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately						x					S26361-F3523-E30	226,00	Phased out
	DVD SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately		x	x	x	x						S26361-F3418-E530	23,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately		x	x	x	x						S26361-F3420-E530	31,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately		x	x	x	x						S26361-F3523-E530	217,00	
	Cable for 2nd ODD	necessary for the operation of the 2nd optical disc drive							x	x	x	x	S26361-F2581-E20	3,00	
	Cable for ODD			x	x			x					S26361-F2581-E21	3,00	
	Cable for ODD					x	x						S26361-F2581-E22	3,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type							x	x	x	x	S26361-F3077-E5	9,00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type		x	x	x	x						S26361-F3077-E4	16,00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x				S26361-F3077-E6	14,00	
	FDD 1.44MB	occupies accessible 3,5"- bay								x			S26361-F1723-E510	14,00	
Hard Disks															
	HDD SATA 320 GB 5.4k		x										S26391-F508-E200	75,00	
	HDD SATA 320GB 7.2k		x										S26391-F508-E300	90,00	
	HDD SATA 320 GB 5.4k FDE		x										S26391-F509-E100	90,00	
	SSD 128GB high speed	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface		x	x		x	x	x	x	x	x	S26361-F3575-E100	426,00	
	SSD 256GB high speed	occupies 3,5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface		x	x		x	x	x	x	x	x	S26361-F3576-E100	847,00	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology							x	x	x	x	S26361-F3560-E100	65,00	
	HDD SATA 500 GB 7.2k		x										S26391-F508-E400	96,00	
	SSD SATA 128GB FDE		x										S26391-F510-E100	432,00	
	SSD SATA 256GB FDE	SSD SATA, 256 GB FDE, 2.5"	x										S26391-F510-E200	844,00	
	HDD SATA II 160GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology								x			S26361-F3211-E100	58,00	Phased out
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology							x	x	x	x	S26361-F3212-E100	58,00	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal)		x	x	x	x	x	x	x	x	x	S26361-F3570-E100	62,00	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal)		x	x	x	x	x	x	x	x	x	S26361-F3435-E100	71,00	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal)		x	x	x	x	x	x	x	x	x	S26361-F3568-E100	96,00	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x					S26361-F3212-E30	60,00	
	HDD SATA II 500GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	x	S26361-F3497-E100	103,00	
	HDD SATA II 750GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	x	S26361-F3498-E100	164,00	
	HDD SATAII 1000GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	x	S26361-F3521-E100	173,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
Hard Disks (Continued)															
	HDD SATAII 2000GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	x	S26361-F3590-E100	384,00	
	HDD SATA II 150GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x		x			S26361-F3526-E10	167,00	
	HDD SATA II 300GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	x	S26361-F3527-E10	277,00	
	HDD SATA III 600GB 10k	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	x	S26361-F3632-E100	436,00	Orderable from: 19/11/2010
	HDD SAS 146GB 15k	occupies 3.5"-bay (internal)		x	x	x	x	x					S26361-F3406-E20	179,00	Phased out
	HDD SAS 300GB 15k	occupies 3.5"-bay (internal)		x	x	x	x	x					S26361-F3414-E20	260,00	
	HDD SAS 450GB 15k	occupies 3.5"-bay (internal)		x	x	x	x	x					S26361-F3518-E20	355,00	
	HDD SAS 600GB 15k	occupies 3.5"-bay (internal)		x	x	x	x	x					S26361-F3591-E100	412,00	
	Cable for SATA HDD	necessary for each S-ATA hard disk drive		x	x	x	x	x					S26361-F2581-E31	3,00	
	Cable for SATA HDD	necessary for each S-ATA hard disk drive, CELSIUS W							x	x	x	x	S26361-F2581-E32	3,00	
	Cable for SAS HDD					x	x						S26361-F2581-E41	3,00	
	Cable for SAS HDD							x					S26361-F2581-E42	3,00	
SCSI/RAID/SAS controller															
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4		x	x								S26361-F3976-E1	120,00	
Communication/Network															
	Bluetooth module V2.1		x										S26391-F511-E300	6,00	
	No WLAN		x										S26391-F435-E100	3,00	
	Intel Centrino 6200 802.11a\b\g\n (WW)		x										S26391-F511-E100	21,00	
	WLAN Atheros 802.11b\g\n (WW)		x										S26391-F511-E200	10,00	
	No 3G \ UMTS		x										S26391-F435-E450	3,00	
	UMTS Sierra Wireless Gobi 2000	not for China	x										S26391-F364-E100	119,00	
	USB 3.0 PCIe x1			x	x				x		x	x	S26361-F3050-E10	30,00	Orderable from: 01/10/2010
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express							x				S26361-F3067-E30	20,00	
	No Modem		x										S26391-F513-E200	3,00	
	Modem		x										S26391-F513-E100	8,00	
	Modem adapter kit (EU) w\ modem cable	includes all adapter for EU	x						x	x			S26391-F512-E100	13,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express		x	x	x	x	x		x	x	x	S26361-F3067-E40	18,00	
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, , adapter to be ordered separately							x	x			S26361-F3088-E2	8,00	
	Modem adapter kit (EU)	includes all adapter for EU							x	x			S26361-F3145-E50	13,00	
	WLAN II, 802.11g, 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface						x		x			S26361-F3108-E2	25,00	Phased out
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface		x	x	x	x		x	x	x	x	S26361-F3108-E5	17,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket,, occupies internal parallel interface, and one slot								x	x	x	S26361-F2542-E30	3,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket,, occupies internal parallel interface, and one slot		x					x				S26361-F2542-E34	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot								x	x	x	S26361-F2542-E40	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot		x	x	x	x		x				S26361-F2542-E70	4,00	
	Dual serial card PCI	Dual Port RS232		x	x	x	x	x	x	x	x	x	S26361-F3316-E4	25,00	
	FireWire PCI-Card IEEE1394 FH	400 Mbit/s, 3 external and 1 internal connectors			x				x	x			S26361-F3106-E520	21,00	
Country kits															
	Country kit (CDN,US)	incl. power cord (US),safety manual (GB)							x	x	x	x	S26361-F2930-E100	7,00	
	Country kit (D)	incl. power cord (EU),safety manual (D)		x	x	x	x	x	x	x	x	x	S26361-F2930-E101	7,00	
	Country kit (INT, power cord EU)	incl. power cord (EU),safety manual (INT)		x	x	x	x	x	x	x	x	x	S26361-F2930-E102	7,00	
	Country kit (I)	incl. power cord (I),safety manual (I)		x	x	x	x	x	x	x	x	x	S26361-F2930-E104	7,00	
	Country kit (GB)	incl. power cord (GB),safety manual (GB)		x	x	x	x	x	x	x	x	x	S26361-F2930-E105	7,00	
	Country Kit EU	incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information	x										S26391-F520-E100	6,00	
	Country Kit GB	incl. power cord (GB),safety manual (Int), Getting Started, Service Desk Information	x										S26391-F520-E200	6,00	
	Country Kit US	incl. power cord (US),safety manual (GB), Getting Started, Service Desk Information	x										S26391-F520-E300	8,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information	x										S26391-F520-E400	6,00	
	Made in Germany sticker	The „Made in Germany" sticker prominently displays this universally admired differentiating product value		x	x	x	x	x	x	x	x	x	S26391-F404-E911	2,00	
OneBox-Keyboards															

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
OneBox-Keyboards (Continued)															
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	x	x	x	x	x	S26381-K341-E110	32,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	x	x	x	x	x	S26381-K341-E120	32,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	x	x	x	x	x	S26381-K341-E165	32,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	x	x	x	x	x	S26381-K341-E185	32,00	
	KBPC SX USB USA	KBPC SX USB keyboard standard, US-English, cable USB 2m, Global Design						x					S26381-K398-E110	14,00	Phased out
	KB500 USA	KB500 keyboard standard, marble grey, US, cable USB 2m, Global Design		x	x	x	x	x	x	x	x	x	S26381-K500-E110	14,00	
	KB500 D	KB500 keyboard standard, marble grey, Germany, cable USB 2m, Global Design		x	x	x	x	x	x	x	x	x	S26381-K500-E120	13,00	
	KB500 GB	KB500 keyboard standard, marble grey, Great Britain, cable USB 2m, Global Design		x	x	x	x	x	x	x	x	x	S26381-K500-E165	13,00	
	KB500 I	KB500 keyboard standard, marble grey, Italy, cable USB 2m, Global Design		x	x	x	x	x	x	x	x	x	S26381-K500-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US		x	x	x	x		x	x			S26381-K550-E102	10,00	
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany		x	x	x	x		x	x			S26381-K550-E120	10,00	
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK		x	x	x	x		x	x			S26381-K550-E165	10,00	
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy		x	x	x	x		x	x			S26381-K550-E185	10,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB		x	x	x	x	x	x	x	x	x	S26381-K550-E402	12,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB		x	x	x	x	x	x	x	x	x	S26381-K550-E420	12,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB		x	x	x	x	x	x	x	x	x	S26381-K550-E465	12,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB		x	x	x	x	x	x	x	x	x	S26381-K550-E485	12,00	
	KB400 PS2 black US	KB400 PS2 US, SLIM value Keyboard black US english PS2		x	x	x	x	x	x	x	x	x	S26381-K551-E410	9,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2		x	x	x	x	x	x	x	x	x	S26381-K551-E420	9,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2		x	x	x	x	x	x	x	x	x	S26381-K551-E465	9,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italien PS2		x	x	x	x	x	x	x	x	x	S26381-K551-E485	9,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable		x	x	x	x	x	x	x	x	x	S26381-K560-E402	23,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable		x	x	x	x	x	x	x	x	x	S26381-K560-E420	23,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable		x	x	x	x	x	x	x	x	x	S26381-K560-E465	23,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable		x	x	x	x	x	x	x	x	x	S26381-K560-E485	23,00	
	Keyboard w\o TS Spillproof D black	German	x										S26391-F2605-E521	8,00	
	Keyboard w\o TS Spillproof I black	Italian	x										S26391-F2605-E523	8,00	
	Keyboard w\o TS Spillproof GB black	British	x										S26391-F2605-E525	8,00	
	Keyboard w\o TS Spillproof US black	US american (for netherlands, poland, ... too)	x										S26391-F2605-E534	8,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length		x	x	x	x	x	x	x	x	x	T26139-Y4530-E1	3,00	
	Keyboard w\ TS Spillproof D	German	x										S26391-F2605-E121	27,00	
	Keyboard w\ TS Spillproof I	Italian	x										S26391-F2605-E123	27,00	
	Keyboard w\ TS Spillproof GB	British	x										S26391-F2605-E125	27,00	
	Keyboard w\ TS Spillproof US	US american (for netherlands, poland, ... too)	x										S26391-F2605-E134	27,00	
	Keyboard w\o TS Spillproof D	German	x										S26391-F2605-E221	10,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
OneBox-Keyboards (Continued)															
	Keyboard w\o TS Spillproof I	Italian	x										S26391-F2605-E223	10,00	
	Keyboard w\o TS Spillproof GB	British	x										S26391-F2605-E225	10,00	
	Keyboard w\o TS Spillproof US	US american (for netherlands, poland, ...too)	x										S26391-F2605-E234	10,00	
OS/Application-SW															
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback),, BackItUp/ on DVD	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E893	4,00	
	Twinload XP Pro DVD (D)		x										S26361-F2009-E151	3,00	Phased out
	Twinload XP Pro DVD (GB)		x										S26361-F2009-E152	3,00	Phased out
	Twinload XP Pro DVD (I)		x										S26361-F2009-E154	3,00	Phased out
	Twinload XP Pro DVD MUI-LP	Software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade. Basic language: Windows XP Professional English. Additional installable languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish	x										S26361-F2009-E168	3,00	Phased out
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x					x	x	x	x	S26361-F2009-E243	136,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x	x	x		x	x	x	x	S26361-F2009-E253	179,00	
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E782	217,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E781	217,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E784	217,00	Phased out
	Vista HomeBasic32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)								x			S26361-F2007-E101	92,00	Phased out
	Vista HomeBasic32bit MuLi B Office Ready	OEM version, license, Office 2007 Ready, (AR, CZ, E, F, GB, GR, IL, P, PL, TR)								x			S26361-F2007-E103	92,00	Phased out
	Vista HomeBasic32bit MuLi C Office Ready	Vista HomeBasic32bit MuLi C Office Ready OEM version, license, Office 2007 Ready, (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)								x			S26361-F2007-E104	92,00	Phased out
	Vista HomePrem 32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)								x			S26361-F2007-E301	140,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E787	323,00	Phased out
	Vista HomePrem 32bit MuLi B Office Ready	OEM version, license, Office 2007 Ready, (AR, CZ, E, F, GB, GR, IL, P, PL, TR)								x			S26361-F2007-E302	140,00	Phased out
	Vista HomePrem 32bit MuLi C Office Ready	Vista HomePrem 32bit MuLi C Office Ready OEM version, license, Office 2007 Ready, (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)								x			S26361-F2007-E303	140,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E786	323,00	Phased out
	Vista Business 32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)				x		x		x			S26361-F2007-E201	178,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E789	323,00	Phased out
	Vista Business 64bit MuLi Office Ready	OEM version, licence, Office 2007 Ready, (AR, CZ, D, DK, E, F, FIN, GB, I, IL, N, NL, PL, RUS, S)				x		x		x			S26361-F2007-E205	188,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E792	425,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
OS/Application-SW (Continued)															
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E791	425,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel,Outlook,Powerpoint,Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E794	425,00	Phased out
	OEM Office Home and Student 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E177	147,00	
	OEM Office Home and Student 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E180	147,00	
	OEM Office Home and Student 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E181	147,00	
	OEM Office Home and Business 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E182	261,00	
	OEM Office Home and Business 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E185	261,00	
	OEM Office Home and Business 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E186	261,00	
	OEM Office Professional 2010 (D)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E187	469,00	
	OEM Office Professional 2010 (GB)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E190	469,00	
	OEM Office Professional 2010 (I)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x		x	x	S26361-F2009-E191	469,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD, Cyberlink PowerDVD BD		x	x	x	x	x	x	x	x	x	S26361-F2007-E420	21,00	
	No Operating System		x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	3,00	
	Win7 HomPrem64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)							x	x	x	x	S26361-F2009-E441	3,00	Phased out
	Win7 HomPrem64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)							x	x	x	x	S26361-F2009-E442	3,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
OS/Application-SW (Continued)															
	Win7 HomPrem64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)							x	x	x	x	S26361-F2009-E443	3,00	Phased out
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x					x		x	x	S26361-F2109-E441	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	MuLi IBER-NE (Iberia and Northern Europe), Languages: EN, ES, FR, PT, CS, PL, SK, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x					x		x	x	S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x					x		x	x	S26361-F2109-E446	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)		x	x	x	x		x	x	x	x	S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)		x	x	x	x		x	x	x	x	S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)		x	x	x	x		x	x	x	x	S26361-F2009-E353	3,00	Phased out
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.		x	x		x		x		x	x	S26361-F2109-E351	3,00	
	Win7 Pro 32 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.		x	x		x		x		x	x	S26361-F2109-E356	3,00	
	Win7 Pro64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x	x	x	x		x	x	x	x	S26361-F2009-E451	3,00	Phased out
	Win7 Pro64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x	x	x	x		x	x	x	x	S26361-F2009-E452	3,00	Phased out
	Downgrade Pack XP Prof 32bit D/GB/MUI-LP	Software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade. Basic language: Windows XP Professional English. Additional installable languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish		x	x	x	x	x					S26361-F2007-E824	6,00	Phased out
	Downgrade Pack XP Prof 64bit MUI-LP	Software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade. Basic language: Windows XP Professional English. Additional installable languages: French, German, Italian, Spanish, Swedish	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E821	7,00	Phased out
	Win7 Pro64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x		x	x	x	x	S26361-F2009-E453	3,00	Phased out
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: D, E, F, GB, I, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x		x		x		x	x	S26361-F2109-E451	3,00	
	TwinLoad Win XP Prof DVD (D)	software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade							x		x	x	S26361-F2009-E125	3,00	Phased out
	TwinLoad Win XP Prof DVD (GB)	software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade							x		x	x	S26361-F2009-E126	3,00	Phased out
	TwinLoad Win XP Prof DVD (I)	software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade							x		x	x	S26361-F2009-E128	3,00	Phased out

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
OS/Application-SW (Continued)															
	TwinLoad Win XP Prof DVD MUI-LP	Software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade. Basic language: Windows XP Professional English. Additional installable languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish							x		x	x	S26361-F2009-E138	3,00	Phased out
	TwinLoad Win XP Prof DVD (D)	SW load to automatically downgrade Vista Business to XP Prof, incl. Nero 8 S NIS2008, prepared for Office 2007 upgrade		x						x			S26361-F2007-E561	3,00	Phased out
	TwinLoad Win XP Prof DVD (GB)	SW load to automatically downgrade Vista Business to XP Prof, incl. Nero 8 S NIS2008, prepared for Office 2007 upgrade		x						x			S26361-F2007-E562	3,00	Phased out
	TwinLoad Win XP Prof DVD (I)	SW load to automatically downgrade Vista Business to XP Prof, incl. Nero 8 S NIS2008, prepared for Office 2007 upgrade		x						x			S26361-F2007-E564	3,00	Phased out
	TwinLoad Win XP Prof DVD MUI-LP	Software load to automatically downgrade Vista Business to XP Prof, prepared for Office 2007 upgrade. Basic language: Windows XP Professional English. Additional installable languages: Arabic, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian (Lettish), Lithuanian, Norwegian, Polish, Portuguese (Brazil), Portuguese (Portugal), Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish		x						x			S26361-F2007-E574	3,00	Phased out
	Recov. DVD Vista HomeBasic 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)								x			S26361-F2007-E801	3,00	Phased out
	Recov. DVD Vista HomeBasic 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)								x			S26361-F2007-E809	3,00	Phased out
	Recov. DVD Vista HomeBasic 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)								x			S26361-F2007-E810	3,00	Phased out
	Recovery DVD Vista Home Basic 32bit RUS									x			S26361-F2007-E802	3,00	Phased out
	Recov. DVD Vista HomePrem. 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)								x			S26361-F2007-E811	3,00	Phased out
	Recov. DVD Vista HomePrem. 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)								x			S26361-F2007-E812	3,00	Phased out
	Recov. DVD Vista HomePrem. 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)								x			S26361-F2007-E813	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)				x		x		x			S26361-F2007-E803	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)				x		x		x			S26361-F2007-E804	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)				x		x		x			S26361-F2007-E805	3,00	Phased out
	Recovery DVD Vista Business 32bit (RUS)					x		x		x			S26361-F2007-E806	3,00	Phased out
	Recovery DVD Vista Business 64bit MuLi	(AR, CZ, D, DK, E, F, FIN, GB, I, IL, N, NL, PL, RUS, S)				x		x		x			S26361-F2007-E807	3,00	Phased out
	Recovery DVD Vista Business 64bit (RUS)					x		x		x			S26361-F2007-E808	3,00	Phased out
	Drivers&Utilities DVD (XP/VISTA/7)	incl. Nero Essentials S, Norton Internet Security		x	x	x	x	x	x	x	x	x	S26361-F2007-E909	3,00	
	Drivers & Utility DVD Mobile H	Windows 7, Windows Vista, Windows XP, incl. Nero 7 Essentials S, Norton Internet Security 2007	x										S26361-F2007-E904	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x					x	x	x	x	S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x		x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x		x	x	x	x	S26361-F2009-E653	3,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS V840-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix															
OS/Application-SW (Continued)															
	REC-DVD Win7 Prof. 32+64bit All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x		x	x	x	x	S26361-F2009-E753	3,00	
Port Replicator															
	Portrep\AC Adapter 100W \EU-Cable Kit		x										S26391-F517-E100	117,00	
	Portrep\AC Adapter 100W \GB-Cable Kit		x										S26391-F517-E200	117,00	
UPS/Power supply															
	2nd Cable EU		x										S26391-F408-E210	3,00	
	2nd Cable US		x										S26391-F408-E220	4,00	
	2nd Cable GB		x										S26391-F408-E230	3,00	
	2nd AC-Adapter 19V/100W (w/o AC cable)		x										S26391-F519-E100	35,00	
Security															
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support		x	x	x	x	x	x	x	x	x	S26361-F2727-E730	6,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable		x	x	x	x	x		x			S26381-F331-E220	30,00	
	TPM module V1.2		x										S26391-F506-E100	6,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard		x	x	x	x	x	x	x	x	x	S26361-F1260-E520	23,00	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface		x	x	x	x	x	x	x	x	x	S26361-F2542-E220	34,00	Phased out
Mouse															
	Mouse 400NB Black	Notebook Mouse M400NB Black, optical 3 button tilt wheel USB new Fujitsu design	x										S26381-K428-E100	9,00	
Miscellaneous															
	Med-Kit ESPRIMO/CELSIUS	incl. license and manual		x	x	x	x	x	x	x	x	x	S26361-F2542-E250	33,00	
	Webcam cover and webcam BIOS disable	Attention! choosing this option, the WebCam will be mechanicaly covered and electricaly disabled!	x										S26391-F506-E300	3,00	
	Cable for second internal USB device			x	x	x	x	x	x	x	x	x	S26361-F2581-E10	3,00	
	Key lock in side door	for lock of housing							x	x	x	x	S26361-F2542-E323	4,00	
	Key lock in side door	for lock of housing		x	x	x	x						S26361-F2542-E324	4,00	
	Intrusion switch								x				S26361-F2407-E3	4,00	
	Rear USB 2.0 connector	2x USB 2.0							x				S26361-F2438-E215	4,00	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).		x	x	x	x	x					S26361-F2581-E200	67,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations		x	x	x	x		x	x	x	x	S26361-F3436-E2	3,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling		x	x	x	x		x	x	x	x	S26361-F2542-E216	6,00	
	Grey USB/PS2 mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling		x	x	x	x	x	x	x	x	x	S26361-F2542-E217	10,00	
Keyboard /Mouse															
	SPACE EXPLORER	3D motion controller USB, 15 programmable keys, manual, software, brown box.		x	x	x	x		x	x	x	x	S26381-K425-E100	403,00	
Desk View															
	DV Adv. Migration (DVD + 1 Lic.)		x	x	x	x	x	x	x	x	x	x	S26361-F4040-E10	68,00	Orderable from: 01/09/2010

Positioning Displays

P Line

Superior Displays - P Line and XL Line
A feast for your eyes and a pleasure to use for work or multimedia:
- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features

XL Line

B Line

Advanced Displays - B Line and SL Line
Efficiency for intensive office or entertainment usage:
- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity: e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays

SL Line

A/E Line

All-round Displays - A/E Line and L Line
Enter the world of LCD displays at an affordable price:
- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver

L Line

Displays

Data Sheets: http://ts.fujitsu.com/display

P Line
- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language

*: on sleected models

XL Line
- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line
- Energy saving solutions (as of Summer 2009)
  - Cut energy cost by half (versus Energy Star 4.1)
  - ECO operation mode for Energy Star 5.0
  - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line
- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line
- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line
- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays					
	Display E19-5	Display E19-5 E-Line Runrate 48cm (19") Display VGA, DVI	RUN:K1330-V160	214,00	
	Display E19W-5	Display E19W-5 E-Line Runrate 48cm (19")wide Display VGA, DVI	RUN:K1331-V160	199,00	
	DISPLAY B19-5 ECO	DISPLAY B19-5 ECO Business Line 48cm(19") Display, VGA, DVI, 4-in-1 stand Fujitsu Logo	S26361-K1318-V140	244,00	
	DISPLAY P19-5P ECO	DISPLAY P19-5P ECO, Premium Line 48cm(19") Display, VGA, DVI, Enhanced Height adjust Auto Pivot, Light sensor, Fujitsu Logo	S26361-K1319-V140	291,00	
	DISPLAY L3190T	DISPLAY L3190T L-Serie 47cm(18.5")T, Commitment based availability	S26361-K1323-V160	171,00	
	DISPLAY E19-5	DISPLAY E19-5, E-Serie 48cm (19"), Commitment based availability	S26361-K1330-V160	195,00	
	DISPLAY E19W-5	DISPLAY E19W-5, E-Serie 48cm (19"wide), Commitment based availability	S26361-K1331-V160	179,00	
	DISPLAY L19T-1 LED	DISPLAY L19T-1 LED L-Serie 47 cm (18.5"w) Commitment based availability only	S26361-K1343-V160	170,00	
	DISPLAY SL22W-1LED	DISPLAY SL22W-1LED SL-Serie 55.9 cm (22"w) Only for MEA direct container shipments!	S26361-K1364-V169	260,00	

Positioning Input Devices & Security devices

Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.

Input devices and Security — Data Sheets: http://ts.fujitsu.com/keyboards

Keyboards
A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice
Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices
Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse					
	KBPC EM D	keyboard for emulationen; funktionality trimodular; light basic; incl. cable (PS/2) 1,4m; without driver	S26381-K257-L120	126,00	
	KB SC D value keyboard	KBSC value keyboard, Germany, bright light grey, PS/2	S26381-K360-V120	13,00	Phased out
	KBPC SX USB USA	KBPC SX USB keyboard standard, US-English, cable USB 2m, Global Design	S26381-K398-L110	21,00	Phased out
	KBPC SX USB D	KBPC SX USB, keyboard standard, Germany, cable USB 2m, Global Design	S26381-K398-L120	21,00	Phased out
	KBPC SX USB GB	KBPC SX USB, keyboard standard, England, cable USB 2m, Global Design	S26381-K398-L165	21,00	Phased out
	KBPC SX USB I	KBPC SX USB, keyboard standard, Italy, cable USB 2m, Global Design	S26381-K398-L185	21,00	Phased out
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104	6,00	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	6,00	
	Keyboard cable with PS2 connector	with PS/2 plug; length 2m; for KBPC S2, SX, PX	T26139-Y4530-V1	6,00	

Positioning PRIMERGY Tower Servers

PRIMERGY TX100 S1

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.

PRIMERGY TX120

PRIMERGY TX150 S7

PRIMERGY TX200 S4

PRIMERGY TX200 S5

PRIMERGY TX300 S4

PRIMERGY TX300 S5

PRIMERGY TX100 S1 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX120 S2 carries on the TX120 tradition of space-saving, energy-saving and low noise. It even improves on its innovative predecessor by achieving the same performance but consuming 25% less power.
The TX120 S2 key features, make it a perfect fit for use in small offices, retail premises or libraries. Sporting up to 4x 320 GB SATA or 146 GB 15 000 rpm SAS hard disk drives, it can easily meet most storage requirements, at the right price. Its up to 16GB of RAM easily enable it to run typical small business applications. On-board iRMC2 remote management, makes the TX120 S2 a great choice for branch premises connected to a centralized infrastructure. The PRIMERGY TX120 S2: a compact server with great potential!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX100 S1					
	PY TX100S1/2xLFF	Floorstand BU without CPU and Memory, incl. 1 standard power supply, std. fan; system board for configurable CPU and DDR2 800/PC2-6400 ub. ECC; graphics controller 32MB on board; 6 - port SATA controller (4x 3,5" SATA HDD + DVD) and 1 GBit Ethernet controller onboard; 2 HDD bays for non-hot plug 3,5" SATA HD`s (upgrade to 4 HDD is not possible); mouse; ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software und Updates.	S26361-K1326-V101	330,00	
	PY TX100S1/4xLFF	Floorstand BU without CPU and Memory, incl. 1 standard power supply, std. fan; system board for configurable CPU and DDR2 800/PC2-6400 ub. ECC; graphics controller 32MB on board; 6 - port SATA controller (4x 3,5" SATA HDD + DVD) and 1 GBit Ethernet controller onboard; 4 HDD cage for non-hot plug 3,5" SATA HD`s; mouse; ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software und Updates.	S26361-K1326-V121	346,00	

PRIMERGY TX120 S2 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX120 S2 carries on the TX120 tradition of space-saving, energy-saving and low noise. It even improves on its innovative predecessor by achieving the same performance but consuming 25% less power.
The TX120 S2 key features, make it a perfect fit for use in small offices, retail premises or libraries. Sporting up to 4x 320 GB SATA or 146 GB 15 000 rpm SAS hard disk drives, it can easily meet most storage requirements, at the right price. Its up to 16GB of RAM easily enable it to run typical small business applications. On-board iRMC2 remote management, makes the TX120 S2 a great choice for branch premises connected to a centralized infrastructure. The PRIMERGY TX120 S2: a compact server with great potential!

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY TX120 S2					
	PY TX120 S2 /C2D T9400/4GB ECC/ (Promo)	PY TX120 S2 /C2D T9400/4GB ECC/ DVD-RW SM SLIM/2xHD 500GB/KB400USBIGREY/ POW.CORD/ ,	LKN:T1202S0003IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX120 S2					
	PY TX120 S2	Floor stand BU without CPU and Memory, incl. 1 standard power supply, std. fan; system board for configurable CPU and DDR2 667/PC2-5300 reg. ECC; iRMC S2 Server Management with graphics controller and 10/100Mbit Service Lan-Port; 6 -port SATA controller (4x 2,5" SATA HDD + DVD) and 1 GBit Ethernet controller onboard; Modular 4/8-port SAS RAID Controller optional; 2/4 HDD bays fur hot plug 2,5" SATA/SAS HD`s; mouse; ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software und Updates.	S26361-K1239-V101	580,00	

PRIMERGY TX150 S7

Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5" hot-plug hard disks. Increase the system's availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY TX150 S7					
	PY TX150S7F/SFF/STANDARD PSU / (Promo)	PY TX150S7F/SFF/STANDARD PSU / CORE I3-540/2x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB500I/POW.CORD/ ,	LKN:T1507S0002IT		
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / CORE I3-540/3x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB500I/POW.CORD/ ,	LKN:T1507S0003IT		
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / XEON X3430/4x2GB 1333 ECC R/DVD-RW SM/ RAID 6G 5/6 512MB/KB500I/POW.CORD/ ,	LKN:T1507S0004IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7					
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101	516,00	
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201	590,00	
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	569,00	

PRIMERGY TX150 S7 — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7 (Continued)					
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	633,00	
	PY TX150S7/r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	612,00	
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	654,00	

PRIMERGY TX200 S5 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX200 S5 is ideal for offices or branch infrastructures which need dual processor performance, high expandability and top manageability at the right price. With uap to 96GB of RAM and redundancy features, you can make a great start into virtualization. The TX200 S5 also lends itself as a departmental server for business critical applications or as an email or web server. A tower to rack conversion kit protects your investment's lifetime.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY TX200 S5					
	PY TX200S5F/LFF/HOTPLUG PSU / (Promo)	PY TX200S5F/LFF/HOTPLUG PSU / XEON DP E5520/4GB 1333 ECC/DVD-RW SM/ 2x146GB 15K/RAID 5/6 SAS 512MB/KB500I/ PSU 800W HP/2xPOW.CORD/,	LKN:T2005S0001IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX200 S5					
	PY TX200S5f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6*) drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1266-V101	824,00	Phased out
	PY TX200S5f/LFF/Hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot pug power supply module 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6*) drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1266-V201	957,00	Phased out
	PY TX200S5f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6*) drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1266-V301	851,00	Phased out

PRIMERGY TX200 S5 — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX200 S5 (Continued)					
	PY TX200S5f/SFF/Hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot-plug power supply module, 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6*) drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1266-V401	984,00	Phased out
	PY TX200S5r/LFF/Hotplug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot pug power supply module, RMK optional, 2 redundant hot-plug double fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server manageme	S26361-K1266-V601	957,00	Phased out
	PY TX200S5r/SFF/Hotplug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot-plug power supply module, RMK optional, 4 redundant fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graph	S26361-K1266-V801	984,00	Phased out

PRIMERGY TX300 S5 — Data Sheets: http://ts.fujitsu.com/primergy

Are you looking for business continuity, especially for your core business applications? Our PRIMERGY TX300 servers can provide peace of mind for you when you choose a suitable server platform. The new TX300 S5 offers maximum levels of availability and extendability as a result of hot plug, redundant versions. It has powerful performance features as supplied by the leading Intel® Dual, Quad or Turbo Quad-Core Xeon® CPUs in the 5500 series which are integrated in a powerful set up with an 8-port SAS controller as well as fast PCIe Gen2 connections in the new PRIMERGY design. Continuity is ensured as a result of the modular RAID, redundant Dual LAN features and optional redundant hot-plug power supply and fans. The “cool-safe™” technology in the new honeycomb design ensures optimal temperatures despite peak workloads and thus ensures long-life. Optimal performance and high energy efficiency is ensured in connection with EPA-compliant power supply (89% energy efficiency), a no-cable motherboard wherever possible and new power management features such as power consumption limiting and budgeting. The PRIMERGY TX300 S5 has up to 2 memory boards with 18 DIMM slots for memory mirroring with up to 144 GB DDR3 RAM. The system just needs a few additional options in order to meet the highest demands, such as clustering or disaster-tolerant setup. The PRIMERGY TX300 S5 is exactly the right platform for business-critical remote sites.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX300 S5					
	PY TX300S5f standard fans	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, two lockable front covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; optical mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1267-V101	1.314,00	Phased out
	PY TX300S5f redundant fans	Floorstand BU without processor and RAM, incl. 2 hot plug power supply module, two lockable front covers, 3 redundant hot plug double fans; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; optical mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1267-V201	1.420,00	Phased out
	PY TX300S5r standard fans	Rack based server 19" (4U), BU without processor and RAM, incl. 1 hot plug power supply module, 3 standard fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1267-V301	1.293,00	Phased out
	PY TX300S5r redundant fans	Rack based server 19" (4U), BU without processor and RAM, incl. 2 hot plug power supply module, 3 hot plug double fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1267-V401	1.399,00	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																
Processor																																
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5405 (4C, 2.00 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																x												S26361-F3276-L200	441,00	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5420 (4C, 2.50 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																x												S26361-F3276-L250	660,00	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5430 (4C, 2.66 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																x												S26361-F3276-L266	920,00	Phased out
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																	x						x					S26361-F3277-L186	335,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x						x				S26361-F3277-L200	335,00	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																	x						x					S26361-F3278-L200	388,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																	x	x					x	x				S26361-F3278-L213	388,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x						x				S26361-F3278-L226	457,00	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x						x					S26361-F3279-L226	628,00	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x						x					S26361-F3279-L240	878,00	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x						x					S26361-F3279-L253	1.218,00	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x						x					S26361-F3280-L267	1.574,00	Phased out
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																							x					S26361-F3280-L280	1.915,00	Phased out
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x						x					S26361-F3280-L293	2.250,00	Phased out
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink																	x						x					S26361-F3281-L213	707,00	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																	x						x					S26361-F3281-L226	878,00	Phased out
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																	x						x					S26361-F3281-L240	1.218,00	Phased out
	Intel® Xeon® W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																							x					S26361-F3337-L333	2.590,00	Phased out
	Xeon LV DP L5410 2.33 GHz 2x6MB 1333MHz	Intel® Xeon® processor L5410 (4C, 2.33 GHz, SLC: 2 x 6 MB, 1333 MHz, 50 W) incl. heat sink																x												S26361-F3343-L233	660,00	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						x				S26361-F3618-L240	628,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						x				S26361-F3618-L253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						x				S26361-F3618-L266	1.218,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						x				S26361-F3619-L266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						x				S26361-F3619-L280	1.915,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						x				S26361-F3619-L293	2.250,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																								x				S26361-F3619-L333	2.590,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																		x						x				S26361-F3621-L186	707,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
Processor (Continued)																																
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																		x					x					S26361-F3622-L213	878,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																		x					x					S26361-F3622-L226	1.574,00	
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5405 (4C, 2.00 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																						x						S26361-F3340-L200	441,00	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5420 (4C, 2.50 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																						x						S26361-F3340-L250	660,00	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5430 (4C, 2.66 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																						x						S26361-F3340-L266	920,00	Phased out
	Xeon DP E5440 2.83 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5440 (4C, 2.83 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																						x						S26361-F3340-L283	1.303,00	Phased out
	Xeon DP X5460 3.16 GHz 2x6MB 1333MHz	Intel® Xeon® processor X5460 (4C, 3.16 GHz, SLC: 2 x 6 MB, 1333 MHz, 120 W) incl. heat sink																						x						S26361-F3340-L316	2.186,00	Phased out
Memory																																
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533								x	x																			S26361-F3000-L514	64,00	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533								x	x																			S26361-F3000-L515	112,00	Phased out
	2GB 2x1GB DDR2-400 PC2-3200 rq ECC	2 modules, registered DDR2 400MHz																				x								S26361-F3072-L522	197,00	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz																				x								S26361-F3072-L523	426,00	Phased out
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																										x	x	S26361-F3072-L624	878,00	Phased out
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC															x							x						S26361-F3230-L522	202,00	Phased out
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC															x							x						S26361-F3230-L523	330,00	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC															x							x						S26361-F3230-L524	463,00	Phased out
	1GB DDR2-667 PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz			x																									S26361-F3237-L514	64,00	Phased out
	2GB DDR2-667 PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz			x																									S26361-F3237-L515	112,00	Phased out
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x									x																	S26361-F3335-L513	48,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x									x																	S26361-F3335-L514	108,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x									x																	S26361-F3335-L515	314,00	
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz										x																		S26361-F3870-L514	53,00	Phased out
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz										x																		S26361-F3870-L515	90,00	Phased out
	Memory Board 2 for TX300 S4	for additional 4 DIMM pairs, necessary for mirroring																						x						S26361-F3263-L300	207,00	Phased out
	1GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz				x																								S26361-F3283-L514	69,00	
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						x						S26361-F3263-L522	202,00	Phased out
	2GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz				x																								S26361-F3283-L515	112,00	
	2 GB DDR3 1333 MHz PC3-10600 rg d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM											x																	S26361-F3336-L514	117,00	
	4GB DDR2-667 PC2-5300 reg d ECC 1 module	1 Modul, registered dual rank DDR2 667MHz				x																								S26361-F3283-L516	202,00	
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						x						S26361-F3263-L523	330,00	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						x						S26361-F3263-L524	463,00	Phased out
	4 GB DDR3 1066 MHz PC3-8500 rg q ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM											x																	S26361-F3336-L517	218,00	
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																											S26361-F3373-L413	69,00	
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																											S26361-F3373-L414	101,00	
Graphics																																
	Front-VGA interface	2nd optional VGA interface front side									x						x								x	x				S26361-F2571-L16	21,00	
	PY VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB PCIe-x1 graphic card									x						x						x	x						S26361-F2748-L531	229,00	Phased out
	PY VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card	x	x								x	x						x	x					x	x				S26361-F2748-L533	144,00	
	PY LP VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card				x																								S26361-F2748-L633	144,00	
Removable Media Drives																																
	F-D-L-HDD-Box2	for slim FDD or LocalView and DVD, 2x HDD																x						x	x					S26361-F2826-L101	106,00	Phased out
	MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display											x							x	x					x	x			S26361-F2826-L204	32,00	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD																								x	x			S26361-F2826-L103	85,00	
	MountingKit DVD(sl)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD																		x	x									S26361-F2826-L104	90,00	
	F-D-L-HDD-Box2	for slim FDD or LocalView or CSS and DVD, 2x HDD									x	x																		S26361-F2826-L102	106,00	Phased out
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black				x							x							x	x					x	x			S26361-F3269-L2	96,00	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height, black				x							x							x	x					x	x			S26361-F3531-L2	271,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD																		x	x					x	x			S26361-F2826-L114	176,00	
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height					x	x	x	x	x			x	x	x	x							x						SNP:SY-F2234L1-A	43,00	Phased out
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x								x								x	x					x	x			S26361-F3266-L2	43,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, anthracite										x						x						x						S26361-F3267-L1	85,00	Phased out
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x								x								x	x					x	x			S26361-F3267-L2	69,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, anthracite										x						x						x						S26361-F3269-L1	122,00	Phased out
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)									x	x					x	x						x	x				x	S26361-F3857-L1	170,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
Removable Media Drives (Continued)																																
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			x	x																								S26361-F3857-L2	170,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x	x								x							x	x					x	x				S26361-F3857-L4	170,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US), data and cleaning cartridge	x						x	x	x	x				x	x	x			x	x	x	x						S26361-F3324-L4	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge		x	x	x																								S26361-F3324-L2	532,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with data and cleaning cartridge										x						x						x						S26361-F3325-L3	798,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with data and cleaning cartridge	x									x							x	x					x	x				S26361-F3325-L4	798,00	
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, , with data and cleaning cartridge										x						x						x						S26361-F3225-L3	819,00	Phased out
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel,, with data and cleaning cartridge		x															x						x						S26361-F3225-L4	819,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge									x	x						x						x						S26361-F3964-L3	1.511,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge																	x						x						S26361-F3964-L4	1.511,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge										x							x	x					x	x				S26361-F4009-L4	1.511,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI	U320 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge									x	x					x	x					x	x					x	S26361-F3459-L3	2.473,00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI	U320 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge																	x						x						S26361-F3459-L4	2.473,00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge										x	x						x	x					x	x				S26361-F3561-L4	1.851,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge																x	x	x					x	x	x				S26361-F3626-L1	2.606,00	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge										x						x							x						S26361-F3963-L3	2.606,00	Phased out
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge										x							x							x	x				S26361-F3963-L4	2.606,00	Phased out
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge																									x				S26361-F3627-L1	3.138,00	
SCSI/RAID/SAS controller																																
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	S26361-F2399-L1	314,00	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI			x																										S26361-F2737-L201	314,00	Phased out
	68-Pin Kit for int. access. SCSI drives	Cable with terminator															x						x	x	x						S26361-F2814-L12	69,00	Phased out
	68-Pin Kit for accessible drives	Cable with terminator					x	x	x	x	x	x		x	x			x	x		x										S26361-F2814-L6	53,00	
	BBU Modul for RAID Controller	BBU modul for RAID controller						x	x	x	x						x	x													S26361-F3085-L10	165,00	Phased out
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU									x																				S26361-F3085-L2	298,00	Phased out
	SCSI-Cable for internal Tapes x600 Sx	for connetion of internal Tapes																											x	x	S26361-F3128-L101	106,00	Phased out
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.									x						x	x					x	x				x	x	S26361-F3215-L1	814,00	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP									x						x						x						x	x	S26361-F3215-L10	234,00	Phased out
	RAID5 Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks									x	x					x	x													S26361-F3217-L100	181,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB										x						x						x						S26361-F3257-L10	202,00	
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm				x						x								x	x					x	x				S26361-F3257-L110	176,00	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU				x						x							x	x					x	x				S26361-F3257-L256	404,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports				x						x	x						x	x	x					x	x	x			S26361-F3257-L4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU										x							x	x						x	x				S26361-F3257-L512	452,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports										x	x						x	x	x					x	x				S26361-F3257-L8	144,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI										x	x						x	x	x					x	x	x			S26361-F3270-L1	207,00	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile				x																										S26361-F3270-L201	207,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068										x	x						x	x	x					x	x	x			S26361-F3271-L1	223,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile				x																										S26361-F3271-L201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port		x		x						x							x	x							x				S26361-F3554-L512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports				x						x							x	x							x				S26361-F3554-L8	176,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
SCSI/RAID/SAS controller (Continued)																																
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU										x						x	x						x	x				S26361-F3593-L501	628,00	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E									x							x						x						S26361-F3890-L11	234,00	Phased out
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E																	x						x					S26361-F3890-L13	186,00	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU										x						x	x						x	x				S26361-F3890-L501	628,00	
Fibre Channel																																
	FC Ctrl 2GBit/s QLA2340 MMF LC	QLA2340, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC inferface														x	x				x	x	x				x	x	x	S26361-F3097-L1	1.856,00	Phased out
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60									x					x	x					x	x							S26361-F3122-L1	803,00	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface															x	x	x	x			x	x	x	x		x	x	S26361-F3306-L1	1.043,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface															x	x	x	x			x	x	x	x		x	x	S26361-F3306-L2	1.527,00	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.															x	x	x	x			x	x	x	x			x	S26361-F3483-L1	1.106,00	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.															x	x	x	x			x	x	x	x			x	S26361-F3483-L2	1.660,00	
	FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																x	x	x				x	x	x				S26361-F3961-L1	1.144,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																x	x	x				x	x	x				S26361-F3961-L2	1.766,00	
Communication/Network																																
	X.25 Ctrl Dual X.21 Eicon S94 V2 (R)	WAN-Controller; incl. 2x X.21 DCE connection cable on X.25, Frame Relay and SNA network													x	x	x				x	x	x							S26361-F2610-L3	3.367,00	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter					x	x	x	x	x			x	x	x	x				x	x	x				x			S26361-F3142-L1	80,00	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter								x	x	x				x	x	x				x	x	x						S26361-F3142-L2	80,00	Phased out
	Eth Ctrl 1x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter								x	x					x	x	x				x	x	x					x	x	S26361-F3227-L2	239,00	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter	x	x							x	x	x				x	x	x	x			x	x	x	x		x	x	S26361-F3228-L1	186,00	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter			x	x																								S26361-F3228-L201	186,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter	x	x							x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3241-L1	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter			x	x																								S26361-F3241-L201	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel Pro 1000PF 1 Port Server Adapter									x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3242-L1	388,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter				x																								S26361-F3242-L201	388,00	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket										x	x				x	x	x				x	x	x	x			x	S26361-F3462-L1	521,00	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket			x																									S26361-F3462-L201	521,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel GBit CT 1 Port Desktop Adapter	x	x							x	x						x	x	x				x	x	x				S26361-F3516-L1	64,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel GBit CT 1 Port Desktop Adapter lp				x																								S26361-F3516-L201	64,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu		x								x								x						x				S26361-F3610-L501	165,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu										x								x						x				S26361-F3611-L501	399,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8, SFP+ for opt. module or Twinax cable																								x				S26361-F3592-L2	1.468,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102																								x				S26361-F3592-L108	426,00	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC	Intel 10 Gigabit XF SR Dual Port Server Adapter																							x	x	x				S26361-F3505-L1	3.936,00	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables											x							x						x	x			S26361-F3555-L501	691,00	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC											x													x	x				S26361-F3555-L900	628,00	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter					x	x	x	x				x	x	x	x				x	x	x				x	x	x	S26361-F3011-L1	239,00	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter					x	x	x	x	x			x	x	x	x	x			x	x	x	x				x	x	x	S26361-F3053-L1	138,00	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile			x																										S26361-F3053-L201	138,00	Phased out
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x																										S26361-F2542-L30	13,00	
Rack-Infrastructure																																
	Conversion kit 3 Floor -> Rack	for conversion of a floorstand BU to rack BU														x	x					x	x	x						S26361-F1729-L230	133,00	Phased out
	Conversion kit TX300S5 Floor -> Rack	for conversion of a floorstand BU to rack BU																								x				S26361-F1729-L240	128,00	Phased out
	Conversion kit TX300 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU																									x			S26361-F1729-L250	106,00	
	Conversion kit 4 Floor -> Rack	for conversion of a floorstand BU to rack BU																	x											S26361-F1729-L330	128,00	Phased out
	Conversionkit PRY TX150 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU								x	x	x																		S26361-F2618-L250	69,00	Phased out
	Conversionkit PRY TX200 S5 Floor -> Rack	for conversion of a floorstand BU to rack BU										x							x	x										S26361-F2618-L260	106,00	
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D\P\3rd P Racks incl.vario carrier and cable management								x	x																			S26361-F2734-L32	239,00	Phased out
	RMK-TX200-S4	Special-Rackmount-Kit with Rack brackets and base tub, incl. full extraction and cable management																	x											S26361-F2734-L90	234,00	Phased out
	RMK-F2_TX300-S4	telescopic full extraction, 1-hand mount vario-carrier, pre-assem, centre screw, max. load 50 kg														x	x					x	x	x	x	x				S26361-F2735-L103	74,00	
	RMK-F1_TX150-S6	full extraction with vario-carrier, pre-assembled with centre screw								x	x	x																		S26361-F2735-L105	96,00	Phased out
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and 785mm										x							x	x						x				S26361-F2735-L202	69,00	
	cage nut set, M5, t=2,5mm	Content: 50 pieces								x	x					x	x					x	x	x					x	S26361-F2735-L500	53,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
Rack-Infrastructure (Continued)																																
	Cable magmt. for 19" PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2										x	x						x	x				x	x	x				S26361-F2735-L7	32,00	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks								x	x					x	x						x	x					x	S26361-F2735-L8	32,00	
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks					x					x	x		x	x		x	x	x	x	x		x	x	x	x			S26361-F2201-L20	53,00	
PRIMERGY-Software																																
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection			x						x						x						x							S26361-F1790-L240	319,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x						x	x					x	x	x				x	x	x				S26361-F1790-L241	319,00	
	Win Srv 2008 Foundation Spanish ROK	Win Srv 2008 Foundation Spanish ROK, Only for distribution within Selected Countries. Win Srv 2008 Fnd 1 CPU . OEM DVD, License.	x										x																	S26361-F2565-L306	229,00	Phased out
	Win Srv 2008 Foundation Turkish ROK	Win Srv 2008 Foundation Turkish ROK, Only for distribution within Turkey. Win Srv 2008 Fnd 1 CPU . OEM DVD, License.	x																											S26361-F2565-L307	229,00	Phased out
	Win Srv 2008 Foundation English ROK	Win Srv 2008 Foundation English ROK, Only for distribution within Selected Countries. Win Srv 2008 Fnd 1 CPU . OEM DVD, License.	x																											S26361-F2565-L308	229,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: EN DE ES FR JA, ROK DVD, license	x			x						x	x					x	x	x				x	x	x				S26361-F2565-L315	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license	x			x						x	x					x	x	x				x	x	x				S26361-F2565-L316	707,00	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x		x						x	x					x	x	x				x	x	x				S26361-F2565-L317	27,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x		x						x	x					x	x	x				x	x	x				S26361-F2565-L318	27,00	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, ROK DVD, license	x			x						x	x					x	x	x				x	x	x				S26361-F2565-L325	2.160,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license	x			x						x	x					x	x	x				x	x	x				S26361-F2565-L326	2.160,00	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x		x						x	x					x	x	x				x	x	x				S26361-F2565-L327	27,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x		x						x	x					x	x	x				x	x	x				S26361-F2565-L328	27,00	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L340	24,00	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L341	117,00	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L342	24,00	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L343	117,00	
	Win SBS 2008 CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L346	60,00	
	Win SBS 2008 CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L347	60,00	
	Win SBS 2008 CAL (5 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L348	282,00	
	Win SBS 2008 CAL (5 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L349	282,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
PRIMERGY-Software (Continued)																																
	Win SBS 2008 Standard ROK, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L350	702,00	
	Win SBS 2008 Standard ROK, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L351	702,00	
	Win SBS 2008 Standard ROK, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L352	702,00	
	Win SBS 2008 Standard ROK, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L353	702,00	
	Win SBS 2008 Standard ROK, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L354	702,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
PRIMERGY-Software (Continued)																																
	Win SBS 2008 Standard ROK, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L355	702,00	
	Win SBS 2008 Premium ROK, GB	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L360	1.218,00	
	Win SBS 2008 Premium ROK, D	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L361	1.218,00	
	Win SBS 2008 Premium ROK, I	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L362	1.218,00	
	Win SBS 2008 Premium CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 Device); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L368	138,00	
	Win SBS 2008 Premium CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 User); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L369	138,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																
PRIMERGY-Software (Continued)																																
	Win EBS 2008 Standard ROK, GB	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.			x	x					x	x					x	x				x	x	x				S26361-F2565-L370	4.181,00	Phased out
	Win EBS 2008 Standard ROK, D	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.			x	x					x	x					x	x				x	x	x				S26361-F2565-L371	4.181,00	Phased out
	Win EBS 2008 Standard ROK, I	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.			x	x					x	x					x	x				x	x	x				S26361-F2565-L372	4.181,00	Phased out
	Win EBS 2008 CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).			x	x						x	x					x	x				x	x	x				S26361-F2565-L378	324,00	Phased out
	Win EBS 2008 CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).			x	x						x	x					x	x				x	x	x				S26361-F2565-L379	324,00	Phased out
	Win EBS 2008 Premium ROK, GB	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.			x	x						x	x					x	x				x	x	x				S26361-F2565-L380	5.484,00	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																
PRIMERGY-Software (Continued)																																
	Win EBS 2008 Premium ROK, D	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edition., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.			x	x						x	x				x	x				x	x	x				S26361-F2565-L381	5.484,00	Phased out
	Win EBS 2008 Premium ROK, I	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edition., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.			x	x						x	x				x	x				x	x	x				S26361-F2565-L382	5.484,00	Phased out
	Win EBS 2008 Premium CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.			x	x						x	x				x	x				x	x	x				S26361-F2565-L388	782,00	Phased out
	Win EBS 2008 Premium CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.			x	x						x	x				x	x				x	x	x				S26361-F2565-L389	782,00	Phased out
	MS SysCtr Essntls 2010 TUP	MS System Center Essentials 2010 Technology Upgrade. For eligible customers only. Requires a Request for Special Release. English. OEM DVD, License.	x	x		x						x	x				x	x				x	x	x				S26361-F2567-L15	27,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.	x	x		x						x	x				x	x				x	x	x				S26361-F2567-L20	431,00	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.	x	x		x						x	x				x	x	x			x	x	x				S26361-F2567-L30	122,00	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x		x						x	x																S26361-F2567-L306	186,00	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment	x	x		x						x	x				x	x	x			x	x	x				S26361-F2567-L31	96,00	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x		x						x	x					x	x				x	x				S26361-F2567-L310	633,00	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment	x	x		x						x	x				x	x	x			x	x	x				S26361-F2567-L32	484,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x		x						x	x					x	x				x	x				S26361-F2567-L320	1.963,00	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x		x						x	x						x	x				x	x				S26361-F2567-L330	3.074,00	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.	x	x		x						x	x					x	x	x			x	x	x				S26361-F2567-L34	324,00	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.	x	x		x						x	x					x	x	x			x	x	x				S26361-F2567-L340	85,00	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.	x	x		x						x	x					x	x	x			x	x	x				S26361-F2567-L341	415,00	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.	x	x		x						x	x					x	x	x			x	x	x				S26361-F2567-L342	85,00	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.	x	x		x						x	x					x	x	x			x	x	x				S26361-F2567-L343	415,00	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																								x				S26361-F2567-L360	846,00	Orderable from: 15/10/2010
	PRIMERGY MultiPath MPIO Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	x	x	x	x						x	x					x	x	x			x	x	x				S26361-F2565-L592	468,00	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x						x	x					x	x	x			x	x	x				S26361-F2565-L593	931,00	
	PRIMERGY MultiPath Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.	x	x	x	x						x	x					x	x	x			x	x	x				S26361-F2565-L594	468,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
PRIMERGY-Software (Continued)																																
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L595	931,00	
	PRIMERGY DuplexDataManager Upgr. to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY DuplexDataManager. CD-ROM and License.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L590	1.463,00	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L591	2.920,00	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C176	229,00	
	RemoteDeploy 4.1 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!			x		x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	U15000-C288	64,00	Phased out
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x			x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C289	27,00	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299	32,00	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15000-C300	149,00	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301	64,00	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1-Year subscription renewal	x	x		x						x	x																	S26361-F2346-L601	154,00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal																x	x	x				x	x	x				S26361-F2346-L611	265,00	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal	x	x		x						x	x					x	x	x				x	x	x				S26361-F2346-L621	531,00	
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3-Years																							x	x				S26361-F2346-L669	1.088,00	
	Debian FSE Basic Support 1Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x					x	x			x		x	x	x				x	x	x				S26361-F2346-L411	101,00	
	Debian FSE Basic Support 3Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x					x	x			x		x	x	x				x	x	x				S26361-F2346-L412	243,00	
	Debian FSE Standard Support 1Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x					x	x			x		x	x	x				x	x	x				S26361-F2346-L415	261,00	
	Debian FSE Standard Support 3Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x					x	x			x		x	x	x				x	x	x				S26361-F2346-L416	626,00	
	Debian FSE Premium Support 1Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x					x	x			x		x	x	x				x	x	x				S26361-F2346-L417	527,00	
	Debian FSE Premium Support 3Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x					x	x			x		x	x	x				x	x	x				S26361-F2346-L418	1.264,00	
	VMware ESXi 4.0 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L500	11,00	
	VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L504	859,00	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L505	859,00	
	VMware Upgrade ESXi to ADV w/o SP-1yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L508	1.936,00	
	VMware Upgrade ESXi to ADV w/o SP-3yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L509	1.936,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L512	3.016,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L513	3.016,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L514	859,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L515	859,00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L518	1.936,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License										x						x	x	x		x	x	x	x	x			x	S26361-F2341-L300	85,00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L519	1.936,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L520	2.479,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L521	2.479,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L522	3.016,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L523	3.016,00	
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L530	1.187,00	
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!										x							x	x				x	x	x				S26361-F2341-L531	1.187,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
PRIMERGY-Software (Continued)																																
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L540	2.373,00	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L541	2.373,00	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L542	1.186,00	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L543	1.186,00	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L544	596,00	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L545	596,00	
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L546	3.346,00	
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L547	3.346,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!,											x											x	x	x				S26361-F2341-L570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!											x											x	x	x				S26361-F2341-L571	15.367,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!			x	x						x	x					x	x	x				x	x	x				S26361-F2341-L556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!			x	x						x	x					x	x	x				x	x	x				S26361-F2341-L557	4.303,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!			x	x						x	x					x	x	x				x	x	x				S26361-F2341-L558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!			x	x						x	x					x	x	x				x	x	x				S26361-F2341-L559	1.293,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L562	3.017,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!											x						x	x				x	x	x				S26361-F2341-L563	3.017,00	
OS/Application-SW																																
	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt	x	x	x	x	x						x						x	x					x	x				U15355-C2502-M3	2.520,00	
	CA ARCserve r12.5 WIN Disaster Recov. O.	CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x		x	U15355-C2503	713,00	
	UP CA ARCserve r12.5 WIN Disas. Rec. Op.	Upgrade from CA ARCserve Backup for Windows Disaster Recovery Option r11.x or r12.0., CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x		x	U15355-C2503-U	535,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12.5 WIN Open Files Agent	CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2505	816,00	
	UP CA ARCserve r12.5 WIN Open Files Agnt	Upgrade from CA ARCserve Backup Agent for Open Files on Windows r11.x or r12.0, CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2505-U	612,00	
	CA ARCserve r12.5 WIN MS Exchange Agent	CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2507	1.021,00	
	UP CA ARCserve r12.5 WIN MS Exch. Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft Exchcange r11.x or r12.0, CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2507-U	681,00	
	CA ARCserve r12.5 WIN MS SQL Agent	CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2511	1.021,00	
	UP CA ARCserve r12.5 WIN MS SQL Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft SQL r11.x or r12.0, CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2511-U	766,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12.5 WIN Wind. Client Agent	CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2513	405,00	
	UP CA ARCserve r12.5 WIN Wind. Client Ag	Upgrade from CA ARCserve Backup Client Agent for Windows r11.x or 12.0, CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2513-U	304,00	
	CA ARCserve r12.5 WIN MS SBS Premium Edt	CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2514	764,00	
	UP CA ARCserve r12.5 WIN MS SBS Prem. E.	Upgrade from CA ARCserve Backup for Windows for MS SBS Premium Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2514-U	573,00	
	CA ARCserve r12.5 WIN MS SBS Std. Edt.	CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2516	559,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELIP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12.5 WIN MS SBS Std. Edt	Upgrade from CA ARCserve Backup for Windows for MS SBS Standard Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2516-U	419,00	
	ARCserve r12.5 Media Kit	BrightStor ARCserve Backup r12.5 Media Kit	x	x		x						x	x	x				x	x					x	x	x			x	U15355-C2999	25,00	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x		x						x	x	x				x						x					x	U15355-C732	25,00	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C600	1.571,00	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C616	2.394,00	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2000	795,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12 Base for Windows Gov.	Basic component of CA ARCserve Backup r12. , For Government Customers, This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2000-G	612,00	
	UP CA ARCserve r12 Basis for Windows	## Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2000-U	596,00	
	UP CA ARCserve r12 Basis für Windows Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12., Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2000-U-G	459,00	
	CA ARCserve r12.5 Base for Windows	Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htm, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2500	795,00	
	UP CA ARCserve r12.5 Basis für Windows	Upgrade From BrightStor ARCserve Backup r11.x or r12.0, Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2500-U	596,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C400U1	199,00	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C400U3	597,00	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x			x						x	x	x				x						x					x	U15355-C750	495,00	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x		x				x						x					x	U15355-C800	775,00	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C800-U	581,00	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C800U1	199,00	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C800U3	596,00	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x										x															x	U15355-C920	5.994,00	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C601	2.199,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C617	3.351,00	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2001	1.021,00	
	ARCserve r12 WIN Tape Lib. Opt. Gov.	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2001-G	786,00	
	UP CA ARCserve r12 WIN Tape Library Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2001-U	766,00	
	UP CA ARCserve r12 WIN Tape Lib. Opt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2001-U-G	590,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C401U1	255,00	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C401U3	765,00	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C751	695,00	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C801	995,00	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C801-U	746,00	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C801U1	255,00	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C801U3	766,00	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!	x	x										x															x	U15355-C921	594,00	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, , Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C602	2.394,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELIP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C618	3.441,00	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2002	1.636,00	
	CA ARCserve r12 WIN SAN Option Gov.	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2002-G	1.260,00	
	UP CA ARCserve r12 WIN SAN Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2002-U	1.227,00	
	UP CA ARCserve r12 WIN SAN Option Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2002-U-G	945,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C402U1	332,00	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C402U3	996,00	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C802	995,00	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C802-U	746,00	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C802U1	255,00	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C802U3	766,00	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!	x	x										x															x	U15355-C922	594,00	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C603	3.351,00	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C619	4.817,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2003	713,00	
	CA ARCserve r12 WIN Disaster Rec. O. Gov	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2003-G	549,00	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2003-U	535,00	
	UP CA ARCserve r12 WIN Disaster Rec. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2003-U-G	412,00	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C403U1	409,00	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C403U3	1.227,00	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C803	995,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x					x	U15355-C803-U	746,00	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					x	U15355-C803U1	255,00	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					x	U15355-C803U3	766,00	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!	x	x										x																x	U15355-C923	1.194,00	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C604	1.496,00	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C620	2.244,00	
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2004	1.021,00	
	CA ARCserve r12 WIN NDMP NAS Option Gov.	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2004-G	786,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 WIN NDMP NAS Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2004-U	766,00	
	UP CA ARCserve r12 WIN NDMP NAS Opt. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2004-U-G	590,00	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C404U1	409,00	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C404U3	1.227,00	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C751U1	178,00	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C804	995,00	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C804-U	746,00	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C804U1	255,00	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C804U3	766,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C605	2.094,00	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C621	3.142,00	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2005	816,00	
	CA ARCserve r12 WIN Open Files Agent Gov	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2005-G	628,00	
	UP CA ARCserve r12 WIN Open Files Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2005-U	612,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 WIN Open File Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x					x	x	x				x	x	x				x				x	U15355-C2005-U-G	471,00	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x					x	x	x					x						x				x	U15355-C405U1	178,00	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x					x	x	x					x						x				x	U15355-C405U3	534,00	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x					x	x	x					x						x				x	U15355-C751U3	534,00	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x					x	x	x					x						x				x	U15355-C805	995,00	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x					x	x	x					x						x				x	U15355-C805-U	746,00	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x					x	x	x					x						x				x	U15355-C805U1	255,00	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x					x	x	x					x						x				x	U15355-C805U3	766,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C606	1.197,00	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C622	1.496,00	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2006	1.329,00	
	CA ARCserve r12 WIN IBM Informix Agt Gov	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Goverrnment Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2006-G	1.023,00	
	UP CA ARCserve r12 WIN IBM Informix Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2006-U	997,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 IBM Informix Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Goverrnment Customers only!	x	x		x						x	x	x				x	x	x				x				x	U15355-C2006-U-G	767,00	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x				x	U15355-C406U1	255,00	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x				x	U15355-C406U3	765,00	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x				x	U15355-C806	395,00	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x				x	U15355-C806-U	296,00	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x				x	U15355-C806U1	101,00	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x				x	U15355-C806U3	304,00	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x		x	U15260-C607	1.676,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C623	2.094,00	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2007	1.021,00	
	CA ARCserve r12 WIN MS Exchange Agt. Gov	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2007-G	786,00	
	UP CA ARCserve r12 WIN MS Exchange Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2007-U	766,00	
	UP CA ARCserve r12 MS Exchange Agt Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2007-U-G	590,00	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C407U1	255,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x				x	U15355-C407U3	765,00	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x				x	U15355-C807	250,00	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x				x	U15355-C807-U	188,00	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C807U1	64,00	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C807U3	192,00	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition).. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C608	2.394,00	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition).. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C624	3.441,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2008	1.021,00	
	CA ARCserve r12 WIN Lotus/Dmno. Agt. Gov	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2008-G	786,00	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2008-U	766,00	
	UP CA ARCserve r12 Lotus/Domino Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2008-U-G	590,00	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C408U1	255,00	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C408U3	765,00	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C808	395,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELIP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C808-U	296,00	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C808U1	101,00	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C808U3	304,00	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition).. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C625	4.817,00	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2009	1.329,00	
	CA ARCserve r12 WIN Sybase Agent Gov.	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2009-G	1.023,00	
	UP CA ARCserve r12 WIN Sybase Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2009-U	997,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 WIN Sybase Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdlls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2009-U-G	767,00	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C409U1	204,00	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C409U3	612,00	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x			x						x		x				x						x					x	U15355-C809	250,00	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C809-U	188,00	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C809U1	64,00	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C809U3	192,00	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition).. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x					x	x	x				x	x	x			x	U15260-C610	3.590,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C626	5.386,00	
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2010	1.021,00	
	CA ARCserve r12 WIN Oracle Agent Gov.	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2010-G	786,00	
	UP CA ARCserve r12 WIN Oracle Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2010-U	766,00	
	UP CA ARCserve r12 WIN Oracle Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2010-U-G	590,00	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C410U1	204,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x					U15355-C410U3	612,00	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x					U15355-C810	1.595,00	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x					U15355-C810-U	1.196,00	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					U15355-C810U1	409,00	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					U15355-C810U3	1.227,00	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C611	5.027,00	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C627	7.540,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2011	1.021,00	
	CA ARCserve r12 WIN MS SQL Agent Gov.	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2011-G	786,00	
	UP CA ARCserve r12 WIN MS SQL Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2011-U	766,00	
	UP CA ARCserve r12 WIN MS SQL Agt. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2011-U-G	590,00	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C411U1	332,00	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C411U3	996,00	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C811	1.595,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x					U15355-C811-U	1.196,00	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					U15355-C811U1	409,00	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					U15355-C811U3	1.227,00	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C612	2.094,00	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C628	2.693,00	
	ARCserve r15 WIN SAN Opt. P+3Yr Mnt	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt	x			x							x						x	x						x	x				U15355-C1502-M3	2.520,00	
	CA ARCserve r12 WIN SAP/R3 Oracle Option	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2012	2.047,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12 WIN SAP/R3 Oracl Opt Gov	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2012-G	1.576,00	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2012-U	1.535,00	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2012-U-G	1.182,00	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C412U1	255,00	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C412U3	765,00	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C812	1.295,00	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C812U1	332,00	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C812U3	997,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C613	2.932,00	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C629	3.770,00	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2013	257,00	
	CA ARCserve r12 WIN Windows Client A Gov	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , Nur für Government Kunden!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2013-G	198,00	
	UP CA ARCserve r12 WIN Windows Client Ag	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2013-U	192,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 Windows Client Ag Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Goverrnment Customers only!	x	x		x						x	x	x				x	x	x				x				x	U15355-C2013-U-G	148,00	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x				x	U15355-C413U1	409,00	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x				x	U15355-C413U3	1.227,00	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x				x	U15355-C813	495,00	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x		x	U15260-C614	1.346,00	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x		x	U15260-C630	2.244,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2014	713,00	
	CA ARCserve r12 WIN MS SBS Prem Edt Gov	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2014-G	549,00	
	UP CA ARCserve r12 WIN MS SBS Premium E.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2014-U	535,00	
	UP CA ARCserve r12 WIN MS SBS Prem E Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2014-U-G	412,00	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C414U1	255,00	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C414U3	765,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C814	995,00	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C615	1.885,00	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C631	3.142,00	
	ARCserve r15 W NDMP NAS P+1Yr Mnt	CA ARCserve Backup r15 for Windows NDMP NAS Option - Product plus 1 Year Enterprise Maintenance	x	x	x	x							x						x	x					x	x				U15355-C1504-M1	1.123,00	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2015	1.636,00	
	CA ARCserve r12 WIN SAN Sec. Srv. B. Gov	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2015-G	1.260,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2015-U	1.227,00	
	UP CA ARCserve r12 WIN SAN Sec Srv Bnd G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2015-U-G	945,00	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x		x				x						x					x	U15355-C356	2.324,00	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C415U1	255,00	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C415U3	765,00	
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2016	508,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12 WIN MS SBS Std. Edt. Gov	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2016-G	391,00	
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2016-U	381,00	
	UP CA ARCserve r12 WIN MS SBS Std Edt Go	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2016-U-G	293,00	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C416U1	332,00	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C416U3	996,00	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsoft WANSync HA Standard Server	x	x									x	x					x	x					x	x			x	U15260-C40U1	684,00	
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2017	508,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	CA ARCserve r12 WIN DiskToDiskToTape Gov	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2017-G	391,00	
	UP CA ARCserve r12 WIN DiskToDiskToTape	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2017-U	381,00	
	UP CA ARCserve r12 WIN Disk2Dsk2Tape Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2017-U-G	293,00	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C417U1	255,00	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C417U3	765,00	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2018	1.021,00	
	CA ARCserve r12 WIN MS Sharepoint Ag Gov	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2018-G	786,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2018-U	766,00	
	UP CA ARCserve r12 MS Sharepoint Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2018-U-G	590,00	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C418U1	255,00	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C418U3	765,00	
	ARCserve r15 Ag. Informix P+1Yr Mnt	CA ARCserve Backup r15 Agent for Informix - Product plus 1 Year Enterprise Maintenance	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C1506-M1	1.462,00	
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2019	4.335,00	
	CA ARCserve r12 WIN Enterprise Modul Gov	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2019-G	3.338,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 WIN Enterprise Module	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2019-U	3.848,00	
	UP CA ARCserve r12 WIN Enterp. Mod. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2019-U-G	2.963,00	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C419U1	400,00	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C419U3	1.200,00	
	ARCserve r15 Ag. Informix P+3Yr Mnt	CA ARCserve Backup r15 Agent for Informix - Product plus 3 Years Enterprise Maintenance	x	x								x							x	x					x	x				U15355-C1506-M3	2.046,00	
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2020	1.021,00	
	CA ARCserve r12 WIN MS DPM Agent Gov.	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2020-G	786,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 WIN MS DPM Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2020-U	766,00	
	UP CA ARCserve r12 WIN MS DPM Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2020-U-G	590,00	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C420U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C420U3	303,00	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x			x						x	x	x				x						x					x	U15355-C720	395,00	
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2021	5.125,00	
	CA ARCserve r12 WIN VSS-HW Snap. Opt Gov	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2021-G	3.946,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2021-U	3.844,00	
	UP CA ARCserve r12 WIN VSS-HW Snap Opt G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2021-U-G	2.960,00	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C421U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C421U3	303,00	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x						x					x	U15355-C780-U	581,00	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2022	1.021,00	
	CA ARCserve r12 WIN VMware Agent Gov.	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2022-G	786,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C422U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C422U3	303,00	
	UP ARCserve r11.5 Client Agent Linux Gov	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!	x			x						x		x				x						x					x	U15355-C721-U-G	148,00	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2023	1.534,00	
	CA ARCserve r12 WIN Central Mgt. Opt Gov	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Goverrnment Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2023-G	1.181,00	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C423U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C423U3	303,00	
	UP ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!	x			x						x		x				x						x					x	U15355-C720-U-G	234,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x			x						x	x	x				x						x					x	U15355-C723	250,00	
	ARCserve r15 WIN Lot./Dom. P+3Yr Mnt	CA ARCserve Backup r15 for Windows Agent for Lotus/Domino - Product plus 3 Years Enterprise Maintenance	x	x	x	x							x						x	x					x	x				U15355-C1508-M3	1.572,00	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C424U1	101,00	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C424U3	303,00	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C428U1	409,00	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C428U3	1.227,00	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C429U1	332,00	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C429U3	996,00	
	ARCserve r15 WIN Ag. Oracle P+1Yr Mnt	ACA ARCserve Backup r15 for Windows Agent for Oracle - Product plus 1 Year Enterprise Maintenance	x	x		x							x						x	x					x	x				U15355-C1510-M1	1.123,00	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C430U1	867,00	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C430U3	2.601,00	
	ARCserve r15 WIN Ag. Oracle P+3Yr Mnt	CA ARCserve Backup r15 for Windows Agent for Oracle - Product plus 3 Years Enterprise Maintenance	x		x	x							x						x	x					x	x				U15355-C1510-M3	1.572,00	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C431U1	127,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C431U3	381,00	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C432U1	255,00	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C432U3	765,00	
	ARCserve r11.5 WIN Client Agt. Linux Gov	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!	x	x		x						x	x	x				x						x					x	U15355-C721-G	226,00	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C433U1	255,00	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C433U3	765,00	
	ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!	x	x		x						x	x	x				x						x					x	U15355-C720-G	312,00	
	ARCserve r15 W SAP R/3 Or. P+1Yr Mnt	CA ARCserve Backup r15 for Windows Enterprise Option for SAP R/3 for Oracle - Product plus 1 Year Enterprise Maintenance	x	x		x							x						x	x					x	x				U15355-C1512-M1	2.252,00	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C434U1	383,00	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C434U3	1.150,00	
	ARCserve r15 W SAP R/3 Or. P+3Yr Mnt	CA ARCserve Backup r15 for Windows Enterprise Option for SAP R/3 for Oracle - Product plus 3 Years Enterprise Maintenance	x	x									x						x	x					x	x				U15355-C1512-M3	3.152,00	
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C435U1	255,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELUP (€)	Comments
Accessories & services matrix																																
OS/Application-SW (Continued)																																
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C435U3	766,00	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C436U1	1.207,00	
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C436U3	3.621,00	
UPS/Power supply																																
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface					x								x	x	x				x	x	x				x			S26113-F233-L1	37,00	
	Power Supply Module 450W (hot plug)	for PS redundancy						x	x	x	x	x																		S26113-F483-L11	234,00	Phased out
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module						x	x	x	x	x																		S26113-F483-L6	415,00	Phased out
	Power Supply Module 700W (hot plug)	for optional PS redundancy																x						x						S26113-F525-L10	144,00	Phased out
	Fan and PSU upgrade kit	conversion standard PSU into hot plug PSU and standard into redundant fans, incl. 1 hot plug PS module, fan kit and 1 redundant fan																x												S26113-F525-L11	452,00	Phased out
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and standard into hot plug fans, incl.1 PS module, fan kit and 2 hot plug fans																						x						S26113-F525-L22	644,00	Phased out
	conversion kit standard to hot plug PSU	conversion standard into hot plug PSU and conversion standard into redundant fans											x																	S26113-F540-L1	271,00	
	Power Supply Module 450W (hot plug)	for optional PS redundancy											x																	S26113-F540-L11	181,00	
	Power Supply Module 800W (hot plug)	for optional PS redundancy																	x						x					S26113-F541-L10	229,00	
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans																	x	x										S26113-F541-L11	564,00	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy																		x							x			S26113-F556-L10	229,00	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x			x			x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	S26113-F80-L30	271,00	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			T26139-Y1740-L10	16,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			T26139-Y1742-L10	16,00	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																										x	x	S26361-F3151-L300	32,00	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			T26139-Y1744-L10	16,00	
	Cable powercord (I), 1.8m, grey	suitable for I	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			T26139-Y1745-L10	16,00	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->Schuko																										x	x	S26361-F3151-L100	32,00	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																										x	x	S26361-F3151-L200	32,00	
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p																										x	x	S26361-F3151-L500	64,00	
Miscellaneous																																
	Fan upgrade kit hot-plug redundancy	consists of two additional fans/boxes for fan redundancy																							x	x				S26361-F2544-L83	138,00	
	LocalView Option Kit S2	LCD display with adapter											x						x	x					x	x				S26361-F2557-L105	74,00	
	LocalView Option Kit S2	LCD display with installation kit																								x				S26361-F2557-L106	74,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter											x						x	x					x	x				S26361-F2557-L202	27,00	
	Customer Self Service Modul RX Server	Support for Customer Self Service (CSS), incl. mounting kit																	x	x					x	x				S26361-F2557-L205	27,00	
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface																	x	x										S26361-F3120-L3	21,00	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!		x									x						x	x					x	x				S26361-F3552-L1	53,00	
	Serial port option	Cable with 9 pin D-SUB interface									x	x	x																	S26361-F2571-L10	32,00	
	Parallelport Option Centronics	Cable with 25 pin Centronics interface									x	x			x						x									S26361-F2571-L8	27,00	Phased out
	ServerView Local Service Panel	Support for Customer Self Service (CSS)										x						x												S26361-F2557-L201	48,00	Phased out
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)										x						x							x					S26361-F2557-L204	43,00	Phased out
Media																																
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label	x								x	x	x				x	x	x	x			x	x	x	x				D:CL-DAT160-MX-01	23,00	
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01	6,00	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01	43,00	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01L	45,00	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01	58,00	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01L	58,00	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01	50,00	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01L	51,00	
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-01	52,00	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-01L	54,00	
	LTO cleaning cart. Sony single pack	1x Cleaning cartridge without label from Sony for LTO drives at a single package						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-EP01	54,00	
	LTO cleaning cart.Sony single pack&label	1x Cleaning cartridge with label from Sony for LTO drives at a single package						x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-EP01L	55,00	
	VXA cleaning label	Label for VXA cleaning cartridge					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-LAB	0,90	
	VXA cleaning cartridge	VXA cleaning cartridge					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-X-01	23,00	
	VXA cleaning cartridge with label	VXA cleaning cartridge					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-X-01L	24,00	
	DAT160 data cartridge	DAT160 data cartridge without label	x								x	x	x					x	x	x				x	x	x	x			D:CR-DAT160-MX-01	24,00	
	DAT72 data cartridge	DAT72 data cartridge without label	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-DAT72-MX-01	11,00	
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity					x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-FJ-01	28,00	Phased out
	LTO 1 data cartridge with label Fuji	LTO-1 data cartridge with label from Fuji, 100 GB native capacity					x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-FJ-01L	29,00	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
Media (Continued)																																
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity					x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-IB-01	28,00	
	LTO 1 data cartridge with label IBM	LTO-1 data cartridge with label from IBM, 100 GB native capacity					x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-IB-01L	28,00	
	LTO 1 barcode label	label for LTO-1 data cartridges					x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-LAB	0,75	
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity					x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-MX-01	26,00	Phased out
	LTO 1 data cartridge with label Maxell	LTO-1 data cartridge with label from Maxell, 100 GB native capacity					x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-MX-01L	27,00	Phased out
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity							x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01	24,00	
	LTO 2 data cartridge with label Fuji	LTO-2 data cartridge with label from Fuji, 200 GB native capacity							x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01L	25,00	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity							x	x	x	x			x	x	x	x			x	x	x	x			x	x	x	D:CR-LTO2-IB-01	28,00	
	LTO 2 data cartridge with label IBM	LTO 2 data cartridge with label from IBM, 200 GB native capacity							x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01L	28,00	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity							x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01	23,00	
	LTO 2 data cartridge with label Maxell	LTO-2 data cartridge with label from Maxell, 200 GB native capacity							x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01L	24,00	
	VXA barcode label	Label for VXA data cartridge					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-LAB	0,90	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X10-01	25,00	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X10-01L	26,00	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X23-01	55,00	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X23-01L	56,00	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L160	112,00	
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L169	1.064,00	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L320	170,00	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L329	1.617,00	
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed	x	x	x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L500	218,00	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01	23,00	
	LTO 4 data cartridge Fuji	LTO-4 data cartridge without label from Fuji, 800 GB native capacity										x	x					x	x	x				x	x	x				D:CR-LTO4-FJ-01	28,00	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-IB-01	25,00	
	LTO 4 data cartridge IBM	LTO-4 data cartridge without label from IBM, 800 GB native capacity								x			x					x	x	x				x	x	x				D:CR-LTO4-IB-01	32,00	
	LTO 4 data cartridge Sony	LTO-4 data cartridge without label from Sony, 800 GB native capacity								x			x					x	x	x				x	x	x				D:CR-LTO4-SY-01	28,00	
	LTO-3 data cartridge single pack Sony	1x LTO-3 data cartridges without label from Sony at a single package , 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-EP01	26,00	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01L	36,00	
	LTO 4 data cartridge with label Fuji	LTO-4 data cartridge with label from Fuji, 800 GB native capacity								x								x						x						D:CR-LTO4-FJ-01L	30,00	
	LTO 3 data cartridge with label IBM	LTO-3 data cartridge with label from IBM, 400 GB native capacity									x	x				x	x	x				x	x	x				x	x	D:CR-LTO3-IB-01L	26,00	
	LTO 4 data cartridge with label IBM	LTO-4-- Data cartridges with Label from IBM, Kapazity 800 GByte native								x			x					x	x	x				x	x	x				D:CR-LTO4-IB-01L	32,00	
	LTO 3 data cartridge with label Sony	LTO-3 data cartridge with label from Sony, 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-01L	25,00	
	LTO4 cartridge with label Sony	LTO-4-- Data cartridges with Label from Sony, Kapazity 800 GByte native								x			x					x	x	x				x	x	x				D:CR-LTO4-SY-01L	28,00	
	LTO-3 data cart. single pack Sony label	LTO-3 data cartridge with label from Sony, 400 GB native capacity, at single package									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-EP01L	25,00	
	LTO 5 WORM data cartridge Fuji	LTO-5 WORM data cartridge without label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries								x								x	x	x				x	x	x				D:CR-LTO5-FJ-01W	102,00	
	LTO5 WORM data cartridge with label Fuji	LTO-5 WORM data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries								x								x	x	x				x	x	x				D:CR-LTO5-FJ-01WL	103,00	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data									x	x				x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01W	26,00	
	LTO 4 WORM data cartridge Fuji	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data								x								x	x	x				x	x	x				D:CR-LTO4-FJ-01W	34,00	
	LTO3 WORM data cartridge with label Fuji	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data									x	x				x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01WL	27,00	
	LTO4 WORM data cartridge with label Fuji	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries								x								x	x	x				x	x	x				D:CR-LTO4-FJ-01WL	37,00	
	LTO cleaning label	label for LTO cleaning cartridges							x	x	x	x			x	x	x	x			x	x	x	x			x	x	x	D:CL-LTO-LAB	0,75	
	LTO 3 barcode label	label for LTO-3 data cartridges									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-LAB	0,75	
	LTO 4 barcode label	label for LTO-4 data cartridges								x			x					x	x	x				x	x	x				D:CR-LTO4-LAB	0,75	
	LTO 5 barcode label	label for LTO-5 data cartridges								x			x					x	x	x				x	x	x				D:CR-LTO5-LAB	3,00	
Cables																																
	Cable powercord rack, 4m	with Euro socket connector					x								x	x					x	x					x			T26139-Y1968-L10	16,00	
	Console switch cable 3,5m	cable for keyboard, monitor and mouse					x	x	x	x				x	x	x	x				x	x	x				x	x	x	SNP:SY-F2293L12-P	101,00	Phased out
Additional Software																																
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C157	15,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
Additional Software (Continued)																																
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C204	3.988,00	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C205	5.982,00	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C206	7.976,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201					x	x	x	x				x	x	x					x	x					x	x		U11081-C207	710,00	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C208	1.156,00	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C209	2.313,00	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C210	3.469,00	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C211	4.626,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C212	1.225,00	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C213	1.994,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C214	3.988,00	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C215	5.982,00	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C216	7.976,00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C217	710,00	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C218	1.156,00	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C219	2.313,00	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C220	3.469,00	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C221	4.626,00	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C222	500,00	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	ELP (€)	Comments
Accessories & services matrix																																
Additional Software (Continued)																																
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C223	814,00	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C224	1.628,00	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C225	2.442,00	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C226	3.255,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C321	500,00	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x	x	U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x	x	U11081-C312	1.994,00	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x	x	U11081-C322	814,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C303	3.988,00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C313	3.988,00	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C323	1.628,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C525	500,00	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x	x	U10987-C502	1.994,00	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x	x	U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x	x	U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x		U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x		U10987-C499	15,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Processor													
	Intel Xeon E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink					x		x		S26361-F3277-E186	335,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink						x		x	S26361-F3277-E200	335,00	
	Intel Xeon E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink					x		x		S26361-F3278-E200	388,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink					x	x	x	x	S26361-F3278-E213	388,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink						x		x	S26361-F3278-E226	457,00	
	Intel Xeon E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		x		S26361-F3279-E226	628,00	Phased out
	Intel Xeon E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		x		S26361-F3279-E240	878,00	Phased out
	Intel Xeon E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		x		S26361-F3279-E253	1.218,00	Phased out
	Intel Xeon X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x		S26361-F3280-E267	1.574,00	Phased out
	Intel Xeon X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x		S26361-F3280-E280	1.915,00	Phased out
	Intel Xeon X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x		S26361-F3280-E293	2.250,00	Phased out
	Intel Xeon L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink					x		x		S26361-F3281-E213	707,00	Phased out
	Intel Xeon L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink					x		x		S26361-F3281-E226	878,00	Phased out
	Intel Xeon L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink					x		x		S26361-F3281-E240	1.218,00	Phased out
	Intel Xeon W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink							x		S26361-F3337-E333	2.590,00	Phased out
	Intel Pentium E5400 2C 2.70 GHz 2 MB	Intel® Pentium® processor E5400 (2C, 2.70 GHz, SLC: 2 MB, Turbo: No, 800 MHz, 65 W) incl. heat sink	x								S26361-F3582-E540	101,00	
	Intel Pentium E6500 2C 2.93 GHz 2 MB	Intel® Pentium® processor E6500 (2C, 2.93 GHz, SLC: 2 MB, TLC: -, Turbo: No, 1066 MHz, 65 W) incl. heat sink	x								S26361-F3582-E650	160,00	
	Intel Core2 Duo E7400 2C 2.80 GHz 3 MB	Intel® Core?2 Duo processor E7400 (2C, 2.80 GHz, SLC: 3 MB, TLC: -, Turbo: No, 1066 MHz, 65 W) incl. heat sink	x								S26361-F3582-E740	223,00	
	Intel Core2 Duo E7600 2C 3.06 GHz 3 MB	Intel® Core?2 Duo processor E7600 (2C, 3.06 GHz, SLC: 3 MB, TLC: -, Turbo: No, 1066 MHz, 65 W) incl. heat sink	x								S26361-F3582-E760	261,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x		x	S26361-F3618-E240	628,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Processor (Continued)													
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x		x	S26361-F3618-E253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x		x	S26361-F3618-E266	1.218,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		x	S26361-F3619-E266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		x	S26361-F3619-E280	1.915,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		x	S26361-F3619-E293	2.250,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink								x	S26361-F3619-E333	2.590,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink						x		x	S26361-F3621-E186	707,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink						x		x	S26361-F3622-E213	878,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink						x		x	S26361-F3622-E226	1.574,00	
	Intel Core2 Duo P8400 2C 2.26 GHz 3 MB	Intel® Core?2 Duo processor P8400 (2C, 2.26 GHz, SLC: 3 MB, TLC: -, Turbo: No, 1066 MHz, 25 W) incl. heat sink			x						S26361-F3282-E840	415,00	
	Intel Celeron G1101 2C 2.26 GHz 2 MB	Intel® Celeron® processor G1101 (2C, 2.26 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 73 W) without heat sink		x							S26361-F3589-E226	133,00	
	Intel Core2 Duo T9400 2C 2.53 GHz 6 MB	Intel® Core?2 Duo processor T9400 (2C, 2.53 GHz, SLC: 6 MB, TLC: -, Turbo: No, 1066 MHz, 35 W) incl. heat sink			x						S26361-F3282-E940	633,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel® Pentium® processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink		x		x					S26361-F3588-E280	181,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel® Core? i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink		x		x					S26361-F3587-E306	266,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel® Xeon® processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink		x		x					S26361-F3578-E343	388,00	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink		x		x					S26361-F3578-E345	479,00	
	Intel Xeon X3460 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X3460 (4C/8T, 2.80 GHz, TLC: 8 MB, Turbo: 1/1/4/5, 1333 MHz, 95 W) without heat sink				x					S26361-F3578-E346	622,00	Phased out
	Intel Xeon X3470 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X3470 (4C/8T, 2.93 GHz, TLC: 8 MB, Turbo: 2/2/4/5, 1333 MHz, 95 W) without heat sink				x					S26361-F3578-E347	622,00	
	Intel Xeon L3406 2C/4T 2.26 GHz 4 MB	Intel® Xeon® processor L3406 (2C/4T, 2.26 GHz, TLC: 4 MB, Turbo: 2/2, 1066 MHz, 30 W) without heat sink				x					S26361-F3586-E226	388,00	
	Intel Xeon L3426 4C/8T 1.86 GHz 8 MB	Intel® Xeon® processor L3426 (4C/8T, 1.86 GHz, TLC: 8 MB, Turbo: 2/2/9/10, 1333 MHz, 45 W) without heat sink				x					S26361-F3586-E186	564,00	
	Intel Xeon E3110 2C 3.00 GHz 6 MB	Intel® Xeon® processor E3110 (2C, 3.00 GHz, SLC: 6 MB, TLC: -, Turbo: No, 1333 MHz, 65 W) incl. heat sink	x								S26361-F3503-E210	324,00	
	Intel Xeon E3120 2C 3.16 GHz 6 MB	Intel® Xeon® processor E3120 (2C, 3.16 GHz, SLC: 6 MB, TLC: -, Turbo: No, 1333 MHz, 65 W) incl. heat sink	x								S26361-F3503-E220	356,00	Phased out
	Intel Xeon X3220 4C 2.40 GHz 8 MB	Intel® Xeon® processor X3220 (4C, 2.40 GHz, SLC: 8 MB, TLC: -, Turbo: No, 1066 MHz, 95 W) incl. heat sink	x								S26361-F3504-E220	356,00	Phased out

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Processor (Continued)													
	Intel Xeon X3330 4C 2.66 GHz 6 MB	Intel® Xeon® processor X3330 (4C, 2.66 GHz, SLC: 6 MB, TLC: -, Turbo: No, 1333 MHz, 95 W) incl. heat sink	x								S26361-F3504-E330	372,00	
Memory													
	1GB DDR2-667 PC2-5300 reg ECC	1 Modul, registered single rank DDR2 667MHz			x						S26361-F3283-E514	69,00	
	2GB DDR2-667 PC2-5300 reg ECC	1 Modul, registered single rank DDR2 667MHz			x						S26361-F3283-E515	112,00	
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x		x					S26361-F3335-E513	48,00	
	4GB DDR2-667 PC2-5300 reg d ECC	1 Modul, registered dual rank DDR2 667MHz			x						S26361-F3283-E516	202,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x		x					S26361-F3335-E514	90,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x		x					S26361-F3335-E515	314,00	
	2 GB DDR3 1333 MHz PC3-10600 rg d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM				x					S26361-F3336-E514	117,00	
	4 GB DDR3 1066 MHz PC3-8500 rg q ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM				x					S26361-F3336-E517	218,00	
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x								S26361-F3372-E413	69,00	
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x								S26361-F3372-E414	101,00	
Memory Modules													
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory					x	x	x	x	S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory					x	x	x	x	S26361-F3284-E3	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory					x	x	x	x	S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode						x		x	S26361-F3604-E523	234,00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode						x		x	S26361-F3604-E524	436,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbufferes DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		x	S26361-F3606-E513	90,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		x	S26361-F3604-E513	117,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode						x		x	S26361-F3604-E525	1.064,00	
	2GB DDR3-1066 PC3-8500 ub ECC	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode					x				S26361-F3970-E513	90,00	
	2GB DDR3-1066 PC3-8500 rg ECC	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode; Test Hubert am 12.2.2010					x		x		S26361-F3284-E513	117,00	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode					x		x		S26361-F3284-E523	234,00	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode					x		x		S26361-F3284-E533	351,00	
	4 GB DDR3 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		x	S26361-F3604-E514	218,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode								x	S26361-F3604-E526	3.085,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode						x		x	S26361-F3604-E533	351,00	
	4GB DDR3-1066 PC3-8500 rg d ECC	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x		x		S26361-F3284-E514	218,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Memory Modules (Continued)													
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode					x		x		S26361-F3284-E524	436,00	
	SP 12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode					x		x		S26361-F3284-E534	654,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		x	S26361-F3604-E515	532,00	
	SP 12GB 3x4 DDR3 1333 MHz PC3-10600 rg d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode						x		x	S26361-F3604-E534	654,00	
	MM 8GB 2x4 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode						x		x	S26361-F3605-E524	479,00	
	8GB DDR3-1066 PC3-8500 rg d ECC	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x		x		S26361-F3284-E515	771,00	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode					x		x		S26361-F3284-E525	1.543,00	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode					x		x		S26361-F3284-E535	2.314,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x	S26361-F3604-E516	1.543,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode						x		x	S26361-F3604-E535	1.596,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode						x		x	S26361-F3605-E525	1.223,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode								x	S26361-F3604-E536	4.628,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		x	S26361-F3605-E514	239,00	
	SP 12GB 3x4 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode						x		x	S26361-F3605-E534	718,00	
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x		x		S26361-F3285-E513	117,00	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode					x		x		S26361-F3285-E523	234,00	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode					x		x		S26361-F3285-E533	351,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		x	S26361-F3605-E515	612,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode						x		x	S26361-F3605-E535	1.835,00	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x		x		S26361-F3285-E514	218,00	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode					x		x		S26361-F3285-E524	436,00	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode					x		x		S26361-F3285-E534	654,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Memory Modules (Continued)													
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x		x		S26361-F3285-E515	532,00	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode					x		x		S26361-F3285-E525	1.064,00	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode					x		x		S26361-F3285-E535	1.596,00	
Graphics													
	Front-VGA interface	2nd optional VGA interface front side							x	x	S26361-F2571-E16	21,00	
	PY VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card	x	x		x	x	x	x	x	S26361-F2748-E533	144,00	
	PY LP VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card, low profile			x						S26361-F2748-E633	144,00	
Removable Media Drives													
	MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display				x	x	x	x	x	S26361-F2826-E204	32,00	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD							x	x	S26361-F2826-E103	85,00	
	MountingKit DVD(sl)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD					x	x			S26361-F2826-E104	90,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black			x	x	x	x	x	x	S26361-F3269-E2	96,00	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black			x	x	x	x	x	x	S26361-F3531-E2	271,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x		x	x	x	x	x	S26361-F3266-E2	43,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x		x	x	x	x	x	S26361-F3267-E2	69,00	
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			x						S26361-F3857-E2	170,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x	x		x	x	x	x	x	S26361-F3857-E4	170,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US), data and cleaning cartridge	x	x		x	x	x	x	x	S26361-F3324-E4	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge			x						S26361-F3324-E2	532,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with data and cleaning cartridge	x	x		x	x	x	x	x	S26361-F3325-E4	798,00	
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel,, with data and cleaning cartridge					x		x		S26361-F3225-E4	819,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge					x		x		S26361-F3964-E4	1.511,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge				x	x	x	x	x	S26361-F4009-E4	1.511,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge				x	x	x	x	x	S26361-F3561-E4	1.851,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge				x		x		x	S26361-F3626-E1	2.606,00	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge				x	x		x	x	S26361-F3963-E4	2.606,00	Phased out
	Tape Kit LTO5HH 1500GB 140MB/s SAS	LTO5HH Ultrium, 1500 GB, 140 MB/s, half height, SAS 6GB/s								x	S26361-F3627-E1	3.138,00	
	SFF 12xSAS HDD conversion option	Extension Box for 12 pc. 2.5" hotplug HDD							x		S26361-F2826-E134	330,00	Phased out
	Conversion Box 12x 2.5" HDD	Extension Box for 12 pc. 2.5" hotplug HDD								x	S26361-F2826-E135	340,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD					x	x	x	x	S26361-F2826-E114	176,00	
Hard Disks													
	HDD Ext. 2x 2.5" hot plug TX120 S2	for 2x 2.5" SAS/SATA HDD hot plug, aktiv termination			x						S26361-F2826-E130	59,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Hard Disks (Continued)													
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	HDD SATA, 160 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x							S26361-F3219-E160	85,00	
	HD SATA 3G 160GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 3.5-inch, economic				x		x	x	x	S26361-F3293-E160	85,00	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x							S26361-F3574-E250	90,00	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise			x						S26361-F3998-E32	697,00	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise			x						S26361-F3998-E64	1.340,00	
	HD SAS 6GB/s 146GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x						S26361-F4004-E114	229,00	
	HD SAS 6GB/s 300GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x						S26361-F4004-E130	441,00	
	HD SAS 6GB/s 146GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x						S26361-F4004-E514	431,00	
	HD SAS 6GB/s 73GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x						S26361-F4004-E573	293,00	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic			x						S26361-F3515-E160	176,00	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic			x						S26361-F3515-E320	271,00	
	HD SATA 3G 250GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x							S26361-F3334-E250	117,00	
	HD SATA 3GB/s 160GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x						S26361-F3600-E160	207,00	
	HD SATA 3G 500GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x							S26361-F3334-E500	223,00	
	HD SATA 3G 750GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 750 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x							S26361-F3334-E750	314,00	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x						S26361-F3600-E500	277,00	
	HD SATA 3G 1TB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x							S26361-F3334-E100	463,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x	x	x	S26361-F3294-E250	117,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x	x	x	S26361-F3294-E500	223,00	
	HD SATA 3G 750GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 750 GB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x	x	x	S26361-F3294-E750	314,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x	x	x	S26361-F3294-E100	463,00	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x	x	x	S26361-F3294-E200	718,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise				x	x	x		x	S26361-F3298-E32	697,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise				x	x	x		x	S26361-F3298-E64	1.340,00	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic				x	x	x	x	x	S26361-F3297-E160	176,00	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic				x	x	x	x	x	S26361-F3297-E320	271,00	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x	x	x		x	S26361-F3601-E160	207,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x	x	x		x	S26361-F3601-E500	277,00	
	HD SAS 3G 146GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise				x	x	x	x	x	S26361-F3291-E514	324,00	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x		x		S26361-F3291-E530	617,00	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x		x		S26361-F3291-E545	729,00	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x		x		S26361-F3291-E560	766,00	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise				x	x	x		x	S26361-F4005-E530	426,00	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise				x	x	x		x	S26361-F4005-E545	585,00	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise				x	x	x		x	S26361-F4005-E560	729,00	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x		x		S26361-F3292-E114	261,00	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x		x		S26361-F3292-E130	473,00	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x		x		S26361-F3292-E573	335,00	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x		x		S26361-F3292-E514	484,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Hard Disks (Continued)													
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x	x			S26361-F4006-E114	229,00	
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x	x			S26361-F4006-E130	441,00	
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise				x	x	x			S26361-F4006-E573	293,00	
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise				x	x	x			S26361-F4006-E514	431,00	
	HD SAS 6G 146GB 10K HOT PL 2.5" EP 300									x	S26361-F4482-E114	229,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP 300	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, enterprise, for TX/RX300S6 12x2.5-inch version								x	S26361-F4482-E130	441,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP 300	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, enterprise, for TX/RX300S6 12x2.5-inch version								x	S26361-F4482-E573	293,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP 300	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, enterprise, for TX/RX300S6 12x2.5-inch version								x	S26361-F4482-E514	431,00	
	HD SAS 3GB/s 146GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x						S26361-F3208-E114	261,00	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x						S26361-F3208-E130	473,00	
	HD SAS 3GB/s 73GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x						S26361-F3208-E573	335,00	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x						S26361-F3208-E514	484,00	
SCSI/RAID/SAS controller													
	68-Pin Kit for int. access. SCSI drives	Cable with terminator							x		S26361-F2814-E12	53,00	Phased out
	68-Pin Kit for accessible drives	Cable with terminator					x				S26361-F2814-E6	53,00	
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108			x						S26361-F3257-E116	176,00	
	RAID Contr BBU Upgrade for RAID 5/6 V55	BBU Upgrade for LSI SAS1078 and LSI SAS2108				x	x	x			S26361-F3257-E155	176,00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI SAS2108							x	x	S26361-F3257-E170	176,00	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU, SAS RAID controller for attachment of internal SAS/SATA-HD`s in all RAID modes			x		x		x		S26361-F3257-E256	404,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports			x	x	x	x	x	x	S26361-F3257-E4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU;, SAS RAID controller for attachment of internal SAS/SATA-HD`s in all RAID modes					x		x		S26361-F3257-E512	452,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports				x	x	x	x		S26361-F3257-E8	144,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI				x	x	x	x	x	S26361-F3270-E1	207,00	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile			x						S26361-F3270-E201	207,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R				x	x	x	x	x	S26361-F3271-E1	223,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile			x						S26361-F3271-E201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports		x	x	x	x	x		x	S26361-F3554-E512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports			x	x	x	x		x	S26361-F3554-E8	176,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU					x	x		x	S26361-F3593-E1	628,00	
	RAID Ctrl SAS 8Port 512M w/o BBU FH LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU					x		x		S26361-F3890-E1	628,00	
	RAID Ctrl SAS 8Port 512M with BBU FH LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, with iBBU07					x		x		S26361-F3890-E30	739,00	
Fibre Channel													
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface					x	x	x	x	S26361-F3306-E1	1.043,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface					x	x	x	x	S26361-F3306-E2	1.527,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Fibre Channel (Continued)													
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.					x	x	x	x	S26361-F3483-E1	1.106,00	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.					x	x	x	x	S26361-F3483-E2	1.660,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x	x	S26361-F3961-E1	1.144,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	x	x	S26361-F3961-E2	1.766,00	
Communication/Network													
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter	x	x		x	x	x	x	x	S26361-F3228-E1	186,00	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter			x						S26361-F3228-E201	186,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter	x	x		x	x	x	x	x	S26361-F3241-E1	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter			x						S26361-F3241-E201	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel Pro 1000PF 1 Port Server Adapter				x	x	x	x	x	S26361-F3242-E1	388,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter			x						S26361-F3242-E201	388,00	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket				x	x		x	x	S26361-F3462-E1	521,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel GBit CT 1 Port Desktop Adapter	x	x		x	x	x	x	x	S26361-F3516-E1	64,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel GBit CT 1 Port Desktop Adapter lp			x						S26361-F3516-E201	64,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu		x		x		x		x	S26361-F3610-E1	165,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu lp			x						S26361-F3610-E201	165,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu				x		x		x	S26361-F3611-E1	399,00	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables				x		x	x	x	S26361-F3555-E1	691,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable								x	S26361-F3592-E2	1.468,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102								x	S26361-F3592-E108	426,00	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC	Intel 10 Gigabit XF SR Dual Port Server Adapter					x		x	x	S26361-F3505-E1	3.936,00	Phased out
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC				x		x	x	x	S26361-F3555-E900	628,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket,, occupies internal parallel interface, and one slot	x	x							S26361-F2542-E30	3,00	
Rack-Infrastructure													
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.				x	x	x	x	x	SNP:SY-F1647E301-P	138,00	
	RMK-F2_TX300-S4	telescopic full extraction, 1-hand mount vario-carrier, pre-assem, centre screw, max. load 50 kg							x		S26361-F2735-E103	74,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount.; vario-carrier for toolless mounting;, max. load 50 kg,, Rack installation depth (19" pillar distance) between 714mm and 785mm				x	x	x		x	S26361-F2735-E202	69,00	
	Cable magmt. for 19" PC- Rack	Cablemanagement for adding a server or storage subsystem into the PRIMECENTER rack				x	x	x	x	x	S26361-F2735-E7	32,00	
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks (please do not order together with rack mount into PRIMECENTER racks - ex factory!				x	x	x	x	x	S26361-F2201-E20	53,00	
OneBox-Keyboards													
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x		x	x	x	x	x	S26381-K341-E110	32,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
OneBox-Keyboards (Continued)													
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	S26381-K341-E120	32,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	S26381-K341-E165	32,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	S26381-K341-E185	32,00	
	KBPC SX USB USA	KBPC SX USB keyboard standard, US-English, cable USB 2m, Global Design			x		x		x		S26381-K398-E110	14,00	Phased out
	KB500 USA	KB500 keyboard standard, marble grey, US, cable USB 2m, Global Design	x		x	x	x		x	x	S26381-K500-E110	14,00	
	KB500 D	KB500 keyboard standard, marble grey, Germany, cable USB 2m, Global Design	x		x	x	x		x	x	S26381-K500-E120	13,00	
	KB500 GB	KB500 keyboard standard, marble grey, Great Britain, cable USB 2m, Global Design	x		x	x	x		x	x	S26381-K500-E165	13,00	
	KB500 I	KB500 keyboard standard, marble grey, Italy, cable USB 2m, Global Design	x		x	x	x		x	x	S26381-K500-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US	x	x	x	x	x	x	x	x	S26381-K550-E102	10,00	
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany	x	x	x	x	x	x	x	x	S26381-K550-E120	10,00	
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK	x	x	x	x	x	x	x	x	S26381-K550-E165	10,00	
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy	x	x	x	x	x	x	x	x	S26381-K550-E185	10,00	
PRIMERGY-Software													
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection			x						S26361-F1790-E240	319,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x	x	x	x	x	S26361-F1790-E241	319,00	
	Win Web Srv 2008 w/SP2 EFGJS	Windows Web Server 2008 w/SP2 1-4 CPU, Languages: EN DE ES FR JA, OEM DVD, license	x		x	x	x	x	x	x	S26361-F2565-E303	351,00	Phased out
	Win Web Srv 2008 w/SP2 CEIPR	Windows Web Server 2008 w/SP2 1-4 CPU,, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x		x	x	x	x	x	x	S26361-F2565-E304	351,00	Phased out
	Win Srv 2008 Foundation Spanish	Win Srv 2008 Foundation Spanish, Only for distribution within Selected Countries. Win Srv 2008 Fnd 1 CPU . OEM DVD, License.	x								S26361-F2565-E306	229,00	Phased out
	Win Srv 2008 Foundation Turkish	Win Srv 2008 Foundation English, Only for distribution within Turkey. Win Srv 2008 Fnd 1 CPU . OEM DVD, License.	x								S26361-F2565-E307	229,00	Phased out
	Win Srv 2008 Foundation English	Win Srv 2008 Foundation English, Only for distribution within Selected Countries. Win Srv 2008 Fnd 1 CPU . OEM DVD, License.	x								S26361-F2565-E308	229,00	Phased out
	Win Server 2008 Standard AdditionalCOA	Windows Server 2008 Standard AdditionalCOA (1-4 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for one (1) additional Virtual Use Right of a Windows Server Standard guest operating system instance and 5 additional CAL (CAL Client Access License).	x		x	x	x	x	x	x	S26361-F2565-E312	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: EN DE ES FR JA, OEM DVD, license	x		x	x	x	x	x	x	S26361-F2565-E315	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x		x	x	x	x	x	x	S26361-F2565-E316	707,00	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	x	S26361-F2565-E317	27,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	x	S26361-F2565-E318	27,00	
	Win Server 2008 Enterprise AdditionalCOA	Windows Server 2008 Enterprise AdditionalCOA (1-8 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for four (4) additional Virtual Use Rights of a Windows Server Enterprise or Standard guest operating system instance and 25 additional CAL (CAL Client Access License).	x		x	x	x	x	x		S26361-F2565-E322	2.553,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, OEM DVD, license	x		x	x	x	x	x	x	S26361-F2565-E325	2.160,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x		x	x	x	x	x	x	S26361-F2565-E326	2.160,00	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	x	S26361-F2565-E327	27,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	x	S26361-F2565-E328	27,00	
	Win Srv 2008 Dtc w/SP2 2CPU EFGJS	Win Srv 2008 Dtc w/SP2 2CPU , Languages: EN DE ES FR JA. LangPack IT, OEM DVD, license							x	x	S26361-F2565-E333	3.415,00	Phased out
	Win SBS 2008 Standard OEM, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E350	702,00	
	Win SBS 2008 Standard OEM, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E351	702,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Win SBS 2008 Standard OEM, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E352	702,00	
	Win SBS 2008 Standard OEM, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E353	702,00	
	Win SBS 2008 Standard OEM, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E354	702,00	
	Win SBS 2008 Standard OEM, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E355	702,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Win SBS 2008 Premium OEM, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E360	1.218,00	
	Win SBS 2008 Premium OEM, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E361	1.218,00	
	Win SBS 2008 Premium OEM, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x		x	x	x	x	x	x	S26361-F2565-E362	1.218,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x	x		x	x	S26361-F2567-E20	431,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E30	122,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.								x	S26361-F2567-E360	846,00	Orderable from: 15/10/2010
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E593	931,00	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E595	931,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E302	340,00	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E591	2.920,00	
	Win Srv 2008 R2 Foundation 1CPU MULI OEM	Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x					S26361-F2567-E306	186,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	Front Maintenance LAN	In combinatition with iRMC adv. pack, integrated in operating panel			x						S26361-F2571-E17	32,00	
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E310	633,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E320	1.963,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E330	3.074,00	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 1-Year subscription	x	x	x	x					S26361-F2346-E601	154,00	
	SUSE Linux ES 1-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 3-Years subscription	x	x	x	x					S26361-F2346-E602	417,00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription					x	x	x	x	S26361-F2346-E611	265,00	
	SUSE Linux ES 32-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3-Years subscription					x	x	x	x	S26361-F2346-E612	714,00	
	SUSE Linux E 11 HAE 32-CPU 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3-Years subscription	x	x	x	x	x	x	x	x	S26361-F2346-E622	1.436,00	
	Red Hat EL 2-CPU 5x9 l3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 1-Year	x	x	x	x	x	x	x	x	S26361-F2346-E701	336,00	
	Red Hat EL 2-CPU 5x9 l3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 3-Years	x	x	x	x	x	x	x	x	S26361-F2346-E702	835,00	
	Red Hat EL 2-CPU 7x24 l3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 1-Year	x	x	x	x	x	x	x	x	S26361-F2346-E706	566,00	
	Red Hat EL 2-CPU 7x24 l3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 3-Years	x	x	x	x	x	x	x	x	S26361-F2346-E707	1.376,00	
	Red Hat EL AP 5x9 l3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 1-Year	x	x	x		x	x	x	x	S26361-F2346-E711	701,00	
	Red Hat EL AP 5x9 l3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 3-Years	x	x	x		x	x	x	x	S26361-F2346-E712	1.595,00	
	Red Hat EL AP 7x24 l3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 1-Year	x	x	x	x	x	x	x	x	S26361-F2346-E716	850,00	
	Red Hat EL AP 7x24 l3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 3-Years	x	x	x	x	x	x	x	x	S26361-F2346-E717	2.122,00	
	Red Hat EL 2-CPU 5x9 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 1-Year	x	x	x		x	x	x	x	S26361-F2346-S801	745,00	
	Red Hat EL 2-CPU 5x9 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 3-Years	x	x	x		x	x	x	x	S26361-F2346-S802	2.016,00	
	Red Hat EL 2-CPU 7x24 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 1-Year	x	x	x		x	x	x	x	S26361-F2346-S806	1.218,00	
	Red Hat EL 2-CPU 7x24 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 3-Years	x	x	x		x	x	x	x	S26361-F2346-S807	3.293,00	
	Red Hat EL AP 5x9 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 1-Year	x	x	x		x	x	x	x	S26361-F2346-S811	1.410,00	
	Red Hat EL AP 5x9 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 3-Years	x	x	x		x	x	x	x	S26361-F2346-S812	3.777,00	
	Red Hat EL AP 7x24 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 1-Year	x	x	x		x	x	x	x	S26361-F2346-S816	2.335,00	
	Red Hat EL AP 7x24 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 3-Years	x	x	x		x	x	x	x	S26361-F2346-S817	6.335,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	VMware ESXi 4.0 Embedded UFM Device	VMware ESXi 4.0 Embedded UFM Device Embedded UFM Storage Device , Additional License and SP required				x	x	x	x	x	S26361-F2341-E431	64,00	
	VMware ESXi 4.0 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E500	11,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E514	859,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E515	859,00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E518	1.936,00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E519	1.936,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E520	2.479,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E521	2.479,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E522	3.016,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License				x					S26361-F2341-E300	85,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E523	3.016,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!,				x	x	x	x	x	S26361-F2341-E570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E571	15.367,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E557	4.303,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E559	1.293,00	
	VMware Essentials Plus w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E562	3.017,00	
	VMware Essentials Plus w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!				x	x	x	x	x	S26361-F2341-E563	3.017,00	
	VMware View ENT Start 10 CLI w/7x24-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E601	1.622,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	VMware View ENT Start 10 CLI w/7x24-3yr	VMware View ENT Start 10 CLI w/7x24-3yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E602	2.324,00	
	VMware View ENT 100 CLI w/7x24-1yr	VMware View ENT 100 CLI w/7x24-1yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E603	16.207,00	
	VMware View ENT 100 CLI w/7x24-3yr	VMware View ENT 100 CLI w/7x24-3yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E604	23.186,00	
	VMware View ENT Add 10 CLI w/7x24-1yr	VMware View ENT Add 10 CLI w/7x24-1yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E605	1.622,00	
	VMware View ENT Add 10 CLI w7x24-3yr	VMware View ENT Add 10 CLI w7x24-3yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E606	2.324,00	
	VMware View ENT Start 10 CLI w/5x9-1yr	VMware View ENT Start 10 CLI w/5x9-1yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E611	1.569,00	
	VMware View ENT Start 10 CLI w/5x9-3yr	VMware View ENT Start 10 CLI w/5x9-3yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E612	2.165,00	
	VMware View ENT 100 CLI w/5x9-1yr	VMware View ENT 100 CLI w/5x9-1yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E613	15.686,00	
	VMware View ENT 100 CLI w/5x9-3yr	VMware View ENT 100 CLI w/5x9-3yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E614	21.697,00	
	VMware View ENT Add 10 CLI w/5x9-1yr	VMware View ENT Add 10 CLI w/5x9-1yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E615	1.569,00	
	VMware View ENT Add 10 CLI w/5x9-3yr	VMware View ENT Add 10 CLI w/5x9-3yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E616	2.165,00	
	VMware View PRE Start 10 CLI w/7x24-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E621	2.697,00	
	VMware View PRE Start 10 CLI w/7x24-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E622	3.867,00	
	VMware View PRE 100 CLI w/7x24-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E623	26.979,00	
	VMware View PRE 100 CLI w/7x24-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E624	38.670,00	
	VMware View PRE Add 10 CLI w/7x24-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E625	2.697,00	
	VMware View PRE Add 10 CLI w7x24-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E626	3.867,00	
	VMware View PRE Start 10 CLI w/5x9-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E631	2.612,00	
	VMware View PRE Start 10 CLI w/5x9-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E632	3.612,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
PRIMERGY-Software (Continued)													
	VMware View PRE 100 CLI w/5x9-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E633	26.117,00	
	VMware View PRE 100 CLI w/5x9-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E634	36.117,00	
	VMware View PRE Add 10 CLI w/5x9-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E635	2.612,00	
	VMware View PRE Add 10 CLI w5x9-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E636	3.612,00	
	VMware SRM for 1 ESX CPU w/7x24-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E641	1.899,00	
	VMware SRM for 1 ESX CPU w/7x24-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E642	2.729,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/7x24-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E643	28.186,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/7x24-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E644	40.372,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/7x24-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E645	34.165,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/7x24-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	x	S26361-F2341-E646	49.096,00	
	VMware SRM for 1 ESX CPU w/5x9-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E651	1.840,00	
	VMware SRM for 1 ESX CPU w/5x9-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E652	2.543,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/5x9-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E653	27.282,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/5x9-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E654	37.819,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/5x9-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E655	33.074,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/5x9-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	x	S26361-F2341-E656	45.798,00	
UPS/Power supply													
	Power Supply Module 450W (hot plug)	for PS redundancy				x					S26113-F540-E11	181,00	
	Power Supply Module 800W (hot plug)	for optional PS redundancy					x		x		S26113-F541-E10	229,00	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy						x		x	S26113-F556-E10	229,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x	x	x	x	T26139-Y3850-E10	2,00	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	T26139-Y1740-E10	11,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	T26139-Y1742-E10	11,00	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	T26139-Y1744-E10	11,00	
	Cable powercord (It), 1.8m, grey	suitable for I	x	x	x	x	x	x	x	x	T26139-Y1745-E10	11,00	
Mouse													
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed		x		x		x		x	S26381-K431-E100	6,00	
	Mouse M480 grey	optical mouse with 3 keys, marble grey, 1000 dpi, usb cable 1,8m		x		x		x		x	S26381-K431-E101	6,00	
Miscellaneous													
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order				x			x		S26361-F1647-E410	27,00	
	LocalView Option Kit S2	LCD display with adapter				x	x	x	x	x	S26361-F2557-E105	74,00	
	LocalView Option Kit S2	LCD display with installation kit					x	x	x	x	S26361-F2557-E106	74,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter				x	x	x	x	x	S26361-F2557-E202	27,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
Miscellaneous (Continued)													
	Customer Self Service Modul RX Server	Support for Customer Self Service (CSS), incl. mounting kit					x	x	x	x	S26361-F2557-E205	27,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface					x	x			S26361-F3120-E3	10,00	
	TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU with dual core CPUs only				x					S26361-F3301-E151	3,00	
	TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only				x					S26361-F3301-E152	3,00	
	TX300S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units								x	S26361-F3301-E301	3,00	
	Energy Star 5.0 Compliancy	Limited configuration in accordance with Energy Star 5.0, SAS configuration: , max P8400, 1GB RAM, 2x SAS HDD, only IRMC graphics, SATA configuration: , max. T9400, 8GB RAM, 2x SATA HDD + 2 SATA/Backup, 2x LAN, only IRMC graphics	x		x						S26361-F3301-E5	2,00	
	no TPM	Disable function for Trusted Platform, Use according to import restrictions	x								S26361-F3436-E4	11,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!		x	x	x	x	x	x	x	S26361-F3552-E1	53,00	
	Serial port option	Cable with 9 pin D-SUB interface				x					S26361-F2571-E10	32,00	
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90				x	x	x	x	x	S26361-F2735-E111	5,00	
	Key lock in side door	for lock of housing	x								S26361-F2542-E323	4,00	
SW Data Center Products													
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E913	1.106,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E914	5.543,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E915	11.085,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E923	2.617,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E924	13.074,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E925	26.149,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E933	3.989,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E934	19.947,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-E935	39.894,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E960	2.309,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
SW Data Center Products (Continued)													
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E961	11.521,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E962	23.053,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E963	3.681,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E964	18.394,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E965	36.787,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E966	2.351,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E967	11.745,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-E968	23.489,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S913	840,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S914	4.213,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S915	8.426,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S923	2.000,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S924	9.979,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S925	19.947,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S933	3.106,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S934	15.511,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x			x	x	x	S26361-F2341-S935	31.032,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
SW Data Center Products (Continued)													
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S960	1.681,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S961	8.426,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S962	16.840,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S963	2.798,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S964	13.968,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S965	27.926,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S966	1.468,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S967	7.319,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x			x	x	x	S26361-F2341-S968	14.628,00	
	SVRCVESCD V21 (WIN) MED CD	Resource Coordinator VE Standard Media Pack (Windows) V2.1				x	x		x		U11420-C900	50,00	
	SVRCVESCD V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2				x	x	x	x	x	U11420-C910	50,00	
	SVRCVESCD V21 (LINUX) MED CD	Resource Coordinator VE Standard Media Pack (Linux) V2.1				x	x		x		U11420-C901	50,00	
	SVRCVESCD V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2				x	x	x	x	x	U11420-C911	50,00	
	SVRCVESMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2				x	x	x	x	x	U11420-C902	2.363,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2				x	x	x	x	x	U11420-C922	2.363,00	
	SVRCVESSAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2				x	x	x	x	x	U11420-C903	517,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2				x	x	x	x	x	U11420-C904	4.033,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2				x	x	x	x	x	U11420-C905	7.869,00	
	SVRCVEFCO V2 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows) V2				x	x	x	x	x	U11420-C906	100,00	
	SVRCVEMCO V22 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows) V2				x	x	x	x	x	U11420-C936	100,00	
	SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2				x	x	x	x	x	U11420-C907	0,01	
	SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2				x	x	x	x	x	U11420-C935	0,01	
	SVRORCD V22 (WIN) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Windows				x	x	x	x	x	U11420-C937	50,00	
	SVRORCD V22 (LINUX) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Linux				x	x	x	x	x	U11420-C938	50,00	
	XTN-CD V31 (PS) MED CD	x10sure CD 3.1; (Binaries / Documents) 1 Medium, German & English Version				x	x	x	x	x	U11420-C775	50,00	
	SVRORSVR V22 (WIN/LINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2				x	x	x	x	x	U11420-C940	1.331,00	

Tower Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX150 S7	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix													
SW Data Center Products (Continued)													
	XTN-B V31 (PS) RTU -1CN1AN	x10sure 3.1 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included)				x	x	x	x	x	U11420-C877	1.400,00	
	XTN-B V31 (PS) UgRTU -1CN1AN	x10sure 3.1 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)				x	x	x	x	x	U11420-C773-U	1,00	
	XTN-N V31 (PS) RtU -1 Node	x10sure 3.1 RtU for 1 additional Application- or Spare Node; no support nor updates included				x	x	x	x	x	U11420-C878	1.100,00	
	SVRORSVR V22 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2				x	x	x	x	x	U11420-C942	12.376,00	
	XTN-N V31 (PS) UgRtU -1 Node	x10sure 3.1 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)				x	x	x	x	x	U11420-C774-U	1,00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version				x	x				U11420-C776	50,00	
	SVRORSVR V22 (WIN/LINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2				x	x	x	x	x	U11420-C943	22.277,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)				x	x				U11420-C879	2.500,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2				x	x	x	x	x	U11420-C946	814,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2				x	x	x	x	x	U11420-C948	8.343,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2				x	x	x	x	x	U11420-C949	14.408,00	

Positioning PRIMERGY Rack Servers

PRIMERGY RX100 S6

The RX100 S6 meets the needs of business applications with its technical developments, such as Quad-Core Intel® Xeon® processor 3400 series and the upcoming generation of Intel® Dual-Core CPUs, integrated RAID 0/1/5/6 and a memory of up to 32 GB. It unites the advantages of low-cost SATA or SAS /SSD hard disk technology with a space-saving 1U chassis and a depth of less

PRIMERGY RX200 S5

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a “burning” issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.

PRIMERGY RX300 S5

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.

PRIMERGY RX330 S1

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environ-ments with medium needs for availability features and

PRIMERGY RX600 S4

4 Socket Multi-Core Xeon 7400 series rack server
Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-in-class“ efficiency.

PRIMECENTER SME

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

PRIMERGY RX100 S6 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY RX Rack Server family is the perfect platform to form dynamic infrastructures for your business processes today and in the coming decade. You will thus benefit several times over from our recognized experience in optimized data center technology and our innovative strength in developing energy-efficient and cost/performance-optimized rack systems for universal use. PRIMERGY rack servers, built upon industry standards, focus from a functional viewpoint on core features: energy efficiency, reliability, optimized for virtualization, ease of operation and maintenance, flexibility for your future. And thus they notably meet your requirements for outstanding cost efficiency. Optimal operating costs and long-term usability comply with the IT quality required by your customers. Our responsibility goes way beyond the hardware as our tailor-made service packages mean that you can rely on the best support for your IT during its whole lifecycle.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX100 S6					
	PY RX100S6/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN and 6-Port SATA controller onboard; 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1264-V101	559,00	
	PY RX100S6/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN and 6-Port SATA controller onboard; 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1264-V201	559,00	

PRIMERGY RX300 S5 — Data Sheets: http://ts.fujitsu.com/primergy

The consolidation of dedicated servers and the use of efficient virtualized run environments provide measurable benefits and new flexibility regarding IT operations management. Virtual servers can thus be moved to other servers during ongoing operations and enable maintenance work to the hardware platform without any operational interruption. Active virtual servers can be flexibly moved to systems with higher performance for operation during peak-load times. Test systems can be easily converted to productive systems via live migration. Virtualized environments are the main application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, it is essential to have several operating systems plus the installed applications running simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization:
- High, scalable I/O performances with PCIe Gen2, x4/x8 Turbo mode, up to 7 free PCIe slots - so that disk I/O and network/SAN accesses do not become a bottleneck!
- The generosity of the maximum 144 GB main memory for a high-performance determinable, optimal sizing of the virtual server environment so that the main memory does not become the point of contention for the virtualization software as well as the consolidated applications and the operating systems.
- Top performance with state-of-the-art Dual, Quad or Turbo Quad-Core Intel® Xeon® 5500 series CPUs as well as double I/O performance with PCIe Gen2.0 - so that every virtual system can work at a higher performance level than before.
- The reliability of a premium server system in a space-saving 2 U design so that the cost benefits arising from standardized rack servers and virtual systems do not become a survival risk! The reliability of the RX300 server platform also leaves nothing to be desired in other application areas, e.g. as database servers or application servers for business-critical processes.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY RX300 S5					
	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.				
	PY RX300S5 6X3.5 /XEON DP E5506/ (Promo)	PY RX300S5 6X3.5 /XEON DP E5506/ 4GB 1066 ECC/DVD-RW SM SLIM/ RMK-F1_1-2U SERVER/CABLE MGMT PCR2/ FAN UPGRADE KIT/,	LKN:R3005S0002IT		Phased out
	PY RX300S5 6X3.5 /XEON DP E5520/ (Promo)	PY RX300S5 6X3.5 /XEON DP E5520/ 4GB 1066 ECC/DVD-RW SM SLIM/ RMK-F1_1-2U SERVER/CABLE MGMT PCR2/ FAN UPGRADE KIT/,	LKN:R3005S0004IT		Phased out
	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 bays for hot plug 2.5" SAS HDs; 1 drive bays for an 3,5" Backup device; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.				
	PY RX300S5 8X2.5 /XEON DP E5506/ (Promo)	PY RX300S5 8X2.5 /XEON DP E5506/ 4GB 1066 ECC/DVD-RW SM SLIM/ RMK-F1_1-2U SERVER/CABLE MGMT PCR2/ FAN UPGRADE KIT/,	LKN:R3005S0003IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX300 S5					

PRIMERGY RX300 S5 — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX300 S5 (Continued)					
	PY RX300S5 6x3.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V101	1.266,00	Phased out
	PY RX300S5 8x2.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 bays for hot plug 2.5" SAS HDs; 1 drive bays for an 3,5" Backup device; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V201	1.266,00	Phased out
	PY RX300S5 12x2.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V301	1.309,00	
	PY RX300S5 6x3.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 gold hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V501	1.298,00	Phased out

PRIMERGY RX300 S5 — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX300 S5 (Continued)					
	PY RX300S5 8x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 gold hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 bays for hot plug 2.5" SAS HDs; 1 drive bays for an 3,5" Backup device; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V601	1.298,00	Phased out
	PY RX300S5 12x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 gold hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC	S26361-K1237-V701	1.340,00	

PRIMERGY RX330 S1 Data Sheets: http://ts.fujitsu.com/primergy

Corporate applications in data center server farms which are centrally implemented and controlled require constantly increasing performance. The low-priced PRIMERGY RX330 S1 (Large TLC) is a new basic unit from the previous RX330 S1 with a Standard TLC of 2 MB. The PRIMERGY RX330 S1 can be ordered based on a new basic unit with Quad-Core Opteron™ processors with 6 MB Third Level Cache (TLC). The new basic unit is only released with the new 2300 series processors with 6 MB TLC. It is not possible to convert or upgrade the existing RX330 S1 basic unit to this new processsor generation. Only the faster DDR2 memory modules with 800 MHz are released for the new basic unit (Large TLC) with the new processors. The new basic unit in the RX330 S1 has a motherboard with a new D number.
RX330 offers enough local storage capacity for use as a stand-alone application server and for server farms in scale-out environments with average requirements regarding availability features and virtualization. The PRIMERGY RX330 S1 with its two Quad-Core AMD Opteron™ processors in the 2300 series and up to 32 Gbytes DDR2-800 memory is perfect for your business application requirements. The PRIMERGY RX330 S1 with its combination of up to 6 hot-plug SAS or SATA hard disks, integrated disk mirroring, 4 PCI slots for heavy I/O requirements and a redundant power supply option is indeed a budget-saving platform.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX330 S1					
	PY RX330 S1/QC6	Rack mountable server 19" (2U) incl. 1 hot plug power supply module, RMK optional, 3 fans, dual systemboard for Opteron 2000 processors, DDR2 800 RAM PC2-6400 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1311-V201	1.043,00	Phased out

PRIMERGY RX600 S4 — Data Sheets: http://ts.fujitsu.com/primergy

Primergy RX600 S4 4-Socket, Dual-, Quad- and Six-Core Xeon MP based Rack Server (4U)

Very special criteria apply when selecting the hardware platform for the really critical corporate applications:
Easy-to-scale performance, high capacity levels to use memory as required, I/O and local memory, as well as high reliability and operational consistency levels typical for data centers, all of which improve the IT production quality on a long-term basis. With up to 256 GB linear addressable main memory capacity and the state-of-the-art Intel Xeon Multi-Core processors , the 4-socket server RX600 S4 is the perfect platform to operate performance-hungry back-end services, such as large database systems, ERP and CRM applications, e-commerce systems or as a corporate messaging platform. Its integrated redundancy functions mean high-availability and constant efficient IT production - the main feature of this server platform. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-in-class“ efficiency.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX600 S5					
	PY RX600S5	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); 8x hot plug fans (redundant); system board for 4x XEON 7500 CPUs; 2x memory board for max. 4x4 DDR3 DIMM modules; 8 drive bays for hot plug 2.5" SAS/SATA HDDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4x GBit LAN Ports) WOL capable; SAS RAID Controller optional; LocalView LCD Display; ServerView Suite Software Package,	S26361-K1287-V400	3.872,00	

PRIMECENTER

Data Sheets: http://ts.fujitsu.com/primergy

PRIMECENTER - 19-inch rack system
19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, SPARC Enterprise, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for SPARC Enterprise, PRIMEPOWER, PRIMEQUEST, PRIMERGY, Fujitsu storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here; this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.
New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremly low price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY PRIMECENTER Rack					
	PRIMECENTER COM Rack, 38HE	19" rack (38U) for structured network cabling, stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, with add. 100mm side space, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V253	5.101,00	
	PRIMECENTER Rack 12 U, 1000 deep	19" rack (12U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting kit for stack fixing, mounting frame 1x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 670x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V101	1.697,00	
	PRIMECENTER Rack 24 U, 1000 deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V102	1.856,00	
	PRIMECENTER Rack 38 U, 1000 deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V103	2.176,00	
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104	2.495,00	

PRIMECENTER

Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY PRIMECENTER Rack (Continued)					
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212	2.016,00	
	PRIMECENTER Rack 38HU, 1100mm deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V213	2.335,00	
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214	2.654,00	
	PCR LC-RACK 38U Byp CTRL	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V130	13.644,00	
	PCR LC-RACK 38U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V135	15.399,00	

PRIMECENTER

Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY PRIMECENTER Rack (Continued)					
	PCR LC-RACK 46U Byp CTRL	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V230	13.803,00	
	PCR LC-RACK 46U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V235	15.559,00	

PRIMECENTER SME Rack

Data Sheets: http://ts.fujitsu.com/primergy

IIndustry Standard Rack
19-inch PRIMECENTER SME in Height of 42 and 24 units
The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

- Asymmetrical design for ideal cable routing and best air flow
- Capacity 24 or 42 height units, no extra vertical height units
- Capacity 24 or 42 are now also available in 1100mm depth, instead of only 1000mm.
- Full serviceability of servers thanks to telescopic rails for servers with hot-replace components
- All released components for PRIMECENTER rack family can be used as well
- All Fujitsu Siemens rack servers and subsystems, as well as 3rd party rack servers (which fits into PRIMECENTER Racks) can be
- installed under the same conditions and restrictions (specially for servers with higher weight)
- No anti tilt protection as standard, rack has to be fixed at the ground floor
- Options available on demand at supplier
- Anti tilt protection, roll base, combination lock with numbers, etc

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Rack-Infrastructure					
	Starter-kit 1 for SME rack	PDU, dummy panels, screws, delivery without fixtures es factory	S26361-F2735-L300	207,00	
	SME Rack 24 U, 1000mm deep, 700mm wide	SME Rack 24 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L24	824,00	
	SME Rack 42 U, 1000mm deep, 700mm wide	SME Rack 42 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L42	931,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																				
Processor																																				
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x														S26361-F3277-L186	335,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																			x													S26361-F3277-L200	335,00	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x														S26361-F3278-L200	388,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x	x													S26361-F3278-L213	388,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																			x													S26361-F3278-L226	457,00	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x														S26361-F3279-L226	628,00	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x														S26361-F3279-L240	878,00	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x														S26361-F3279-L253	1.218,00	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x														S26361-F3280-L267	1.574,00	Phased out
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x														S26361-F3280-L280	1.915,00	Phased out
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x														S26361-F3280-L293	2.250,00	Phased out
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink																		x														S26361-F3281-L213	707,00	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																		x														S26361-F3281-L226	878,00	Phased out
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																		x														S26361-F3281-L240	1.218,00	Phased out
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink											x																					S26361-F3286-L186	335,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink												x																				S26361-F3286-L200	335,00	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink											x																					S26361-F3287-L200	388,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink											x																					S26361-F3287-L213	388,00	Phased out
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink												x																					S26361-F3287-L226	457,00	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x																					S26361-F3288-L226	628,00	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x																					S26361-F3288-L240	878,00	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x																					S26361-F3288-L253	1.218,00	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x																					S26361-F3289-L266	1.574,00	Phased out
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x																					S26361-F3289-L280	1.915,00	Phased out
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x																					S26361-F3289-L293	2.250,00	Phased out
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink											x																					S26361-F3290-L213	707,00	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink											x																					S26361-F3290-L226	878,00	Phased out
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink											x																					S26361-F3290-L240	1.218,00	Phased out
	Intel® Xeon® W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																		x														S26361-F3337-L333	2.590,00	Phased out
	Xeon MP E7220 2.93GHz 2x4MB 1066MHz	Intel® Xeon® processor E7220 (2C, 2.93 GHz, SLC: 2 x 4 MB, TLC: -, 1066 MHz, 80 W) incl. heat sink																									x							S26361-F3487-L220	1.867,00	Phased out

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																				
Processor (Continued)																																				
	Xeon MP E7310 1.60GHz 2x2MB 1066MHz	Intel® Xeon® processor E7310 (4C, 1.60 GHz, SLC: 2 x 4 MB, TLC: -, 1066 MHz, 80 W) incl. heat sink																								x								S26361-F3487-L310	1.394,00	Phased out
	Xeon MP E7330 2.40GHz 2x3MB 1066MHz	Intel® Xeon® processor E7430 (4C, 2.13 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz, 90 W) incl. heat sink																								x								S26361-F3487-L330	2.207,00	Phased out
	Xeon MP E7430 2.13GHz 12MB 1066MHz	Intel® Xeon® processor E7430 (4C, 2.13 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz, 90 W) incl. heat sink																								x								S26361-F3487-L430	2.207,00	Phased out
	Xeon MP E7450 2.40GHz 12MB 1066MHz	Intel® Xeon® processor E7450 (6C, 2.40 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz, 90 W) incl. heat sink																								x								S26361-F3487-L450	3.548,00	Phased out
	Xeon MP X7460 2.67GHz 16MB 1066MHz	Intel® Xeon® processor X7460 (6C, 2.66 GHz, SLC: 3 x 3 MB, TLC: 16 MB, 1066 MHz, 130 W) incl. heat sink																								x								S26361-F3487-L460	4.335,00	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																			x													S26361-F3618-L240	628,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																			x													S26361-F3618-L253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																			x													S26361-F3618-L266	1.218,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																			x													S26361-F3619-L266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																			x													S26361-F3619-L280	1.915,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																			x													S26361-F3619-L293	2.250,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																			x													S26361-F3619-L333	2.590,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																			x													S26361-F3621-L186	707,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																			x													S26361-F3622-L213	878,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																			x													S26361-F3622-L226	1.574,00	
	Opteron 2344 HE 1.7GHz 2MB	AMD Opteron? 2344 HE (4C, 1.70 GHz, TLC: 2 MB, Turbo: No, 55 W) incl. heat sink																				x												S26361-F3862-L170	388,00	Phased out
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5405 (4C, 2.00 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink										x																						S26361-F3880-L200	441,00	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5420 (4C, 2.50 GHz, TLC: 2 x 6 MB, Turbo: No, 80 W) incl. heat sink										x																						S26361-F3880-L250	660,00	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5430 (4C, 2.66 GHz, TLC: 2 x 6 MB, Turbo: No, 80 W) incl. heat sink										x																						S26361-F3880-L266	920,00	Phased out
	Xeon DP E5440 2.83 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5440 (4C, 2.83 GHz, TLC: 2 x 6 MB, Turbo: No, 80 W) incl. heat sink										x																						S26361-F3880-L283	1.303,00	Phased out
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor L5420 (4C, 2.50 GHz, TLC: 2 x 6 MB, Turbo: No, 50 W) incl. heat sink										x																						S26361-F3880-L550	745,00	Phased out
	Xeon DP E5205 1.86 GHz 6MB 1066MHz	Intel® Xeon® processor E5205 (4C, 1.86 GHz, TLC: 6 MB, Turbo: No, 65 W) incl. heat sink										x																						S26361-F3881-L186	404,00	Phased out
	Xeon DP X5260 3.33 GHz 6MB 1333MHz	Intel® Xeon® processor X5260 (2C, 3.33 GHz, TLC: 6 MB, Turbo: No, 80 W) incl. heat sink										x																						S26361-F3881-L333	1.601,00	Phased out
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5405 (4C, 2.00 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																	x															S26361-F3882-L200	441,00	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5420 (4C, 2.50 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																	x															S26361-F3882-L250	660,00	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5430 (4C, 2.66 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																	x															S26361-F3882-L266	920,00	Phased out
	Xeon DP X5460 3.16 GHz 2x6MB 1333MHz	Intel® Xeon® processor X5460 (4C, 3.16 GHz, SLC: 2 x 6 MB, 1333 MHz, 120 W) incl. heat sink																	x															S26361-F3882-L316	2.186,00	Phased out
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor L5420 (4C, 2.50 GHz, SLC: 2 x 6 MB, 1333 MHz, 50 W) incl. heat sink																	x															S26361-F3882-L550	745,00	Phased out
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel® Xeon® processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink																									x							S26361-F3999-L520	1.394,00	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB	Intel® Xeon® processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 W) incl. heat sink																									x							S26361-F3999-L530	2.207,00	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																									x							S26361-F3999-L540	3.149,00	
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB	Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink																									x							S26361-F3999-L542	3.149,00	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB	Intel® Xeon® processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 96 W) incl. heat sink																									x							S26361-F3999-L545	3.431,00	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																									x							S26361-F3999-L550	4.335,00	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB	Intel® Xeon® processor L7555 (8C/16T, 1.86 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5, 5.86 GT/s, 95 W) incl. heat sink																									x							S26361-F3999-L555	5.011,00	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																									x							S26361-F3999-L560	5.851,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																				
Processor (Continued)																																				
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink												x																				S26361-F4417-L266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink												x																				S26361-F4417-L280	1.915,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink												x																				S26361-F4417-L293	2.250,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink												x																				S26361-F4417-L333	2.590,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink												x																				S26361-F4419-L240	628,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink												x																				S26361-F4419-L253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink												x																				S26361-F4419-L266	1.218,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink												x																				S26361-F4420-L186	707,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink												x																				S26361-F4421-L213	878,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink												x																				S26361-F4421-L240	1.574,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3																														x		S26361-F4470-L100	2.122,00	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) without heat sink																														x		S26361-F4471-L540	3.149,00	Orderable from: 30/09/2010
	Intel Xeon X7542 6C/6T 2.66 GHz 12 MB	Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) without heat sink																														x		S26361-F4471-L542	3.149,00	Orderable from: 30/09/2010
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink																														x		S26361-F4471-L550	4.335,00	Orderable from: 30/09/2010
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink																														x		S26361-F4471-L560	5.851,00	Orderable from: 30/09/2010
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink												x																				S26361-F4479-L213	388,00	
Memory																																				
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533			x	x																												S26361-F3000-L514	64,00	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533			x	x																												S26361-F3000-L515	112,00	Phased out
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz								x							x																	S26361-F3072-L522	197,00	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz								x							x																	S26361-F3072-L523	426,00	Phased out
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																						x	x									S26361-F3072-L624	878,00	Phased out
	Memory Board Kit RX600 S4	2 Memory Boards with 8 DIMM Slots each																									x							S26361-F3125-L440	319,00	Phased out
	MEM 1GB 2x512 DDR400 PC3200 rg ECC	2 modules 512MB each, registerd DDR1 400MHz													x																			S26361-F3166-L521	285,00	Phased out
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC									x							x																S26361-F3230-L522	202,00	Phased out
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC									x							x																S26361-F3230-L523	330,00	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC									x							x																S26361-F3230-L524	463,00	Phased out
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x																										S26361-F3335-L513	48,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x																										S26361-F3335-L514	108,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x																										S26361-F3335-L515	314,00	
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC	2 modules, registered DDR2 800MHz with SDDC																					x											S26361-F3550-L512	223,00	
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC	2 modules, registered DDR2 800MHz with SDDC																					x											S26361-F3550-L513	441,00	
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz					x																											S26361-F3870-L514	53,00	Phased out
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz					x																											S26361-F3870-L515	90,00	Phased out
	Memory Board RX600 S5	Memory board for up to two set´s of DDR3 memory (with 4 DIMMs each)																										x						S26361-F3990-L100	255,00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg s	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																														x		S26361-F4472-L643	468,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																														x		S26361-F4472-L644	872,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																														x		S26361-F4472-L645	2.128,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																														x		S26361-F4472-L646	6.170,00	Orderable from: 27/09/2010
	Memory Board	for additional 3 DIMM pairs, necessary for mirroring																		x														S26361-F3263-L310	154,00	Phased out
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										x						S26361-F4003-L643	468,00	
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		x														S26361-F3263-L522	202,00	Phased out
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										x						S26361-F4003-L644	872,00	
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																									x							S26361-F3263-L623	330,00	Phased out

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																				
Memory (Continued)																																				
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																									x							S26361-F4003-L645	2.128,00	
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																	x															S26361-F3263-L523	330,00	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																								x								S26361-F3263-L624	463,00	Phased out
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																									x							S26361-F4003-L646	6.170,00	Orderable from: 27/09/2010
	16GB 2x8GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																									x							S26361-F3263-L625	1.851,00	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																	x															S26361-F3263-L524	463,00	Phased out
	4 GB DDR3 1066 MHz PC3-8500 rg q ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM						x																										S26361-F3336-L517	218,00	
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																											x	x				S26361-F3072-L824	878,00	Phased out
Graphics																																				
	Front-VGA interface	2nd optional VGA interface front side																			x	x												S26361-F2571-L16	21,00	
	PY VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB PCIe-x1 graphic card				x				x																								S26361-F2748-L531	229,00	Phased out
	PY VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card											x	x																				S26361-F2748-L533	144,00	
	PY LP VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card					x	x													x	x	x											S26361-F2748-L633	144,00	
Removable Media Drives																																				
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black						x					x	x							x	x						x				x		S26361-F3269-L2	96,00	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black						x					x	x							x	x						x				x		S26361-F3531-L2	271,00	
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height																					x											SNP:SY-F2234L1-A	43,00	Phased out
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, anthracite					x					x							x							x							S26361-F3269-L1	122,00	Phased out
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)																								x								S26361-F3857-L1	170,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)																									x							S26361-F3857-L4	170,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)																			x	x												S26361-F3857-L5	170,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable																			x	x												S26361-F3857-L7	223,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US), data and cleaning cartridge																									x							S26361-F3324-L4	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge																			x	x												S26361-F3324-L5	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), data and cleaning cartridge																			x	x												S26361-F3324-L7	585,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with data and cleaning cartridge												x																				S26361-F3325-L4	798,00	
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, , with data and cleaning cartridge																					x				x							S26361-F3225-L3	819,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																									x							S26361-F4009-L4	1.511,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI	U320 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge																								x	x							S26361-F3459-L3	2.473,00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																									x							S26361-F3561-L4	1.851,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge																									x	x						S26361-F3626-L1	2.606,00	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge																									x							S26361-F3963-L3	2.606,00	Phased out
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																									x							S26361-F3963-L4	2.606,00	Phased out
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge																									x							S26361-F3627-L1	3.138,00	
SCSI/RAID/SAS controller																																				
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI													x	x	x	x					x	x	x	x			x	x	x		x	S26361-F2399-L1	314,00	Phased out
	Risercard 2xPCI-X 1xPCIe option	encludes 3 slots for PCI-cards (2x PCI-X, 1x PCIe x8)																					x											S26361-F2622-L11	27,00	
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI	x	x	x	x			x	x						x	x	x																S26361-F2737-L201	314,00	Phased out
	BBU Modul for RAID Controller	BBU modul for RAID controller								x													x											S26361-F3085-L10	165,00	Phased out
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU																					x											S26361-F3085-L2	298,00	Phased out
	68-Pin Kit for int. access. SCSI drives	Cable with terminator																					x											S26361-F3120-L30	43,00	Phased out
	SCSI-Cable for internal Tapes x600 Sx	for connetion of internal Tapes																							x	x	x							S26361-F3128-L101	106,00	Phased out
	BBU Module RAID Contr. RX600 S4	BBU modul for RAID onboard controller																									x							S26361-F3128-L420	223,00	
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.										x											x		x	x	x							S26361-F3215-L1	814,00	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP																					x		x	x	x							S26361-F3215-L10	234,00	Phased out
	RAID Ctrl SAS 8 Port 256MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.																x	x															S26361-F3215-L201	814,00	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LP LSI	BBU Upgrade for LSI 8344ELP																x	x															S26361-F3215-L210	234,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB										x							x				x											S26361-F3257-L10	202,00	
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm						x					x	x							x	x						x				x		S26361-F3257-L110	176,00	
	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs											x	x																				S26361-F3257-L250	27,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
SCSI/RAID/SAS controller (Continued)																																			
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU										x	x						x	x														S26361-F3257-L256	404,00	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU																				x												S26361-F3257-L258	404,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports						x				x	x	x													x	x						S26361-F3257-L4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU										x	x						x	x														S26361-F3257-L512	452,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports											x						x	x	x													S26361-F3257-L8	144,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI																									x	x						S26361-F3270-L1	207,00	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile					x	x				x	x	x					x	x	x													S26361-F3270-L201	207,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068																									x	x				x		S26361-F3271-L1	223,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile					x	x				x	x	x					x	x	x	x												S26361-F3271-L201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port						x						x							x	x						x				x		S26361-F3554-L512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports						x						x							x	x												S26361-F3554-L8	176,00	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU						x					x	x							x	x						x	x					S26361-F3593-L501	628,00	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E										x								x														S26361-F3890-L11	234,00	Phased out
	RAID Ctrl SAS 8Port opt Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8880E																									x							S26361-F3890-L12	186,00	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E											x							x														S26361-F3890-L13	186,00	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU										x	x						x	x							x							S26361-F3890-L501	628,00	
Fibre Channel																																			
	FC Ctrl 2GBit/s QLA2340 MMF LC	QLA2340, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC inferface													x	x	x	x				x	x	x				x	x	x				S26361-F3097-L1	1.856,00	Phased out
	FC Ctrl 2GBit/s QLA2340 MMF LC LP	QLA2340, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface							x	x						x	x	x															S26361-F3097-L201	1.856,00	Phased out
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60															x						x											S26361-F3122-L1	803,00	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface													x								x		x	x	x	x						S26361-F3306-L1	1.043,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface													x								x		x	x	x	x						S26361-F3306-L2	1.527,00	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC inferface									x	x	x	x				x	x	x	x	x												S26361-F3306-L201	1.043,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC inferface									x	x	x	x				x	x	x	x	x												S26361-F3306-L202	1.527,00	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																				x			x	x	x							S26361-F3483-L1	1.106,00	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																				x			x	x	x							S26361-F3483-L2	1.660,00	
	FC Ctrl 4GBit/s QLE2460 MMF LC LP	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.									x	x	x	x				x	x	x	x	x												S26361-F3483-L201	1.106,00	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.									x	x	x	x				x	x	x	x	x												S26361-F3483-L202	1.660,00	
	FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																									x	x				x		S26361-F3961-L1	1.144,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																									x	x				x		S26361-F3961-L2	1.766,00	
	FC CTRL 8GBIT/S LPE1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber										x	x	x					x	x	x													S26361-F3961-L201	1.144,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber										x	x	x					x	x	x													S26361-F3961-L202	1.766,00	
Communication/Network																																			
	X.25 Ctrl Dual X.21 Eicon S94 V2 (R)	WAN-Controller; incl. 2x X.21 DCE connection cable on X.25, Frame Relay and SNA network														x	x	x																S26361-F2610-L3	3.367,00	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter							x						x	x	x	x				x	x					x	x	x				S26361-F3142-L1	80,00	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter								x					x			x				x								x				S26361-F3142-L2	80,00	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile	x	x	x	x			x	x	x					x	x	x																S26361-F3142-L201	80,00	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter													x		x	x						x	x									S26361-F3227-L2	239,00	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI			x	x				x	x						x	x	x															S26361-F3227-L202	239,00	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter													x								x		x	x	x	x				x		S26361-F3228-L1	186,00	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter				x	x	x			x	x	x	x					x	x	x	x												S26361-F3228-L201	186,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter													x								x				x							S26361-F3241-L1	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter				x	x	x			x	x	x	x					x	x	x	x												S26361-F3241-L201	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel Pro 1000PF 1 Port Server Adapter													x								x		x	x	x			x				S26361-F3242-L1	388,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter				x	x	x			x	x	x	x					x	x	x	x												S26361-F3242-L201	388,00	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket																					x				x	x	x			x		S26361-F3462-L1	521,00	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket					x	x				x	x	x					x	x	x	x												S26361-F3462-L201	521,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel GBit CT 1 Port Desktop Adapter																				x												S26361-F3516-L1	64,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel GBit CT 1 Port Desktop Adapter lp					x	x				x	x	x						x	x	x												S26361-F3516-L201	64,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu						x						x								x										x		S26361-F3610-L501	165,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu						x						x								x						x				x		S26361-F3611-L501	399,00	
	IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR												x								x						x						S26361-F4475-L102	931,00	Orderable from: 15/09/2010
	IB HCA 40GB 2 Kanal QDR	InfiniBand HCA 40GB/s, 2-port, QDR												x								x						x						S26361-F4475-L202	1.324,00	Orderable from: 15/09/2010
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable						x					x	x							x	x												S26361-F3592-L202	1.468,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8, SFP+ for opt. module or Twinax cable																									x	x						S26361-F3592-L2	1.468,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
Communication/Network (Continued)																																			
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102						x				x	x						x	x						x	x			x			S26361-F3592-L108	426,00	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC	Intel 10 Gigabit XF SR Dual Port Server Adapter																								x							S26361-F3505-L1	3.936,00	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC lp	Intel 10 Gigabit XF SR Dual Port Server Adapter										x	x						x	x	x												S26361-F3505-L201	3.936,00	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables						x					x								x						x				x			S26361-F3555-L501	691,00	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC						x					x								x						x				x			S26361-F3555-L900	628,00	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter	x						x					x	x	x	x	x				x	x	x	x			x	x	x		x	x	S26361-F3011-L1	239,00	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter							x					x	x	x	x					x	x	x	x			x	x	x		x	x	S26361-F3053-L1	138,00	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile	x	x	x	x			x	x	x				x	x	x	x																S26361-F3053-L201	138,00	Phased out
Rack-Infrastructure																																			
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw, , Rack installation depth (19" pillar distance) between 714mm and 785mm					x	x				x	x	x					x	x	x	x												S26361-F2735-L101	59,00	
	RMK-F1_RX600 S4	full extraction with vario-carrier, pre-assembled with centre screw																								x								S26361-F2735-L106	80,00	
	Rack Mount Kit for RX900																														x			S26361-F2735-L109	191,00	
	RMK-P_1-2U servers	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw;, Rack installation depth (19? pillar distance) between 714mm and 785mm					x	x				x	x	x					x	x	x	x												S26361-F2735-L110	59,00	
	Cable carrying plate DC-/PC-racks	additional tray for sidewise routing and filing of cable bulks for DC-, PC- racks																				x									x			S26361-F2735-L20	43,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and 785mm																									x							S26361-F2735-L202	69,00	
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200Kg																													x			S26361-F2735-L31	32,00	
	cage nut set, M5, t=2,5mm	Content: 50 pieces			x	x					x				x			x				x				x	x			x				S26361-F2735-L500	53,00	
	Cable magmt. for 19" PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2					x	x				x							x	x	x	x					x	x			x			S26361-F2735-L7	32,00	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks			x	x	x	x			x	x	x	x	x			x				x			x				x					S26361-F2735-L8	32,00	
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks	x						x							x			x	x	x		x			x	x	x			x		x	S26361-F2201-L20	53,00	
PRIMERGY-Software																																			
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x					x							x				x												S26361-F1790-L240	319,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x	x				x	x	x					x	x	x						x	x			x			S26361-F1790-L241	319,00	
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: EN DE ES FR JA, ROK DVD, license					x	x				x	x	x					x	x	x	x					x	x			x			S26361-F2565-L315	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license					x	x				x	x	x					x	x	x	x					x	x			x			S26361-F2565-L316	707,00	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x	x					x	x					x	x	x	x					x	x			x			S26361-F2565-L317	27,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x	x					x	x					x	x	x	x					x	x			x			S26361-F2565-L318	27,00	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, ROK DVD, license					x	x				x	x	x					x	x	x	x					x	x			x			S26361-F2565-L325	2.160,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license					x	x				x	x	x					x	x	x	x					x	x			x			S26361-F2565-L326	2.160,00	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x	x					x	x					x	x	x	x					x	x			x			S26361-F2565-L327	27,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x	x					x	x					x	x	x	x					x	x			x			S26361-F2565-L328	27,00	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x				x	x	x					x	x	x	x					x	x		x	x			S26361-F2565-L340	24,00	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x				x	x	x					x	x	x	x					x	x		x	x			S26361-F2565-L341	117,00	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x				x	x	x					x	x	x	x					x	x		x	x			S26361-F2565-L342	24,00	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x				x	x	x					x	x	x	x					x	x		x	x			S26361-F2565-L343	117,00	
	Win SBS 2008 CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)					x	x					x	x					x	x	x	x												S26361-F2565-L346	60,00	
	Win SBS 2008 CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)					x	x					x	x					x	x	x	x												S26361-F2565-L347	60,00	
	Win SBS 2008 CAL (5 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)					x	x					x	x					x	x	x	x												S26361-F2565-L348	282,00	
	Win SBS 2008 CAL (5 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)					x	x					x	x					x	x	x	x												S26361-F2565-L349	282,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
PRIMERGY-Software (Continued)																																			
	Win SBS 2008 Standard ROK, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x														S26361-F2565-L350	702,00	
	Win SBS 2008 Standard ROK, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x														S26361-F2565-L351	702,00	
	Win SBS 2008 Standard ROK, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x														S26361-F2565-L352	702,00	
	Win SBS 2008 Standard ROK, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x														S26361-F2565-L353	702,00	
	Win SBS 2008 Standard ROK, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x														S26361-F2565-L354	702,00	
	Win SBS 2008 Standard ROK, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x														S26361-F2565-L355	702,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
PRIMERGY-Software (Continued)																																			
	Win SBS 2008 Premium ROK, GB	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x													S26361-F2565-L360	1.218,00	
	Win SBS 2008 Premium ROK, D	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x													S26361-F2565-L361	1.218,00	
	Win SBS 2008 Premium ROK, I	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x				x	x	x	x													S26361-F2565-L362	1.218,00	
	Win SBS 2008 Premium CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 Device); multi-language CAL; for use on SBS 2008 Premium required for SQL.					x	x				x	x				x	x	x	x													S26361-F2565-L368	138,00	
	Win SBS 2008 Premium CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 User); multi-language CAL; for use on SBS 2008 Premium required for SQL.					x	x				x	x				x	x	x	x													S26361-F2565-L369	138,00	
	Win EBS 2008 Standard ROK, GB	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.									x	x	x				x	x	x													S26361-F2565-L370	4.181,00	Phased out
	Win EBS 2008 Standard ROK, D	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.									x	x	x				x	x	x													S26361-F2565-L371	4.181,00	Phased out

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
PRIMERGY-Software (Continued)																																			
	Win EBS 2008 Standard ROK, I	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.									x	x	x					x	x	x														S26361-F2565-L372	4.181,00	Phased out
	Win EBS 2008 CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).										x	x	x					x	x	x													S26361-F2565-L378	324,00	Phased out
	Win EBS 2008 CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).										x	x	x					x	x	x													S26361-F2565-L379	324,00	Phased out
	Win EBS 2008 Premium ROK, GB	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.									x	x	x					x	x	x														S26361-F2565-L380	5.484,00	Phased out
	Win EBS 2008 Premium ROK, D	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.									x	x	x					x	x	x														S26361-F2565-L381	5.484,00	Phased out
	Win EBS 2008 Premium ROK, I	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.									x	x	x					x	x	x														S26361-F2565-L382	5.484,00	Phased out
	Win EBS 2008 Premium CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.										x	x	x					x	x	x													S26361-F2565-L388	782,00	Phased out
	Win EBS 2008 Premium CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.										x	x	x					x	x	x													S26361-F2565-L389	782,00	Phased out
	iSCSI SW Target 3.2 (64-bit) EMB	including update 1																		x	x													S26361-F2565-L564	11,00	
	MS SysCtr Essntls 2010 TUP	MS System Center Essentials 2010 Technology Upgrade. For eligible customers only. Requires a Request for Special Release. English. OEM DVD, License.					x	x				x	x	x					x	x	x	x					x	x				x			S26361-F2567-L15	27,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.					x	x				x	x	x					x	x	x	x					x	x				x			S26361-F2567-L20	431,00	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.					x	x				x	x	x					x	x	x	x					x	x				x			S26361-F2567-L30	122,00	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.					x	x																											S26361-F2567-L306	186,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
PRIMERGY-Software (Continued)																																			
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2567-L31	96,00	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.					x	x				x	x	x						x	x	x				x	x				x			S26361-F2567-L310	633,00	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2567-L32	484,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.					x	x				x	x	x						x	x	x				x	x				x			S26361-F2567-L320	1.963,00	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.					x	x				x	x	x						x	x	x				x								S26361-F2567-L330	3.074,00	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.					x	x				x	x	x						x	x	x				x	x				x			S26361-F2567-L34	324,00	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.					x	x				x	x	x						x	x	x				x	x				x			S26361-F2567-L340	85,00	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.					x	x				x	x	x						x	x	x				x	x				x			S26361-F2567-L341	415,00	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.					x	x				x	x	x						x	x	x				x	x				x			S26361-F2567-L342	85,00	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.					x	x				x	x	x						x	x	x				x	x				x			S26361-F2567-L343	415,00	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License												x								x												S26361-F2567-L360	846,00	Orderable from: 15/10/2010
	USB Flash Module 16GB intern	USB Flash Module 16GB intern																			x												S26361-F3299-L16	367,00	
	FF4O-RE-AN Mono Server 2-Core	FF4O RE ApplicationNode RTU for server with one 2-core CPU										x						x	x								x	x				x		U26004-C401	2.000,00	
	FF4O-RE-AN Mono Server 4-Core	FF4O RE ApplicationNode RTU for server with one 4-core CPU										x						x	x								x	x				x		U26004-C402	4.000,00	
	FF4O-RE-AN Dual Server 2-Core	FF4O RE ApplicationNode RTU for Server with two 2-core CPU										x						x	x								x	x				x		U26004-C403	4.000,00	
	FF4O-RE-AN Dual Server 4-Core	FF4O RE ApplicationNode RTU for Server with two 4-core CPU										x						x	x								x	x				x		U26004-C404	7.000,00	
	FF4O-RE Spare Mono Server 2-Core	FF4O RE RTU for spare server with one 2-core CPU										x						x	x								x	x				x		U26004-C405	1.000,00	
	FF4O-RE Spare Mono Server 4-Core	FF4O RE RTU for spare server with one 4-core CPU										x						x	x								x	x				x		U26004-C406	2.000,00	
	FF4O-RE Spare Dual Server 2-Core	FF4O RE RTU for spare server with two 2-core CPU										x						x	x								x	x				x		U26004-C407	2.000,00	
	FF4O-RE Spare Dual Server 4-Core	FF4O RE RTU for spare server with two 4-core CPU										x						x	x								x	x				x		U26004-C408	3.500,00	
	PRIMERGY MultiPath MPIO Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2565-L592	468,00	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2565-L593	931,00	
	PRIMERGY MultiPath Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2565-L594	468,00	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2565-L595	931,00	
	PRIMERGY DuplexDataManager Upgr. to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY DuplexDataManager. CD-ROM and License.					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2565-L590	1.463,00	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2565-L591	2.920,00	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x				x			U15000-C176	229,00	
	RemoteDeploy 4.1 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!	x	x	x	x			x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		U15000-C288	64,00	Phased out
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x							U15000-C289	27,00	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299	32,00	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C300	149,00	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301	64,00	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1-Year subscription renewal					x	x																										S26361-F2346-L601	154,00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal										x	x	x						x	x	x				x	x				x			S26361-F2346-L611	265,00	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal					x	x				x	x	x						x	x	x				x	x				x			S26361-F2346-L621	531,00	
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3-Years																		x														S26361-F2346-L669	1.088,00	
	Debian FSE Basic Support 1Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year				x	x				x	x	x					x	x	x		x												S26361-F2346-L411	101,00	
	Debian FSE Basic Support 3Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years				x	x				x	x	x					x	x	x		x												S26361-F2346-L412	243,00	
	Debian FSE Standard Support 1Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year				x	x				x	x	x					x	x	x		x												S26361-F2346-L415	261,00	
	Debian FSE Standard Support 3Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years				x	x				x	x	x					x	x	x		x												S26361-F2346-L416	626,00	
	Debian FSE Premium Support 1Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year				x	x				x	x	x					x	x	x		x												S26361-F2346-L417	527,00	
	Debian FSE Premium Support 3Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years				x	x				x	x	x					x	x	x		x												S26361-F2346-L418	1.264,00	
	VMware ESXi 4.0 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x					x	x					x	x	x	x					x	x				x			S26361-F2341-L500	11,00	
	VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x					x	x				x			S26361-F2341-L504	859,00	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x					x	x				x			S26361-F2341-L505	859,00	
	VMware Upgrade ESXi to ADV w/o SP-1yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x					x	x				x			S26361-F2341-L508	1.936,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
PRIMERGY-Software (Continued)																																			
	VMware Upgrade ESXi to ADV w/o SP-3yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L509	1.936,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L512	3.016,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L513	3.016,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L514	859,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L515	859,00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L518	1.936,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License						x			x	x	x	x			x	x	x	x	x	x			x	x	x		x	x	x			S26361-F2341-L300	85,00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L519	1.936,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L520	2.479,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L521	2.479,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L522	3.016,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L523	3.016,00	
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L530	1.187,00	
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L531	1.187,00	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L540	2.373,00	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L541	2.373,00	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L542	1.186,00	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L543	1.186,00	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L544	596,00	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L545	596,00	
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L546	3.346,00	
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L547	3.346,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!,						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L571	15.367,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L557	4.303,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!					x	x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L559	1.293,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L562	3.017,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!						x				x	x	x					x	x	x	x				x	x				x			S26361-F2341-L563	3.017,00	
OS/Application-SW																																			
	ARCserve r12.5 WIN SAN Opt. P+1Yr Mnt	ARCserve r12.5 WIN SAN Opt. P+1Yr Mnt					x					x							x	x	x	x									x			U15355-C2502-M1	1.800,00	
	UP ARCserve r12.5 WIN SAN P+1Yr Mnt	UP ARCserve r12.5 WIN SAN P+1Yr Mnt					x					x							x	x	x	x									x			U15355-C2502-M1U	1.440,00	
	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt					x	x				x		x					x	x	x	x					x				x			U15355-C2502-M3	2.520,00	
	UP ARCserve r12.5 WIN SAN P+3Yr Mnt	UP ARCserve r12.5 WIN SAN P+3Yr Mnt					x					x							x	x	x	x									x			U15355-C2502-M3U	2.160,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12.5 WIN Disaster Recov. O.	CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2503	713,00	
	UP CA ARCserve r12.5 WIN Disas. Rec. Op.	Upgrade from CA ARCserve Backup for Windows Disaster Recovery Option r11.x or r12.0., CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2503-U	535,00	
	ARCserve r12.5 W NDMP NAS P+1Yr Mnt	ARCserve r12.5 W NDMP NAS P+1Yr Mnt					x					x							x	x	x	x									x			U15355-C2504-M1	1.123,00	
	UP ARCserve r12.5 W NDMP N. P+1Yr Mnt	UP ARCserve r12.5 W NDMP N. P+1Yr Mnt					x					x							x	x	x	x									x			U15355-C2504-M1U	898,00	
	ARCserve r12.5 W NDMP NAS P+3Yr Mnt	ARCserve r12.5 W NDMP NAS P+3Yr Mnt					x					x							x	x	x	x									x			U15355-C2504-M3	1.572,00	
	UP ARCserve r12.5 W NDMP N. P+3Yr Mnt	UP ARCserve r12.5 W NDMP N. P+3Yr Mnt					x					x							x	x	x	x									x			U15355-C2504-M3U	1.348,00	
	CA ARCserve r12.5 WIN Open Files Agent	CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2505	816,00	
	UP CA ARCserve r12.5 WIN Open Files Agnt	Upgrade from CA ARCserve Backup Agent for Open Files on Windows r11.x or r12.0, CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2505-U	612,00	
	ARCserve r12.5 Ag. Informix P+1Yr Mnt	ARCserve r12.5 Ag. Informix P+1Yr Mnt					x					x							x	x	x	x									x			U15355-C2506-M1	1.462,00	
	UP ARCserve r12.5 Ag. Informix P+1Yr Mnt	UP ARCserve r12.5 Ag. Informix P+1Yr Mnt					x					x							x	x	x	x									x			U15355-C2506-M1U	1.169,00	
	ARCserve r12.5 Ag. Informix P+3Yr Mnt	ARCserve r12.5 Ag. Informix P+3Yr Mnt					x					x							x	x	x	x									x			U15355-C2506-M3	2.046,00	
	UP ARCserve r12.5 Ag. Informix P+3Yr Mnt	UP ARCserve r12.5 Ag. Informix P+3Yr Mnt					x					x							x	x	x	x									x			U15355-C2506-M3U	1.754,00	
	CA ARCserve r12.5 WIN MS Exchange Agent	CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2507	1.021,00	
	UP CA ARCserve r12.5 WIN MS Exch. Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft Exchcange r11.x or r12.0, CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2507-U	681,00	
	ARCserve r12.5 WIN Lot./Dom. P+1Yr Mnt	ARCserve r12.5 WIN Lot./Dom. P+1Yr Mnt					x					x							x	x	x	x									x			U15355-C2508-M1	1.123,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP ARCserve r12.5 W Lot./Dom. P+1Yr Mnt	UP ARCserve r12.5 W Lot./Dom. P+1Yr Mnt					x					x							x	x	x	x									x		U15355-C2508-M1U	898,00	
	ARCserve r12.5 WIN Lot./Dom. P+3Yr Mnt	ARCserve r12.5 WIN Lot./Dom. P+3Yr Mnt					x					x							x	x	x	x									x		U15355-C2508-M3	1.572,00	
	UP ARCserve r12.5 W Lot./Dom. P+3Yr Mnt	UP ARCserve r12.5 W Lot./Dom. P+3Yr Mnt					x					x							x	x	x	x									x		U15355-C2508-M3U	1.348,00	
	ARCserve r12.5 WIN Sybase P+1Yr Mnt	ARCserve r12.5 WIN Sybase P+1Yr Mnt					x					x							x	x		x									x		U15355-C2509-M1	1.123,00	
	UP ARCserve r12.5 WIN Sybase P+1Yr Mnt	UP ARCserve r12.5 WIN Sybase P+1Yr Mnt					x					x							x	x	x	x									x		U15355-C2509-M1U	898,00	
	ARCserve r12.5 WIN Sybase P+3Yr Mnt	ARCserve r12.5 WIN Sybase P+3Yr Mnt					x					x							x	x	x	x									x		U15355-C2509-M3	1.572,00	
	UP ARCserve r12.5 WIN Sybase P+3Yr Mnt	UP ARCserve r12.5 WIN Sybase P+3Yr Mnt					x					x							x	x	x	x									x		U15355-C2509-M3U	1.348,00	
	CA ARCserve r12.5 WIN MS SQL Agent	CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x		U15355-C2511	1.021,00	
	UP CA ARCserve r12.5 WIN MS SQL Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft SQL r11.x or r12.0, CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x		U15355-C2511-U	766,00	
	CA ARCserve r12.5 WIN Wind. Client Agent	CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x		U15355-C2513	405,00	
	UP CA ARCserve r12.5 WIN Wind. Client Ag	Upgrade from CA ARCserve Backup Client Agent for Windows r11.x or 12.0, CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x		U15355-C2513-U	304,00	
	CA ARCserve r12.5 WIN MS SBS Premium Edt	CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x		U15355-C2514	764,00	
	UP CA ARCserve r12.5 WIN MS SBS Prem. E.	Upgrade from CA ARCserve Backup for Windows for MS SBS Premium Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x		U15355-C2514-U	573,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12.5 WIN MS SBS Std. Edt.	CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2516	559,00	
	UP CA ARCserve r12.5 WIN MS SBS Std. Edt	Upgrade from CA ARCserve Backup for Windows for MS SBS Standard Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2516-U	419,00	
	ARCserve r12.5 Media Kit	BrightStor ARCserve Backup r12.5 Media Kit					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2999	25,00	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD					x	x				x							x			x					x	x				x			U15355-C732	25,00	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C600	1.571,00	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C616	2.394,00	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2000	795,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 Base for Windows Gov.	Basic component of CA ARCserve Backup r12. , For Government Customers, This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2000-G	612,00	
	UP CA ARCserve r12 Basis for Windows	## Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2000-U	596,00	
	UP CA ARCserve r12 Basis für Windows Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12., Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2000-U-G	459,00	
	CA ARCserve r12.5 Base for Windows	Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htm, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2500	795,00	
	UP CA ARCserve r12.5 Basis für Windows	Upgrade From BrightStor ARCserve Backup r11.x or r12.0, Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2500-U	596,00	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x				x			U15355-C400U1	199,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x			x	x			x					U15355-C400U3	597,00	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x				x						x			x			x	x			x					U15355-C750	495,00	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x			x			x	x			x					U15355-C800	775,00	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x										x	x			x			U15355-C800-U	581,00	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x			x	x			x					U15355-C800U1	199,00	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x			x	x			x					U15355-C800U3	596,00	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x			x	x			x					U15260-C601	2.199,00	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x			x	x			x					U15260-C617	3.351,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2001	1.021,00	
	ARCserve r12 WIN Tape Lib. Opt. Gov.	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2001-G	786,00	
	UP CA ARCserve r12 WIN Tape Library Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2001-U	766,00	
	UP CA ARCserve r12 WIN Tape Lib. Opt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2001-U-G	590,00	
	UP ARCserve r12.5 W Tape Opt. P+1YR Mnt	UP ARCserve r12.5 W Tape Opt. P+1YR Mnt					x					x							x	x	x	x									x			U15355-C2501-M1U	898,00	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C401U1	255,00	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C401U3	765,00	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x				x							x		x						x	x				x			U15355-C751	695,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C801	995,00	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x								x	x				x			U15355-C801-U	746,00	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C801U1	255,00	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C801U3	766,00	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C602	2.394,00	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C618	3.441,00	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2002	1.636,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 WIN SAN Option Gov.	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2002-G	1.260,00	
	UP CA ARCserve r12 WIN SAN Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2002-U	1.227,00	
	UP CA ARCserve r12 WIN SAN Option Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2002-U-G	945,00	
	UP ARCserve r12.5 W Tape Opt. P+3YR Mnt	UP ARCserve r12.5 W Tape Opt. P+3YR Mnt					x					x							x	x	x	x									x			U15355-C2501-M3U	1.348,00	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C402U1	332,00	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C402U3	996,00	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C802	995,00	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x								x	x				x			U15355-C802-U	746,00	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C802U1	255,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX4600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C802U3	766,00	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x			x				U15260-C603	3.351,00	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x			x				U15260-C619	4.817,00	
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x				x	x			x				U15355-C2003	713,00	
	CA ARCserve r12 WIN Disaster Rec. O. Gov	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x				x	x			x				U15355-C2003-G	549,00	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x				x	x			x				U15355-C2003-U	535,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP CA ARCserve r12 WIN Disaster Rec. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x				x	x				x			U15355-C2003-U-G	412,00	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x				x			U15355-C403U1	409,00	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x				x			U15355-C403U3	1.227,00	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x			x				x	x				x			U15355-C803	995,00	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x							x	x				x			U15355-C803-U	746,00	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x				x			U15355-C803U1	255,00	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x				x			U15355-C803U3	766,00	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x				x			U15260-C604	1.496,00	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x				x			U15260-C620	2.244,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2004	1.021,00	
	CA ARCserve r12 WIN NDMP NAS Option Gov.	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2004-G	786,00	
	UP CA ARCserve r12 WIN NDMP NAS Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2004-U	766,00	
	UP CA ARCserve r12 WIN NDMP NAS Opt. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2004-U-G	590,00	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C404U1	409,00	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C404U3	1.227,00	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C751U1	178,00	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C804	995,00	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x								x	x				x			U15355-C804-U	746,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x			x	x			x					U15355-C804U1	255,00	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x			x	x			x					U15355-C804U3	766,00	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements; ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x			x	x			x					U15260-C605	2.094,00	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements; ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x			x	x			x					U15260-C621	3.142,00	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x			x	x			x					U15355-C2005	816,00	
	CA ARCserve r12 WIN Open Files Agent Gov	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x			x	x			x					U15355-C2005-G	628,00	
	UP CA ARCserve r12 WIN Open Files Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---; CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x			x	x			x					U15355-C2005-U	612,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP CA ARCserve r12 WIN Open File Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x				x	x			x			U15355-C2005-U-G	471,00	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x			U15355-C405U1	178,00	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x			U15355-C405U3	534,00	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x			U15355-C751U3	534,00	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x			x				x	x			x			U15355-C805	995,00	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x							x	x			x			U15355-C805-U	746,00	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x			U15355-C805U1	255,00	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x			U15355-C805U3	766,00	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x			x			U15260-C606	1.197,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C622	1.496,00	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2006	1.329,00	
	CA ARCserve r12 WIN IBM Informix Agt Gov	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2006-G	1.023,00	
	UP CA ARCserve r12 WIN IBM Informix Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2006-U	997,00	
	UP CA ARCserve r12 IBM Informix Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2006-U-G	767,00	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C406U1	255,00	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C406U3	765,00	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C806	395,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x							x	x			x				U15355-C806-U	296,00	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C806U1	101,00	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C806U3	304,00	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x			x				U15260-C607	1.676,00	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x			x				U15260-C623	2.094,00	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x				x	x			x				U15355-C2007	1.021,00	
	CA ARCserve r12 WIN MS Exchange Agt. Gov	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x				x	x			x				U15355-C2007-G	786,00	
	UP CA ARCserve r12 WIN MS Exchange Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.--; CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x				x	x			x				U15355-C2007-U	766,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX4600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP CA ARCserve r12 MS Exchange Agt Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!				x	x				x	x	x				x	x	x	x				x	x			x			U15355-C2007-U-G	590,00	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x				x						x	x	x	x				x	x			x			U15355-C407U1	255,00	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x	x				x						x	x	x	x				x	x			x			U15355-C407U3	765,00	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp				x	x				x						x			x				x	x			x			U15355-C807	250,00	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp				x	x				x						x							x	x			x			U15355-C807-U	188,00	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x				x						x	x	x	x				x	x			x			U15355-C807U1	64,00	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x				x						x	x	x	x				x	x			x			U15355-C807U3	192,00	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx				x	x				x	x	x				x	x	x	x				x	x			x			U15260-C608	2.394,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C624	3.441,00	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2008	1.021,00	
	CA ARCserve r12 WIN Lotus/Dmno. Agt. Gov	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2008-G	786,00	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2008-U	766,00	
	UP CA ARCserve r12 Lotus/Domino Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2008-U-G	590,00	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C408U1	255,00	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C408U3	765,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX1300	PRIMERGY RX1600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x				x	x				x			U15355-C808	395,00	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x							x	x				x			U15355-C808-U	296,00	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x				x	x				x			U15355-C808U1	101,00	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x				x	x				x			U15355-C808U3	304,00	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x				x	x				x			U15260-C625	4.817,00	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2009	1.329,00	
	CA ARCserve r12 WIN Sybase Agent Gov.	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2009-G	1.023,00	
	UP CA ARCserve r12 WIN Sybase Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2009-U	997,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP CA ARCserve r12 WIN Sybase Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2009-U-G	767,00	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C409U1	204,00	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C409U3	612,00	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C809	250,00	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x								x	x				x			U15355-C809-U	188,00	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C809U1	64,00	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C809U3	192,00	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C610	3.590,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x				x	x				x			U15260-C626	5.386,00	
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2010	1.021,00	
	CA ARCserve r12 WIN Oracle Agent Gov.	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2010-G	786,00	
	UP CA ARCserve r12 WIN Oracle Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2010-U	766,00	
	UP CA ARCserve r12 WIN Oracle Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2010-U-G	590,00	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x				x	x				x			U15355-C410U1	204,00	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x				x	x				x			U15355-C410U3	612,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C810	1.595,00	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x								x	x				x			U15355-C810-U	1.196,00	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C810U1	409,00	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C810U3	1.227,00	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C611	5.027,00	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C627	7.540,00	
	ARCserve r15 WIN SAN Opt. P+1Yr Mnt	CA ARCserve Backup r15 for Windows Storage Area Network (SAN) Option - Product plus 1 Year Enterprise Maintenance					x					x							x	x	x	x										x			U15355-C1502-M1	1.800,00	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2011	1.021,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 WIN MS SQL Agent Gov.	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2011-G	786,00	
	UP CA ARCserve r12 WIN MS SQL Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2011-U	766,00	
	UP CA ARCserve r12 WIN MS SQL Agt. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2011-U-G	590,00	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C411U1	332,00	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C411U3	996,00	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C811	1.595,00	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x								x	x				x			U15355-C811-U	1.196,00	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C811U1	409,00	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C811U3	1.227,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C612	2.094,00	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C628	2.693,00	
	ARCserve r15 WIN SAN Opt. P+3Yr Mnt	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt					x	x				x		x					x	x	x	x						x				x			U15355-C1502-M3	2.520,00	
	CA ARCserve r12 WIN SAP/R3 Oracle Option	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2012	2.047,00	
	CA ARCserve r12 WIN SAP/R3 Oracl Opt Gov	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2012-G	1.576,00	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2012-U	1.535,00	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2012-U-G	1.182,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C412U1	255,00	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x				U15355-C412U3	765,00	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x			x				x	x			x				U15355-C812	1.295,00	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C812U1	332,00	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C812U3	997,00	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters. , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x			x				U15260-C613	2.932,00	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters. , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x			x				U15260-C629	3.770,00	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x				x	x			x				U15355-C2013	257,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 WIN Windows Client A Gov	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , Nur für Government Kunden!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2013-G	198,00	
	UP CA ARCserve r12 WIN Windows Client Ag	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2013-U	192,00	
	UP CA ARCserve r12 Windows Client Ag Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2013-U-G	148,00	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x			x					x	x				x			U15355-C413U1	409,00	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C413U3	1.227,00	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C813	495,00	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C614	1.346,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements; ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x					x	x	x	x					x	x				x			U15260-C630	2.244,00	
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2014	713,00	
	CA ARCserve r12 WIN MS SBS Prem Edt Gov	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2014-G	549,00	
	UP CA ARCserve r12 WIN MS SBS Premium E.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2014-U	535,00	
	UP CA ARCserve r12 WIN MS SBS Prem E Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2014-U-G	412,00	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C414U1	255,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX4600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x				x			U15355-C414U3	765,00	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x						x			x				x	x				x			U15355-C814	995,00	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x				x			U15260-C615	1.885,00	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx					x	x				x	x	x				x	x	x	x				x	x				x			U15260-C631	3.142,00	
	ARCserve r15 W NDMP NAS P+1Yr Mnt	CA ARCserve Backup r15 for Windows NDMP NAS Option - Product plus 1 Year Enterprise Maintenance					x	x				x		x				x	x	x	x						x			x			U15355-C1504-M1	1.123,00	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x				x	x				x			U15355-C2015	1.636,00	
	CA ARCserve r12 WIN SAN Sec. Srv. B. Gov	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x				x	x				x			U15355-C2015-G	1.260,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2015-U	1.227,00	
	UP CA ARCserve r12 WIN SAN Sec Srv Bnd G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2015-U-G	945,00	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x	x				x							x			x					x	x				x			U15355-C356	2.324,00	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x			x					x	x				x			U15355-C415U1	255,00	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C415U3	765,00	
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2016	508,00	
	CA ARCserve r12 WIN MS SBS Std. Edt. Gov	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2016-G	391,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2016-U	381,00	
	UP CA ARCserve r12 WIN MS SBS Std Edt Go	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2016-U-G	293,00	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C416U1	332,00	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C416U3	996,00	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsoft WANSync HA Standard Server						x					x	x						x	x													U15260-C40U1	684,00	
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2017	508,00	
	CA ARCserve r12 WIN DiskToDiskToTape Gov	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2017-G	391,00	
	UP CA ARCserve r12 WIN DiskToDiskToTape	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2017-U	381,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	UP CA ARCserve r12 WIN Disk2Dsk2Tape Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x				x	x			x			U15355-C2017-U-G	293,00	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x			U15355-C417U1	255,00	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x			U15355-C417U3	765,00	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x				x	x			x			U15355-C2018	1.021,00	
	CA ARCserve r12 WIN MS Sharepoint Ag Gov	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x				x	x			x			U15355-C2018-G	786,00	
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x				x	x	x	x				x	x			x			U15355-C2018-U	766,00	
	UP CA ARCserve r12 MS Sharepoint Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x				x	x	x	x				x	x			x			U15355-C2018-U-G	590,00	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x			U15355-C418U1	255,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x				x	x			x			U15355-C418U3	765,00	
	ARCserve r15 Ag. Informix P+1Yr Mnt	CA ARCserve Backup r15 Agent for Informix - Product plus 1 Year Enterprise Maintenance		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C1506-M1	1.462,00	
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x			x			U15355-C2019	4.335,00	
	CA ARCserve r12 WIN Enterprise Modul Gov	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x			x			U15355-C2019-G	3.338,00	
	UP CA ARCserve r12 WIN Enterprise Module	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x			x			U15355-C2019-U	3.848,00	
	UP CA ARCserve r12 WIN Enterp. Mod. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x			x			U15355-C2019-U-G	2.963,00	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x				x	x			x			U15355-C419U1	400,00	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x				x	x			x			U15355-C419U3	1.200,00	
	ARCserve r15 Ag. Informix P+3Yr Mnt	CA ARCserve Backup r15 Agent for Informix - Product plus 3 Years Enterprise Maintenance					x	x				x		x					x	x	x	x								x			U15355-C1506-M3	2.046,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2020	1.021,00	
	CA ARCserve r12 WIN MS DPM Agent Gov.	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2020-G	786,00	
	UP CA ARCserve r12 WIN MS DPM Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2020-U	766,00	
	UP CA ARCserve r12 WIN MS DPM Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2020-U-G	590,00	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x					x	x				x			U15355-C420U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C420U3	303,00	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x				x							x			x					x								U15355-C720	395,00	
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2021	5.125,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX3600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 WIN VSS-HW Snap. Opt Gov	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2021-G	3.946,00	
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2021-U	3.844,00	
	UP CA ARCserve r12 WIN VSS-HW Snap Opt G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2021-U-G	2.960,00	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x			x					x	x				x			U15355-C421U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x					x	x				x			U15355-C421U3	303,00	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x							x								x	x				x			U15355-C780-U	581,00	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x					x	x				x			U15355-C2022	1.021,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	CA ARCserve r12 WIN VMware Agent Gov.	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2022-G	786,00	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x	x	x	x				x	x				x			U15355-C422U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x				x	x				x			U15355-C422U3	303,00	
	UP ARCserve r11.5 Client Agent Linux Gov	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!					x	x				x							x							x	x				x			U15355-C721-U-G	148,00	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2023	1.534,00	
	CA ARCserve r12 WIN Central Mgt. Opt Gov	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x				x	x	x					x	x	x	x				x	x				x			U15355-C2023-G	1.181,00	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x							x			x				x	x				x			U15355-C423U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x							x	x	x	x				x	x				x			U15355-C423U3	303,00	
	UP ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!					x	x				x							x							x	x				x			U15355-C720-U-G	234,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x				x						x			x				x								U15355-C723	250,00	
	ARCserve r15 WIN Lot./Dom. P+3Yr Mnt	CA ARCserve Backup r15 for Windows Agent for Lotus/Domino - Product plus 3 Years Enterprise Maintenance					x	x				x		x				x	x	x	x					x							U15355-C1508-M3	1.572,00	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C424U1	101,00	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x				U15355-C424U3	303,00	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C428U1	409,00	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x				U15355-C428U3	1.227,00	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x			x				x	x			x				U15355-C429U1	332,00	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x				U15355-C429U3	996,00	
	ARCserve r15 WIN Ag. Oracle P+1Yr Mnt	ACA ARCserve Backup r15 for Windows Agent for Oracle - Product plus 1 Year Enterprise Maintenance					x	x				x		x				x	x	x	x							x					U15355-C1510-M1	1.123,00	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x	x	x	x				x	x			x				U15355-C430U1	867,00	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x				U15355-C430U3	2.601,00	
	ARCserve r15 WIN Ag. Oracle P+3Yr Mnt	CA ARCserve Backup r15 for Windows Agent for Oracle - Product plus 3 Years Enterprise Maintenance					x	x				x		x				x	x	x	x							x					U15355-C1510-M3	1.572,00	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x				x						x			x				x	x			x				U15355-C431U1	127,00	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x				x	x			x				U15355-C431U3	381,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x			x						x	x	x	x			x	x			x			U15355-C432U1	255,00	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x			x						x	x	x	x			x	x			x			U15355-C432U3	765,00	
	ARCserve r11.5 WIN Client Agt. Linux Gov	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!					x	x			x						x			x			x	x			x			U15355-C721-G	226,00	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x			x						x	x	x	x			x	x			x			U15355-C433U1	255,00	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x			x						x	x	x	x			x	x			x			U15355-C433U3	765,00	
	ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!					x	x			x						x			x			x	x			x			U15355-C720-G	312,00	
	ARCserve r15 W SAP R/3 Or. P+1Yr Mnt	CA ARCserve Backup r15 for Windows Enterprise Option for SAP R/3 for Oracle - Product plus 1 Year Enterprise Maintenance					x	x			x		x				x	x	x	x							x			x			U15355-C1512-M1	2.252,00	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x			x						x			x			x	x			x			U15355-C434U1	383,00	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x			x						x	x	x	x			x	x			x			U15355-C434U3	1.150,00	
	ARCserve r15 W SAP R/3 Or. P+3Yr Mnt	CA ARCserve Backup r15 for Windows Enterprise Option for SAP R/3 for Oracle - Product plus 3 Years Enterprise Maintenance					x	x			x		x				x	x	x	x							x			x			U15355-C1512-M3	3.152,00	
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x			x						x	x	x	x							x			x			U15355-C435U1	255,00	
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x			x						x	x	x	x							x			x			U15355-C435U3	766,00	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x			x						x	x	x	x							x			x			U15355-C436U1	1.207,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x				x						x	x	x	x			x	x			x			U15355-C436U3	3.621,00	
UPS/Power supply																																			
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface	x	x	x	x								x	x	x	x				x												S26113-F233-L1	37,00	
	Power Supply Upgrade 650W for RX200S3	for optional PS redundancy									x																						S26113-F509-L1	218,00	Phased out
	Power Supply Upgrade 650W for RX200S4	for optional PS redundancy incl. mounting kit										x																					S26113-F527-L1	213,00	Phased out
	Power Supply Module 700W (hot plug)	2nd PS hp for redundancy																	x														S26113-F529-L10	181,00	Phased out
	Power Supply Module 770W silver hp	for optional PS redundancy incl. mounting kit											x	x																			S26113-F539-L1	213,00	
	Power Supply Module 800W (hot plug)	2nd PS hp for redundancy																		x													S26113-F543-L10	202,00	Phased out
	Power Supply Module 800W gold hp	2nd gold PS hp for redundancy																		x	x												S26113-F555-L10	245,00	
	Power Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)																									x						S26113-F561-L10	383,00	
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU												x																			S26113-F570-L1	170,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)																													x		S26113-F573-L10	936,00	
	Power Supply Module 625W (hot plug)	for PS redundancy, incl. power cord																				x											S26113-F604-L1	160,00	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot		x	x	x	x	x		x	x	x	x	x			x	x	x	x	x	x		x	x	x		x	x	x			S26113-F80-L30	271,00	
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR				x	x					x	x						x	x	x	x				x	x			x			T26139-Y1740-L10	16,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	T26139-Y1742-L10	16,00	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR				x	x				x	x	x						x	x	x	x				x	x			x			T26139-Y1744-L10	16,00	
	Cable powercord (I), 1.8m, grey	suitable for I				x	x					x	x						x	x	x	x				x	x			x			T26139-Y1745-L10	16,00	
Miscellaneous																																			
	LocalView Option Kit S2	LCD display with installation kit																		x	x												S26361-F2557-L106	74,00	
	Customer Self Service Modul RX Server	Support for Customer Self Service (CSS), incl. mounting kit																		x	x												S26361-F2557-L205	27,00	
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 5 fans																		x													S26361-F2621-L5	122,00	Phased out
	cable Parallelport Option Centronics	Cable with 25 pin Centronics interface															x	x	x														S26361-F3120-L2	27,00	Phased out
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface															x	x	x														S26361-F3120-L3	21,00	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!						x					x	x						x	x							x				x		S26361-F3552-L1	53,00	
	Opt. Front VGA + add. USB	VGA and USB connector, instead of Local Service Panel						x																										S26361-F3577-L1	37,00	
	T-HANDLES RX300S6																					x												S26361-F4000-L1	21,00	
	RAID Upgrade Kit RX100 S6	consisting of SAS Cable and bracket						x																										S26361-F4414-L1	48,00	
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 4 fans, cage and electronics															x	x	x														S26361-F2621-L4	101,00	Phased out
	Parallelport Option Centronics	Cable with 25 pin Centronics interface														x																	S26361-F2571-L8	27,00	Phased out
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)					x	x				x							x														S26361-F2557-L204	43,00	Phased out
Media																																			
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label																									x	x			x		D:CL-DAT160-MX-01	23,00	
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label														x	x	x	x	x	x	x	x	x	x	x				x		D:CL-DAT72-MX-01	6,00	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives																							x	x	x			x		D:CL-LTO2-FJ-01	43,00	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives																							x	x	x			x		D:CL-LTO2-FJ-01L	45,00	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives																							x	x	x			x		D:CL-LTO2-IB-01	58,00	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives																							x	x	x			x		D:CL-LTO2-IB-01L	58,00	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives																							x	x	x			x		D:CL-LTO2-MX-01	50,00	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives																							x	x	x			x		D:CL-LTO2-MX-01L	51,00	
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives																							x	x	x			x		D:CL-LTO-SY-01	52,00	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives																							x	x	x			x		D:CL-LTO-SY-01L	54,00	
	LTO cleaning cart. Sony single pack	1x Cleaning cartridge without label from Sony for LTO drives at a single package																							x	x	x			x		D:CL-LTO-SY-EP01	54,00	
	LTO cleaning cart.Sony single pack&label	1x Cleaning cartridge with label from Sony for LTO drives at a single package																							x	x	x			x		D:CL-LTO-SY-EP01L	55,00	
	VXA cleaning label	Label for VXA cleaning cartridge																						x	x								D:CL-VXA2-LAB	0,90	
	VXA cleaning cartridge	VXA cleaning cartridge																					x	x	x								D:CL-VXA2-X-01	23,00	
	VXA cleaning cartridge with label	VXA cleaning cartridge																					x	x	x								D:CL-VXA2-X-01L	24,00	
	DAT160 data cartridge	DAT160 data cartridge without label																									x	x			x		D:CR-DAT160-MX-01	24,00	
	DAT72 data cartridge	DAT72 data cartridge without label														x	x	x	x	x	x	x	x	x	x	x	x			x		D:CR-DAT72-MX-01	11,00	
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity																							x								D:CR-LTO2-FJ-01	24,00	
	LTO 2 data cartridge with label Fuji	LTO-2 data cartridge with label from Fuji, 200 GB native capacity																							x								D:CR-LTO2-FJ-01L	25,00	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity											x	x							x	x			x								D:CR-LTO2-IB-01	28,00	
	LTO 2 data cartridge with label IBM	LTO 2 data cartridge with label from IBM, 200 GB native capacity																							x								D:CR-LTO2-IB-01L	28,00	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity																							x								D:CR-LTO2-MX-01	23,00	
	LTO 2 data cartridge with label Maxell	LTO-2 data cartridge with label from Maxell, 200 GB native capacity																							x								D:CR-LTO2-MX-01L	24,00	
	VXA barcode label	Label for VXA data cartridge																						x	x								D:CR-VXA2-LAB	0,90	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																						x	x								D:CR-VXA2-X10-01	25,00	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																					x		x	x							D:CR-VXA2-X10-01L	26,00	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																					x		x	x							D:CR-VXA2-X23-01	55,00	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																					x		x	x							D:CR-VXA2-X23-01L	56,00	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed																x	x	x	x				x	x	x			x			S26361-F3857-L160	112,00	
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed																x	x	x	x				x	x	x			x			S26361-F3857-L169	1.064,00	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed																x	x	x	x				x	x	x			x			S26361-F3857-L320	170,00	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed																x	x	x	x				x	x	x			x			S26361-F3857-L329	1.617,00	
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed																x	x	x	x				x	x	x			x			S26361-F3857-L500	218,00	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity																x								x	x			x			D:CR-LTO3-FJ-01	23,00	
	LTO 4 data cartridge Fuji	LTO-4 data cartridge without label from Fuji, 800 GB native capacity																								x	x			x			D:CR-LTO4-FJ-01	28,00	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity																							x	x	x			x			D:CR-LTO3-IB-01	25,00	
	LTO 4 data cartridge IBM	LTO-4 data cartridge without label from IBM, 800 GB native capacity																								x	x			x			D:CR-LTO4-IB-01	32,00	
	LTO 4 data cartridge Sony	LTO-4 data cartridge without label from Sony, 800 GB native capacity																								x	x			x			D:CR-LTO4-SY-01	28,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX300	PRIMERGY RX600	Product Code	EUP (€)	Comments
Accessories & services matrix																																			
Media (Continued)																																			
	LTO-3 data cartridge single pack Sony	1x LTO-3 data cartridges without label from Sony at a single package , 400 GB native capacity																						x	x	x				x			D:CR-LTO3-SY-EP01	26,00	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity																						x	x	x				x			D:CR-LTO3-FJ-01L	36,00	
	LTO 4 data cartridge with label Fuji	LTO-4 data cartridge with label from Fuji, 800 GB native capacity											x	x						x	x				x	x				x			D:CR-LTO4-FJ-01L	30,00	
	LTO 3 data cartridge with label IBM	LTO-3 data cartridge with label from IBM, 400 GB native capacity											x	x						x	x			x	x	x				x			D:CR-LTO3-IB-01L	26,00	
	LTO 4 data cartridge with label IBM	LTO-4-- Data cartridges with Label from IBM, Kapazity 800 GByte native																							x	x				x			D:CR-LTO4-IB-01L	32,00	
	LTO 3 data cartridge with label Sony	LTO-3 data cartridge with label from Sony, 400 GB native capacity																						x	x	x				x			D:CR-LTO3-SY-01L	25,00	
	LTO4 cartridge with label Sony	LTO-4-- Data cartridges with Label from Sony, Kapazity 800 GByte native																							x	x				x			D:CR-LTO4-SY-01L	28,00	
	LTO-3 data cart. single pack Sony label	LTO-3 data cartridge with label from Sony, 400 GB native capacity, at single package																						x	x	x				x			D:CR-LTO3-SY-EP01L	25,00	
	LTO 5 WORM data cartridge Fuji	LTO-5 WORM data cartridge without label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x	x						x	x					x	x				x			D:CR-LTO5-FJ-01W	102,00	
	LTO5 WORM data cartridge with label Fuji	LTO-5 WORM data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x	x						x	x					x	x				x			D:CR-LTO5-FJ-01WL	103,00	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data											x	x						x	x			x	x	x				x			D:CR-LTO3-FJ-01W	26,00	
	LTO 4 WORM data cartridge Fuji	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data											x	x												x	x				x			D:CR-LTO4-FJ-01W	34,00	
	LTO3 WORM data cartridge with label Fuji	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data											x	x						x	x					x	x				x			D:CR-LTO3-FJ-01WL	27,00	
	LTO4 WORM data cartridge with label Fuji	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x	x						x	x					x	x				x			D:CR-LTO4-FJ-01WL	37,00	
	LTO cleaning label	label for LTO cleaning cartridges																						x	x	x				x			D:CL-LTO-LAB	0,75	
	LTO 3 barcode label	label for LTO-3 data cartridges																						x	x	x				x			D:CR-LTO3-LAB	0,75	
	LTO 4 barcode label	label for LTO-4 data cartridges																								x	x				x			D:CR-LTO4-LAB	0,75	
	LTO 5 barcode label	label for LTO-5 data cartridges																								x	x				x			D:CR-LTO5-LAB	3,00	
Cables																																			
	Cable powercord rack, 4m	with Euro socket connector	x	x	x	x									x	x																	T26139-Y1968-L10	16,00	
	Console switch cable 3,5m	cable for keyboard, monitor and mouse	x	x	x				x	x	x				x	x	x	x											x	x	x			SNP:SY-F2293L12-P	101,00	Phased out
Additional Software																																			
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x				x	x					x	x	x				x	x	x	x				x	x			x	x	U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C204	3.988,00	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C205	5.982,00	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C206	7.976,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C207	710,00	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C208	1.156,00	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C209	2.313,00	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C210	3.469,00	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C211	4.626,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C212	1.225,00	

Accessories & services matrix

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX9300	PRIMERGY RX9600	Product Code	EUP (€)	Comments
Additional Software (Continued)																																				
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C213	1.994,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C214	3.988,00	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C215	5.982,00	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C216	7.976,00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C217	710,00	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C218	1.156,00	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C219	2.313,00	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C220	3.469,00	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C221	4.626,00	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C222	500,00	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C223	814,00	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C224	1.628,00	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C225	2.442,00	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U11081-C226	3.255,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x			x	x	U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x			x	x	U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x			x	x	U11081-C321	500,00	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x				x	x	x	x					x		x				x	x			x	x	U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x				x	x	x	x					x		x				x	x			x	x	U11081-C312	1.994,00	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x				x	x	x	x					x		x				x	x			x	x	U11081-C322	814,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x					x	x	x						x	x			x	x	x	x	x	x	x	x	U11081-C303	3.988,00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x					x	x	x						x	x			x	x	x	x	x	x	x	x	U11081-C313	3.988,00	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x					x	x	x						x	x			x	x	x	x	x	x	x	x	U11081-C323	1.628,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x			x	x	U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x			x	x	U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x			x	x	U10987-C525	500,00	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x				x	x	x	x					x		x				x	x			x	x	U10987-C502	1.994,00	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x				x	x	x	x					x		x				x	x			x	x	U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x				x	x	x	x					x		x				x	x			x	x	U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x					x	x	x						x	x			x	x	x	x	x	x	x	x	U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x					x	x	x						x	x			x	x	x	x	x	x	x	x	U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x					x	x	x						x	x			x	x	x	x	x	x	x	x	U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U10987-C516	4.618,00	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Accessories & services matrix

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX3300	PRIMERGY RX6300	Product Code	EUP (€)	Comments
Additional Software (Continued)																																			
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x				x	x					x	x	x						x	x				x	x			x	x	U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	U10987-C499	15,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Processor												
	Intel Xeon E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x					S26361-F3277-E186	335,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink				x				S26361-F3277-E200	335,00	
	Intel Xeon E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x					S26361-F3278-E200	388,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x	x				S26361-F3278-E213	388,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink				x				S26361-F3278-E226	457,00	
	Intel Xeon E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3279-E226	628,00	Phased out
	Intel Xeon E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3279-E240	878,00	Phased out
	Intel Xeon E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3279-E253	1.218,00	Phased out
	Intel Xeon X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3280-E267	1.574,00	Phased out
	Intel Xeon X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3280-E280	1.915,00	Phased out
	Intel Xeon X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3280-E293	2.250,00	Phased out
	Intel Xeon L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink			x					S26361-F3281-E213	707,00	Phased out
	Intel Xeon L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink			x					S26361-F3281-E226	878,00	Phased out
	Intel Xeon L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink			x					S26361-F3281-E240	1.218,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink		x						S26361-F3286-E200	335,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink		x						S26361-F3287-E226	457,00	
	Intel Xeon W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			x					S26361-F3337-E333	2.590,00	Phased out
	Opteron 2380 2.5GHz 6MB	AMD Opteron? 2380 (4C, 2.5 GHz, SLC: 4 x 512 KB, TLC: 6 MB, 2 GT/s, 75 W) incl. heat sink					x			S26361-F3551-E380	527,00	Phased out

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Processor (Continued)												
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				x				S26361-F3618-E240	628,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				x				S26361-F3618-E253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				x				S26361-F3618-E266	1.218,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x				S26361-F3619-E266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x				S26361-F3619-E280	1.915,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x				S26361-F3619-E293	2.250,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink				x				S26361-F3619-E333	2.590,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink				x				S26361-F3621-E186	707,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink				x				S26361-F3622-E213	878,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink				x				S26361-F3622-E226	1.574,00	
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel® Xeon® processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink						x		S26361-F3999-E520	1.394,00	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB	Intel® Xeon® processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 W) incl. heat sink						x		S26361-F3999-E530	2.207,00	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink						x		S26361-F3999-E540	3.149,00	
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB	Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E542	3.149,00	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB	Intel® Xeon® processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 95 W) incl. heat sink						x		S26361-F3999-E545	3.431,00	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E550	4.335,00	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB	Intel® Xeon® processor L7555 (8C/16T, 1.86 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5, 5.86 GT/s, 95 W) incl. heat sink						x		S26361-F3999-E555	5.011,00	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E560	5.851,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x						S26361-F4417-E266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x						S26361-F4417-E280	1.915,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Processor (Continued)												
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x						S26361-F4417-E293	2.250,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink		x						S26361-F4417-E333	2.590,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F4419-E240	628,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F4419-E253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F4419-E266	1.218,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink		x						S26361-F4420-E186	707,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink		x						S26361-F4421-E213	878,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink		x						S26361-F4421-E240	1.574,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3							x	S26361-F4470-E100	2.122,00	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) without heat sink							x	S26361-F4471-E540	3.149,00	
	Intel Xeon X7542 6C/6T 2.66 GHz 12 MB	Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) without heat sink							x	S26361-F4471-E542	3.149,00	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink							x	S26361-F4471-E550	4.335,00	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink							x	S26361-F4471-E560	5.851,00	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink		x						S26361-F4479-E213	388,00	
	Intel Celeron G1101 2C 2.26 GHz 2 MB	Intel® Celeron® processor G1101 (2C, 2.26 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 73 W) without heat sink	x							S26361-F3589-E226	133,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel® Pentium® processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink	x							S26361-F3588-E280	181,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel® Core? i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink	x							S26361-F3587-E306	266,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel® Xeon® processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink	x							S26361-F3578-E343	388,00	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink	x							S26361-F3578-E345	479,00	
	Intel Xeon X3460 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X3460 (4C/8T, 2.80 GHz, TLC: 8 MB, Turbo: 1/1/4/5, 1333 MHz, 95 W) without heat sink	x							S26361-F3578-E346	622,00	Phased out

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Processor (Continued)												
	Intel Xeon X3470 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X3470 (4C/8T, 2.93 GHz, TLC: 8 MB, Turbo: 2/2/4/5, 1333 MHz, 95 W) without heat sink	x							S26361-F3578-E347	622,00	
	Intel Xeon L3406 2C/4T 2.26 GHz 4 MB	Intel® Xeon® processor L3406 (2C/4T, 2.26 GHz, TLC: 4 MB, Turbo: 2/2, 1066 MHz, 30 W) without heat sink	x							S26361-F3586-E226	388,00	
	Intel Xeon L3426 4C/8T 1.86 GHz 8 MB	Intel® Xeon® processor L3426 (4C/8T, 1.86 GHz, TLC: 8 MB, Turbo: 2/2/9/10, 1333 MHz, 45 W) without heat sink	x							S26361-F3586-E186	564,00	
Memory												
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC	2 modules, registered DDR2 800MHz with SDDC					x			S26361-F3550-E512	223,00	
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC	2 modules, registered DDR2 800MHz with SDDC					x			S26361-F3550-E513	441,00	
	Memory Board RX600 S5	Memory board for up to two set´s of DDR3 memory (with 4 DIMMs each)						x		S26361-F3990-E100	255,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory							x	S26361-F4472-E3	5,00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg s	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4472-E643	468,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4472-E644	872,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4472-E645	2.128,00	
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x							S26361-F3335-E513	48,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x							S26361-F3335-E514	90,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x							S26361-F3335-E515	314,00	
	4 GB DDR3 1066 MHz PC3-8500 rg q ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM	x							S26361-F3336-E517	218,00	
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory						x		S26361-F4003-E1	5,00	Orderable from: 20/09/2010
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory						x		S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory						x		S26361-F4003-E3	5,00	Orderable from: 20/09/2010
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x		S26361-F4003-E643	468,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x		S26361-F4003-E644	872,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x		S26361-F4003-E645	2.128,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM						x		S26361-F4003-E646	6.170,00	Orderable from: 27/09/2010
Memory Modules												
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory		x	x	x				S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory		x	x	x				S26361-F3284-E3	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory		x	x	x				S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode		x		x				S26361-F3604-E523	234,00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode		x		x				S26361-F3604-E524	436,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbufferes DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x				S26361-F3606-E513	90,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Memory Modules (Continued)												
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x				S26361-F3604-E513	117,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode		x		x				S26361-F3604-E525	1.064,00	
	2GB DDR3-1066 PC3-8500 rg ECC	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode; Test Hubert am 12.2.2010			x					S26361-F3284-E513	117,00	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode			x					S26361-F3284-E523	234,00	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode			x					S26361-F3284-E533	351,00	
	4 GB DDR3 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x				S26361-F3604-E514	218,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode		x		x				S26361-F3604-E526	3.085,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode		x		x				S26361-F3604-E533	351,00	
	4GB DDR3-1066 PC3-8500 rg d ECC	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x					S26361-F3284-E514	218,00	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode			x					S26361-F3284-E524	436,00	
	SP 12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x					S26361-F3284-E534	654,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x				S26361-F3604-E515	532,00	
	SP 12GB 3x4 DDR3 1333 MHz PC3-10600 rg d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode		x		x				S26361-F3604-E534	654,00	
	MM 8GB 2x4 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode		x		x				S26361-F3605-E524	479,00	
	8GB DDR3-1066 PC3-8500 rg d ECC	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x					S26361-F3284-E515	771,00	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			x					S26361-F3284-E525	1.543,00	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x					S26361-F3284-E535	2.314,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x				S26361-F3604-E516	1.543,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode		x		x				S26361-F3604-E535	1.596,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode		x		x				S26361-F3605-E525	1.223,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Memory Modules (Continued)												
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode		x		x				S26361-F3604-E536	4.628,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x				S26361-F3605-E514	239,00	
	SP 12GB 3x4 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode		x		x				S26361-F3605-E534	718,00	
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x					S26361-F3285-E513	117,00	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode			x					S26361-F3285-E523	234,00	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode			x					S26361-F3285-E533	351,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x				S26361-F3605-E515	612,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode		x		x				S26361-F3605-E535	1.835,00	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x					S26361-F3285-E514	218,00	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode			x					S26361-F3285-E524	436,00	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x					S26361-F3285-E534	654,00	
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x					S26361-F3285-E515	532,00	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			x					S26361-F3285-E525	1.064,00	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x					S26361-F3285-E535	1.596,00	
Graphics												
	Front-VGA interface	2nd optional VGA interface front side			x	x				S26361-F2571-E16	21,00	
	PY VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card		x						S26361-F2748-E533	144,00	
	PY LP VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card, low profile			x	x	x			S26361-F2748-E633	144,00	
Removable Media Drives												
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black						x		S26361-F3269-E6	96,00	Phased out
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black	x	x	x	x		x	x	S26361-F3269-E2	96,00	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black	x	x	x	x		x	x	S26361-F3531-E2	271,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)						x		S26361-F3857-E4	170,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			x	x				S26361-F3857-E5	170,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Removable Media Drives (Continued)												
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable			x	x				S26361-F3857-E7	223,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US), data and cleaning cartridge						x		S26361-F3324-E4	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge			x	x				S26361-F3324-E5	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), data and cleaning cartridge			x	x				S26361-F3324-E7	585,00	
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, , with data and cleaning cartridge					x			S26361-F3225-E3	819,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge						x		S26361-F4009-E4	1.511,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge						x		S26361-F3561-E4	1.851,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge						x		S26361-F3626-E1	2.606,00	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge						x		S26361-F3963-E4	2.606,00	Phased out
	Tape Kit LTO5HH 1500GB 140MB/s SAS	LTO5HH Ultrium, 1500 GB, 140 MB/s, half height, SAS 6GB/s						x		S26361-F3627-E1	3.138,00	
Hard Disks												
	HD SATA 3GB/s 500GB 7.2k hot pl 3.5"						x			S26361-F3256-E500	223,00	
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical					x			S26361-F3265-E100	463,00	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical					x			S26361-F3265-E250	117,00	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical					x			S26361-F3265-E500	223,00	
	HD SATA 3GB/s 750GB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 750 GB, 7200 rpm, hot-plug, 3.5-inch, business critical					x			S26361-F3265-E750	314,00	
	HD SATA 3G 160GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x		x	x				S26361-F3293-E160	85,00	
	HDD SATA 160GB 7.2k hot plug 3.5" M	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot plug, 3.5-inch					x			S26361-F3861-E160	85,00	
	HDD SATA 500GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier					x			S26361-F3861-E500	223,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3294-E250	117,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3294-E500	223,00	
	HD SATA 3G 750GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 750 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3294-E750	314,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3294-E100	463,00	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x				S26361-F3294-E200	718,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x		x	x	S26361-F3298-E32	697,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x		x	x	S26361-F3298-E64	1.340,00	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x							S26361-F3297-E160	176,00	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x							S26361-F3297-E320	271,00	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x		x		S26361-F3601-E160	207,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x		x		S26361-F3601-E500	277,00	
	HD SAS 3G 146GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x				S26361-F3291-E514	324,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Hard Disks (Continued)												
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x					S26361-F3291-E530	617,00	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x					S26361-F3291-E545	729,00	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x					S26361-F3291-E560	766,00	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x				S26361-F4005-E530	426,00	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x				S26361-F4005-E545	585,00	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x				S26361-F4005-E560	729,00	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F3292-E114	261,00	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F3292-E130	473,00	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F3292-E573	335,00	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F3292-E514	484,00	
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x		x	x	S26361-F4006-E114	229,00	
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x		x	x	S26361-F4006-E130	441,00	
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x		x	x	S26361-F4006-E573	293,00	
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x		x	x	S26361-F4006-E514	431,00	
	HD SAS 6G 146GB 10K HOT PL 2.5" EP 300					x				S26361-F4482-E114	229,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP 300	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, enterprise, for TX/RX300S6 12x2.5-inch version				x				S26361-F4482-E130	441,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP 300	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, enterprise, for TX/RX300S6 12x2.5-inch version				x				S26361-F4482-E573	293,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP 300	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, enterprise, for TX/RX300S6 12x2.5-inch version				x				S26361-F4482-E514	431,00	
SCSI/RAID/SAS controller												
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI					x			S26361-F2399-E1	250,00	Phased out
	Risercard 2xPCI-X 1xPCIe option	encludes 3 slots for PCI-cards (2x PCI-X, 1x PCIe x8)					x			S26361-F2622-E11	27,00	Phased out
	68-Pin Kit for int. access. SCSI drives	Cable with terminator					x			S26361-F3120-E30	43,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108			x	x				S26361-F3257-E116	176,00	
	RAID Contr BBU Upgr for RAID 5/6 RX330	BBU Upgrade for LSI 1078					x			S26361-F3257-E15	191,00	
	RAID Contr BBU Upgrade for RAID 5/6 V55	BBU Upgrade for LSI SAS1078 and LSI SAS2108	x	x		x				S26361-F3257-E155	176,00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI SAS2108						x	x	S26361-F3257-E170	176,00	
	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs		x						S26361-F3257-E250	27,00	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU, SAS RAID controller for attachment of internal SAS/SATA-HD`s in all RAID modes			x					S26361-F3257-E256	404,00	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU, SAS RAID controller for attachment of internal SAS/SATA-HD`s in all RAID modes					x			S26361-F3257-E258	404,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x	x				x		S26361-F3257-E4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU;, SAS RAID controller for attachment of internal SAS/SATA-HD`s in all RAID modes			x					S26361-F3257-E512	452,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports			x	x				S26361-F3257-E8	144,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI						x		S26361-F3270-E1	207,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
SCSI/RAID/SAS controller (Continued)												
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile	x	x	x	x				S26361-F3270-E201	207,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R						x		S26361-F3271-E1	223,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile	x	x	x	x	x			S26361-F3271-E201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x		x	x	S26361-F3554-E512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports	x	x	x	x		x		S26361-F3554-E8	176,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU						x	x	S26361-F3593-E1	628,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU	x	x	x	x				S26361-F3593-E201	628,00	
	RAID Ctrl SAS 8Port 512M w/o BBU LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU			x					S26361-F3890-E201	628,00	
	RAID Ctrl SAS 8Port 512M with BBU LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, with iBBU			x					S26361-F3890-E230	739,00	
Fibre Channel												
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface					x	x		S26361-F3306-E1	1.043,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface					x	x		S26361-F3306-E2	1.527,00	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC inferface		x	x	x	x			S26361-F3306-E201	1.043,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC inferface		x	x	x	x			S26361-F3306-E202	1.527,00	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.					x	x		S26361-F3483-E1	1.106,00	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.					x	x		S26361-F3483-E2	1.660,00	
	FC Ctrl 4GBit/s QLE2460 MMF LC LP	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.		x	x	x	x			S26361-F3483-E201	1.106,00	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.		x	x	x	x			S26361-F3483-E202	1.660,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3961-E1	1.144,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3961-E2	1.766,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber		x	x	x				S26361-F3961-E201	1.144,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber		x	x	x				S26361-F3961-E202	1.766,00	
Connection Blades												
	Infiniband Cu Cable 40GB, 4x QSFP, 1m			x		x		x		S26361-F3996-E101	101,00	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m			x		x		x		S26361-F3996-E103	128,00	
Communication/Network												
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter					x	x	x	S26361-F3228-E1	186,00	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter	x	x	x	x	x			S26361-F3228-E201	186,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter					x			S26361-F3241-E1	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter	x	x	x	x	x			S26361-F3241-E201	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel Pro 1000PF 1 Port Server Adapter					x	x	x	S26361-F3242-E1	388,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter	x	x	x	x	x			S26361-F3242-E201	388,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Communication/Network (Continued)												
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket						x	x	S26361-F3462-E1	521,00	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket	x	x	x	x	x			S26361-F3462-E201	521,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel GBit CT 1 Port Desktop Adapter					x			S26361-F3516-E1	64,00	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel GBit CT 1 Port Desktop Adapter lp	x	x	x	x	x			S26361-F3516-E201	64,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu							x	S26361-F3610-E1	165,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu lp	x	x		x				S26361-F3610-E201	165,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu							x	S26361-F3611-E1	399,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp	x	x		x				S26361-F3611-E201	399,00	
	IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR		x		x		x		S26361-F4475-E102	931,00	Orderable from: 15/09/2010
	IB HCA 40GB 2 Kanal QDR	InfiniBand HCA 40GB/s, 2-port, QDR		x		x		x		S26361-F4475-E202	1.324,00	Orderable from: 15/09/2010
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables						x	x	S26361-F3555-E1	691,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable	x	x	x	x				S26361-F3592-E202	1.468,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable						x		S26361-F3592-E2	1.468,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102	x	x	x	x		x		S26361-F3592-E108	426,00	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC lp	Intel 10 Gigabit XF SR Dual Port Server Adapter		x	x	x				S26361-F3505-E201	3.936,00	Phased out
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables	x	x		x				S26361-F3555-E201	691,00	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC	x	x		x		x	x	S26361-F3555-E900	628,00	
Rack-Infrastructure												
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x	x						S26361-F1647-E302	69,00	
	Rack Mount Kit for RX900								x	S26361-F2735-E109	191,00	
	Cable mgmt. RX900 für asym. 19" Racks								x	S26361-F2735-E17	32,00	
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200kg							x	S26361-F2735-E31	32,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x	x	x	x	x	SNP:SY-F1647E301-P	138,00	
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw,, Rack installation depth (19" pillar distance) between 714mm and 785mm	x	x	x	x	x			S26361-F2735-E101	59,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount.; vario-carrier for toolless mounting;, max. load 50 kg,, Rack installation depth (19" pillar distance) between 714mm and 785mm						x		S26361-F2735-E202	69,00	
	RMK-P_1-2U servers	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw;, Rack installation depth (19? pillar distance) between 714mm and 785mm	x	x	x	x	x			S26361-F2735-E110	59,00	
	Cable magmt. for 19" PC- Rack	Cablemanagement for adding a server or storage subsystem into the PRIMECENTER rack			x	x	x	x		S26361-F2735-E7	32,00	
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd-party racks	x	x						S26361-F2735-E8	32,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Rack-Infrastructure (Continued)												
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks (please do not order together with rack mount into PRIMECENTER racks - ex factory!			x	x	x	x	x	S26361-F2201-E20	53,00	
PRIMERGY-Software												
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x			S26361-F1790-E240	319,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection	x	x	x	x		x	x	S26361-F1790-E241	319,00	
	Win Web Srv 2008 w/SP2 EFGJS	Windows Web Server 2008 w/SP2 1-4 CPU, Languages: EN DE ES FR JA, OEM DVD, license	x	x	x	x	x			S26361-F2565-E303	351,00	Phased out
	Win Web Srv 2008 w/SP2 CEIPR	Windows Web Server 2008 w/SP2 1-4 CPU,, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x	x	x	x	x			S26361-F2565-E304	351,00	Phased out
	Win Server 2008 Standard AdditionalCOA	Windows Server 2008 Standard AdditionalCOA (1-4 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for one (1) additional Virtual Use Right of a Windows Server Standard guest operating system instance and 5 additional CAL (CAL Client Access License).	x		x		x			S26361-F2565-E312	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: EN DE ES FR JA, OEM DVD, license	x	x	x	x	x			S26361-F2565-E315	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x	x	x	x	x			S26361-F2565-E316	707,00	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	S26361-F2565-E317	27,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	S26361-F2565-E318	27,00	
	Win Server 2008 Enterprise AdditionalCOA	Windows Server 2008 Enterprise AdditionalCOA (1-8 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for four (4) additional Virtual Use Rights of a Windows Server Enterprise or Standard guest operating system instance and 25 additional CAL (CAL Client Access License).	x		x		x			S26361-F2565-E322	2.553,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, OEM DVD, license	x	x	x	x	x			S26361-F2565-E325	2.160,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x	x	x	x	x			S26361-F2565-E326	2.160,00	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	S26361-F2565-E327	27,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	S26361-F2565-E328	27,00	
	Win Srv 2008 Dtc w/SP2 2CPU EFGJS	Win Srv 2008 Dtc w/SP2 2CPU , Languages: EN DE ES FR JA. LangPack IT, OEM DVD, license		x	x	x	x			S26361-F2565-E333	3.415,00	Phased out
	Win Srv 2008 Dtc w/SP2 4CPU EFGJS	Win Srv 2008 Dtc w/SP2 4CPU , Languages: EN DE ES FR JA. LangPack IT, OEM DVD, license						x		S26361-F2565-E334	6.835,00	Phased out

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Win SBS 2008 Standard OEM, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E350	702,00	
	Win SBS 2008 Standard OEM, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E351	702,00	
	Win SBS 2008 Standard OEM, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E352	702,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Win SBS 2008 Standard OEM, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E353	702,00	
	Win SBS 2008 Standard OEM, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E354	702,00	
	Win SBS 2008 Standard OEM, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E355	702,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Win SBS 2008 Premium OEM, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E360	1.218,00	
	Win SBS 2008 Premium OEM, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E361	1.218,00	
	Win SBS 2008 Premium OEM, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x				S26361-F2565-E362	1.218,00	
	Windows Storage Server 2008 64-bit EMB	Standard, SP2, update 2			x					S26361-F2565-E560	739,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E20	431,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E30	122,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x		x				S26361-F2567-E360	846,00	Orderable from: 15/10/2010
	HPC SW Stack 1-node 1Y	HPC Software Stack per node (head and compute node) 5x9 level3 support 1-Year		x		x				S26361-F2346-C951	167,00	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E593	931,00	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E595	931,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E302	340,00	
	Citrix XS AE, 3yr SA	N/A		x	x	x		x	x	S26361-F2341-S980	1.117,00	
	Citrix XS EE, 3yr SA	N/A		x	x	x		x	x	S26361-F2341-S981	2.798,00	
	Citrix XS PE, 3yr SA	N/A		x	x	x		x	x	S26361-F2341-S982	5.628,00	
	Citrix XS AE-EE upgr, 3yr SA	N/A		x	x	x		x	x	S26361-F2341-S983	2.128,00	
	Citrix XS AE-PE upgr, 3yr SA	N/A		x	x	x		x	x	S26361-F2341-S984	5.191,00	
	Citrix XS EE-PE upgr, 3yr SA	N/A		x	x	x		x	x	S26361-F2341-S985	3.766,00	
	Citrix XS AE, 1yr SA	N/A		x	x	x		x	x	S26361-F2341-S986	883,00	
	Citrix XS EE, 1yr SA	N/A		x	x	x		x	x	S26361-F2341-S987	2.213,00	
	Citrix XS PE, 1yr SA	N/A		x	x	x		x	x	S26361-F2341-S988	4.436,00	
	Citrix XS AE-EE upgr, 1yr SA	N/A		x	x	x		x	x	S26361-F2341-S989	1.553,00	
	Citrix XS AE-PE upgr, 1yr SA	N/A		x	x	x		x	x	S26361-F2341-S990	3.989,00	
	Citrix XS EE-PE upgr, 1yr SA	N/A		x	x	x		x	x	S26361-F2341-S991	2.574,00	
	HPC SW services entitlement 1Y	HPC Software Stack Services entitlement per HPC confiruation 1-Year		x		x				S26361-F2346-S951	2,00	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E591	2.920,00	
	Win Srv 2008 R2 Foundation 1CPU MULI OEM	Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x							S26361-F2567-E306	186,00	
	Citrix Essentials XS5.5 EE, PVS, 3yr SA	Citrix Essentials for XS EE, PVS, 3yr SA; Enterprise Edition + Provisioning 1 SCCU Licenses, 3 years Subscription Advantage; SW and Lizence keys per Download		x	x	x		x	x	S26361-F2341-E980	2.681,00	Phased out
	Citrix Essentials XS5.5 PE, PVS, 3yr SA	Citrix Essentials for XS PE, PVS, 3yr SA; Platinum Edition + Provisioning 4 SCCU; Licenses, 3 years Subscription Advantage; SW and Lizence keys per Download		x	x	x		x	x	S26361-F2341-E981	5.404,00	Phased out
	Citrix Ess XS5.5 EE-PE upgr, PVS, 3yr SA	Citrix Essent XS EE-PE upgr, PVS, 3yr SA; Essentials XS Enterprise to PlatinumUpgrade, w/ PVS, 3 years Subscripion; Lizence keys per Download		x	x	x		x	x	S26361-F2341-E982	3.617,00	Phased out
	Red Hat EL HPC 2-CPU Basic Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x		x				S26361-F2346-C851	66,00	
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E310	633,00	
	Identifier	FlexFrame Identifier, has to be ordered one time per FF configuration			x	x				D:FF4SAP-ID-V041	0,01	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E320	1.963,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x			S26361-F2567-E330	3.074,00	
	Win Srv 2008 R2 Datacenter 4CPU MULI OEM	Win Srv 2008 R2 Dtc (4 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.						x	x	S26361-F2567-E332	6.149,00	
	FF-CN-SW RTU	FlexFrame ControlNode Right to use			x	x				U21348-C101	5.451,65	
	FF4S V5.0A Media-Set	FlexFrame V5.0A media set			x	x				U21348-C5000	80,00	
	FF-Staging-Identifier	FlexFrame staging identifier. Has to be oredered one time per configuration for preinstall and test of the configuration in the factory			x	x				U21348-C105	0,01	
	FF-42-Media-Set	FlexFrame media set consisting of 9 DVDs			x					U21348-C107	80,00	
	FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.			x	x				U21348-C108	1.099,00	
	FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.			x	x				U21348-C109	5.500,00	
	FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.			x	x				U21348-C110	11.000,00	
	FF-AN RTU for RX330	FlexFrame ApplicationNode RTU for RX330					x			U21348-C221	2.991,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	FF-AN RTU for RX600	FF4SAP RTU						x		U21348-C231	10.520,00	
	FF RTU RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame ApplicationNode RTU for RX300 S5, BX620 S5 und BX920 S1.			x	x				U21348-C291	4.785,00	
	FF-AN SAN-connectivity RTU RX330	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX330), which is connected via SAN to the database					x			U21348-C222	1.495,00	
	FF-AN SAN-connectivity RTU RX600	FF4SAP SAN Connectivity RTU						x		U21348-C232	5.260,00	
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5, BX620 S5 und BX920 S1), which is connected via SAN to the database			x	x				U21348-C292	2.393,00	
	FF-AN Accounting RTU RX330	FlexFrame Application Node Accounting RTU for RX330 (optional)					x			U21348-C223	1.495,00	
	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU						x		U21348-C233	5.260,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5, BX620 S5 oder BX920 S1 (optional).			x	x				U21348-C293	2.393,00	
	FF-AN Messenger RTU	FF4SAP Application Node Messenger Expert Right to use for RX330					x			U21348-C224	1.495,33	
	FF-AN Messenger RTU	FF4SAP Messenger RTU						x		U21348-C234	5.260,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5, BX620 S5, BX920 S1			x	x				U21348-C294	2.393,00	
	FF-VMWare Package vSphere STD Option	FlexFrame VMWare vSphere 4 Standard RTU for a RX600 server. The license includes the corresponding VMware vSphere 4 Standard licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)						x		U21348-C431	3.824,00	
	FF-VMWare Package vSphere STD Option	FlexFrame VMWare vSphere 4 Standard RTU for a RX300 S5, BX620 S5 and BX920 S1. The license includes the corresponding VMware vSphere 4 Standard licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)			x	x				U21348-C491	1.832,00	
	FF-VMWare Package vSphere ADV Option	FlexFrame VMWare vSphere 4 Advanced RTU for a RX330 server. The license includes the corresponding VMware vSphere 4 Advanced licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)					x			U21348-C422	3.412,00	
	FF-VMWare Package vSphere ADV Option	FlexFrame VMWare vSphere 4 Advanced RTU for a RX600 server. The license includes the corresponding VMware vSphere 4 Advanced licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)						x		U21348-C432	7.584,00	
	FF-VMWare Package vSphere ADV Option	FlexFrame VMWare vSphere 4 Advanced RTU for a RX300 S5, BX620 S5 and BX920 S1. The license includes the corresponding VMware vSphere 4 Advanced licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)			x	x				U21348-C492	3.712,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	FF-VMWare Package vSphere ENT PL Option	FlexFrame VMWare vSphere 4 Enterprise Plus RTU for a RX330 server. The license includes the corresponding VMware vSphere 4 Enterprise Plus licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)					x			U21348-C423	5.036,00	
	FF-VMWare Package vSphere ENT PL Option	FlexFrame VMWare vSphere 4 Enterprise Plus RTU for a RX600 server. The license includes the corresponding VMware vSphere 4 Enterprise Plus licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)						x		U21348-C433	10.832,00	
	FF-VMWare Package vSphere ENT PL Option	FlexFrame VMWare vSphere 4 Enterprise Plus RTU for a RX300 S5, BX620 S5 and BX920 S1. The license includes the corresponding VMware vSphere 4 Enterprise Plus licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)			x	x				U21348-C493	5.336,00	
	FF-VMware Option	FlexFrame for SAP VMware option for a RX330 server., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support.					x			U21348-C420	500,00	
	FF-VMware Option	FlexFrame for SAP VMware option for a RX600 server., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support.						x		U21348-C430	1.759,00	
	FF-VMware Option	FlexFrame for SAP VMware option for a RX300 S5, BX620 S5 or BX920 S1 Server., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support			x	x				U21348-C490	800,00	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 1-Year subscription	x							S26361-F2346-E601	154,00	
	SUSE Linux ES 1-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 3-Years subscription	x							S26361-F2346-E602	417,00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription		x	x	x	x	x	x	S26361-F2346-E611	265,00	
	SUSE Linux ES 32-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3-Years subscription		x	x	x	x	x	x	S26361-F2346-E612	714,00	
	SUSE Linux E 11 HAE 32-CPU 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3-Years subscription	x	x	x	x	x	x	x	S26361-F2346-E622	1.436,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Red Hat EL 2-CPU 5x9 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 1-Year	x	x	x	x	x			S26361-F2346-E701	336,00	
	Red Hat EL 2-CPU 5x9 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 3-Years	x	x	x	x	x	x	x	S26361-F2346-E702	835,00	
	Red Hat EL 2-CPU 7x24 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 1-Year	x	x	x	x	x			S26361-F2346-E706	566,00	
	Red Hat EL 2-CPU 7x24 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 3-Years	x	x	x	x	x			S26361-F2346-E707	1.376,00	
	Red Hat EL AP 5x9 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 1-Year	x	x	x	x	x	x	x	S26361-F2346-E711	701,00	
	Red Hat EL AP 5x9 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 3-Years	x	x	x	x	x	x	x	S26361-F2346-E712	1.595,00	
	Red Hat EL AP 7x24 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 1-Year	x	x	x	x	x	x	x	S26361-F2346-E716	850,00	
	Red Hat EL AP 7x24 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 3-Years	x	x	x	x	x	x	x	S26361-F2346-E717	2.122,00	
	Red Hat EL 2-CPU 5x9 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 1-Year		x	x	x	x	x	x	S26361-F2346-S801	745,00	
	Red Hat EL 2-CPU 5x9 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 3-Years		x	x	x	x	x	x	S26361-F2346-S802	2.016,00	
	Red Hat EL 2-CPU 7x24 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 1-Year		x	x	x	x	x	x	S26361-F2346-S806	1.218,00	
	Red Hat EL 2-CPU 7x24 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 3-Years		x	x	x	x	x	x	S26361-F2346-S807	3.293,00	
	Red Hat EL AP 5x9 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 1-Year		x	x	x	x			S26361-F2346-S811	1.410,00	
	Red Hat EL AP 5x9 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 3-Years		x	x	x	x			S26361-F2346-S812	3.777,00	
	Red Hat EL AP 7x24 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 1-Year		x	x	x	x			S26361-F2346-S816	2.335,00	
	Red Hat EL AP 7x24 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 3-Years		x	x	x	x			S26361-F2346-S817	6.335,00	
	VMware ESXi 4.0 Embedded UFM Device	VMware ESXi 4.0 Embedded UFM Device Embedded UFM Storage Device , Additional License and SP required	x	x	x	x		x	x	S26361-F2341-E431	64,00	
	VMware ESXi 4.0 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E500	11,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E514	859,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E515	859,00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E518	1.936,00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E519	1.936,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E520	2.479,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E521	2.479,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E522	3.016,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License	x	x	x	x	x	x	x	S26361-F2341-E300	85,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E523	3.016,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!,	x	x	x	x	x	x	x	S26361-F2341-E570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E571	15.367,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E557	4.303,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E559	1.293,00	
	VMware Essentials Plus w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E562	3.017,00	
	VMware Essentials Plus w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E563	3.017,00	
	VMware View ENT Start 10 CLI w/7x24-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E601	1.622,00	
	VMware View ENT Start 10 CLI w/7x24-3yr	VMware View ENT Start 10 CLI w/7x24-3yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E602	2.324,00	
	VMware View ENT 100 CLI w/7x24-1yr	VMware View ENT 100 CLI w/7x24-1yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E603	16.207,00	
	VMware View ENT 100 CLI w/7x24-3yr	VMware View ENT 100 CLI w/7x24-3yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E604	23.186,00	
	VMware View ENT Add 10 CLI w/7x24-1yr	VMware View ENT Add 10 CLI w/7x24-1yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E605	1.622,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	VMware View ENT Add 10 CLI w7x24-3yr	VMware View ENT Add 10 CLI w7x24-3yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E606	2.324,00	
	VMware View ENT Start 10 CLI w/5x9-1yr	VMware View ENT Start 10 CLI w/5x9-1yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E611	1.569,00	
	VMware View ENT Start 10 CLI w/5x9-3yr	VMware View ENT Start 10 CLI w/5x9-3yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E612	2.165,00	
	VMware View ENT 100 CLI w/5x9-1yr	VMware View ENT 100 CLI w/5x9-1yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E613	15.686,00	
	VMware View ENT 100 CLI w/5x9-3yr	VMware View ENT 100 CLI w/5x9-3yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E614	21.697,00	
	VMware View ENT Add 10 CLI w/5x9-1yr	VMware View ENT Add 10 CLI w/5x9-1yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E615	1.569,00	
	VMware View ENT Add 10 CLI w/5x9-3yr	VMware View ENT Add 10 CLI w/5x9-3yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E616	2.165,00	
	VMware View PRE Start 10 CLI w/7x24-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E621	2.697,00	
	VMware View PRE Start 10 CLI w/7x24-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E622	3.867,00	
	VMware View PRE 100 CLI w/7x24-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E623	26.979,00	
	VMware View PRE 100 CLI w/7x24-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E624	38.670,00	
	VMware View PRE Add 10 CLI w/7x24-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E625	2.697,00	
	VMware View PRE Add 10 CLI w7x24-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E626	3.867,00	
	VMware View PRE Start 10 CLI w/5x9-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E631	2.612,00	
	VMware View PRE Start 10 CLI w/5x9-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E632	3.612,00	
	VMware View PRE 100 CLI w/5x9-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E633	26.117,00	
	VMware View PRE 100 CLI w/5x9-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E634	36.117,00	
	VMware View PRE Add 10 CLI w/5x9-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E635	2.612,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	VMware View PRE Add 10 CLI w5x9-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E636	3.612,00	
	VMware SRM for 1 ESX CPU w/7x24-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E641	1.899,00	
	VMware SRM for 1 ESX CPU w/7x24-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E642	2.729,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/7x24-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E643	28.186,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/7x24-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E644	40.372,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/7x24-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E645	34.165,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/7x24-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E646	49.096,00	
	VMware SRM for 1 ESX CPU w/5x9-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E651	1.840,00	
	VMware SRM for 1 ESX CPU w/5x9-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E652	2.543,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/5x9-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E653	27.282,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/5x9-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E654	37.819,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/5x9-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E655	33.074,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/5x9-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-E656	45.798,00	
UPS/Power supply												
	Power Supply Module 770W silver hp	for optional PS redundancy incl. mounting kit		x						S26113-F539-E1	213,00	
	Power Supply Module 800W (hot plug)	2nd PS hp for redundancy			x					S26113-F543-E10	202,00	Phased out
	Power Supply Module 800W gold hp	gold PS hp for redundancy			x	x				S26113-F555-E10	245,00	
	Power Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)						x		S26113-F561-E10	383,00	
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU		x						S26113-F570-E1	117,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)							x	S26113-F573-E10	936,00	
	Power Supply Module 625W (hot plug)	for PS redundancy, incl. power cord					x			S26113-F604-E1	160,00	Phased out
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x			T26139-Y1742-E10	11,00	
Miscellaneous												
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x	x	x	x	x	x	x	S26361-F1647-E410	27,00	
	LocalView Option Kit S2	LCD display with installation kit			x	x				S26361-F2557-E106	74,00	
	Customer Self Service Modul RX Server	Support for Customer Self Service (CSS), incl. mounting kit			x	x				S26361-F2557-E205	27,00	
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 5 fans			x					S26361-F2621-E5	96,00	Phased out
	RX100 S6 E-STAR FAM1 certification	Limited configuration according Ernergy Star Server 1.0 for systems with Standard PSU and Dual Core CPUs	x							S26361-F3301-E101	3,00	
	RX100 S6 E-STAR FAM2 certification	Limited configuration according Ernergy Star Server 1.0 for systems with Standard PSU and Qual Core CPUs	x							S26361-F3301-E102	3,00	
	RX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units		x						S26361-F3301-E401	3,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
Miscellaneous (Continued)												
	RX300S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units				x				S26361-F3301-E501	3,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x		x	x	S26361-F3552-E1	53,00	
	Opt. Front VGA + add. USB	VGA and USB connector, instead of Local Service Panel	x							S26361-F3577-E1	37,00	
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)	x							S26361-F2557-E204	32,00	
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90	x	x	x	x	x	x	x	S26361-F2735-E111	5,00	
SW Data Center Products												
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E913	1.106,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E914	5.543,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E915	11.085,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E923	2.617,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E924	13.074,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E925	26.149,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E933	3.989,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E934	19.947,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E935	39.894,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E960	2.309,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E961	11.521,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E962	23.053,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E963	3.681,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E964	18.394,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E965	36.787,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E966	2.351,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E967	11.745,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E968	23.489,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S913	840,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S914	4.213,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S915	8.426,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S923	2.000,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S924	9.979,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S925	19.947,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S933	3.106,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S934	15.511,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S935	31.032,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S960	1.681,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S961	8.426,00	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S962	16.840,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S963	2.798,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S964	13.968,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S965	27.926,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S966	1.468,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S967	7.319,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S968	14.628,00	
	SVRCVESCD V21 (WIN) MED CD	Resource Coordinator VE Standard Media Pack (Windows) V2.1	x		x					U11420-C900	50,00	
	SVRCVESCD V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2	x	x	x	x		x	x	U11420-C910	50,00	
	SVRCVESCD V21 (LINUX) MED CD	Resource Coordinator VE Standard Media Pack (Linux) V2.1	x		x					U11420-C901	50,00	
	SVRCVESCD V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2	x	x	x	x		x	x	U11420-C911	50,00	
	SVRCVESMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2	x	x	x	x		x		U11420-C902	2.363,00	
	SVRCVESMGR V22 (WIN) RTU 1 SVR 8C	ServerView Resource Coordinator VE Standard Server License for 1 Manager 8CPU Class V2							x	U11420-C920	4.727,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2	x	x	x	x		x		U11420-C922	2.363,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 8C	ServerView Resource Coordinator VE Standard Server License for 1 Manager 8CPU Class Upgrade von RCVE Preview V2							x	U11420-C923	4.727,00	
	SVRCVESSAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2	x	x	x	x		x		U11420-C903	517,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2	x	x	x	x		x		U11420-C904	4.033,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2	x	x	x	x		x		U11420-C905	7.869,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 1SVR 8C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 8 CPU Class V2							x	U11420-C926	1.034,00	
	SVRCVEFCO V2 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows) V2	x	x	x	x		x	x	U11420-C906	100,00	
	SVRCVEMCO V22 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows) V2	x	x	x	x		x	x	U11420-C936	100,00	
	SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2	x	x	x	x		x	x	U11420-C907	0,01	
	SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2	x	x	x	x		x	x	U11420-C935	0,01	

Rack Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	SVRORCD V22 (WIN) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Windows	x	x	x	x		x	x	U11420-C937	50,00	
	SVRORCD V22 (LINUX) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Linux	x	x	x	x		x	x	U11420-C938	50,00	
	XTN-CD V31 (PS) MED CD	x10sure CD 3.1; (Binaries / Documents) 1 Medium, German & English Version		x	x	x	x	x	x	U11420-C775	50,00	
	SVRORSVR V22 (WIN/LINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2	x	x	x	x		x		U11420-C940	1.331,00	
	XTN-B V31 (PS) RTU -1CN1AN	x10sure 3.1 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included)		x	x	x	x	x	x	U11420-C877	1.400,00	
	XTN-B V31 (PS) UgRTU -1CN1AN	x10sure 3.1 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)		x	x	x	x	x	x	U11420-C773-U	1,00	
	XTN-N V31 (PS) RtU -1 Node	x10sure 3.1 RtU for 1 additional Application- or Spare Node; no support nor updates included		x	x	x	x	x	x	U11420-C878	1.100,00	
	SVRORSVR V22 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2	x	x	x	x		x		U11420-C942	12.376,00	
	XTN-N V31 (PS) UgRtU -1 Node	x10sure 3.1 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)		x	x	x	x	x	x	U11420-C774-U	1,00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version				x				U11420-C776	50,00	
	SVRORSVR V22 (WIN/LINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2	x	x	x	x		x		U11420-C943	22.277,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)				x				U11420-C879	2.500,00	
	SVRORSVR V22 (WIN/LINUX) RTU 1SVR 8C	ServerView Resource Orchestrator Server License (1 Server) 8CPU Class V2							x	U11420-C944	2.662,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x	x		x		U11420-C946	814,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x	x		x		U11420-C948	8.343,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x	x		x		U11420-C949	14.408,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 1SVR 8C	ServerView Resource Orchestrator Server License (1 Server) 8CPU Class RCVE Agent Upgrade V2							x	U11420-C950	1.628,00	
Solution identifier												
	HPC Solution Identifier					x				FTS:HPC-ID-V001	11,00	
	HPC Head Node Inst. ex works incl ICR	Please note confiugration hints				x				S26361-F3638-E1	1.271,00	
	HPC Compute Node Inst. ex works incl ICR	Please note confiugration hints		x		x				S26361-F3638-E2	218,00	

Positioning PRIMERGY Blade Servers

PRIMERGY BX900 S1

The PRIMERGY BX900 S1 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem Quad-Core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.

PRIMERGY BX600 S3

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equipped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.

PRIMERGY SX650

This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation.
Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models.
Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.

PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

PRIMERGY BladeFrame BF200

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.
PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-

PRIMERGY BladeFrame BF400 S2

virtualization and provides an integrated concept for high availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.

PRIMERGY BX900 S1 Data Sheets: http://ts.fujitsu.com/primergy

PRIMERGY BX900 - The Dynamic Cube

The PRIMERGY BX900 – Dynamic Cube is a complete Dynamic Server Infrastructure in a single blade cube. This blade server can be dynamically adapted to different IT requirements, thereby reducing costs while increasing your IT agility.
The PRIMERGY BX900 can accommodate up to 18 server blades in a 10U chassis.
Using Cool -safe™, our trademarked cooling concept, combined with power supplies with 90% efficiency and the embedded ServerView Power management software, it ensures truly dynamic power and cooling capabilities that save you money.
Equipped with the latest Intel VT processor technologies, very large memory capacities and state-of-the-art I/O performance, the PRIMERGY BX900 is optimized for any virtualization scenario. Its density and stackability enable flexible scaling to ensure complete investment protection.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX900 S1					
	PY BX900 S1 System Unit	10 U Systemunit without Server Blades, 1x MMB, 3xPSU, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V200	6.043,00	

PRIMERGY BX600 S3

Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY Blade Ecosystem is a perfect choice for today's datacenter solutions, where the key demand is a reliable and innovative platform for performance and connectivity. It is a highly compact and flexible server system, offering extensive connectivity options, thus allowing the integrated server blades to be used as mid-tier or application servers. Apart from advantages such as high packing density, fault tolerance thanks to high redundancy, and simple and efficient manageability, the PRIMERGY BX600 S3 is distinguished by a future proof approach thanks to the use of the latest generation Intel® Xeon® as well as AMD Opteron™ Dual- and Quad-Core processors.
The PRIMERGY Blade Ecosystem provides a centralized concept for power and cooling with the recognized highest energy-efficiency, excellent RAS functionalities thanks to redundancy and hot swapping of all active components and a flexible I/O concept, even for future oriented technologies. The extension of local hard disk capacity by up to 2x 1,500 GB (per server blade) is possible with the storage blades PRIMERGY SX650. The latest new component for the BX600 S3 ecosystem is the NAS (Network Attached Storage) blade named PRIMERGY NX650, designed for installation into the BX600 S3 chassis. NX650 consists of a server blade BX620 S4 plus one or two connected storage blades (SX650). Hereby a NAS blade capacity of up to 3,000 GB may be achieved.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY BX600 S3					
	PY BX600 S3 SYSTEM UNIT (MMB S3) / (Promo)	PY BX600 S3 SYSTEM UNIT (MMB S3) / BX600 DKVM/2xGBE PASS-THRU/ ,	LKN:B6003S0001IT		
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W without power cords, 2 dummy server blades, 1 special cable for connection to USB-CD-ROM / FD drive and 1x VGA, 1 special cable for connection to PS/2 and 1x VGA, ServerView, -Start, RemoteView on CD.	S26361-K1156-V304	4.314,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX600 S3					
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W with 2 power cords, dummy panels for all not plugged blade slots, 1 special cable for connection to KVM switch (2x PS/s, 1x VGA), 1 special cable for connection of released USB devices and monitor (2x USB, 1x VGA) to front side of the server blades, ServerView, -Start, RemoteView on CD.	S26361-K1156-V302	4.314,00	

PRIMERGY BX620 S4

Data Sheets: http://ts.fujitsu.com/primergy

PRIMERGY BX server blades represent the workhorses within the PRIMERGY BX600 blade server system. Server blades may also optionally be equipped with local hard disk drives and additional mezzanine cards as prerequisites for enhanced external connectivity. Based on those capabilities the PRIMERGY server blades enable customers to run various types of applications in either physical or virtualized environments. With their modular design for different requirements, the customer can create specific configurations to meet different usage scenarios.
The PRIMERGY BX620 S4 delivers optimal performance for enterprise environments with optimal memory and processor performance. This high-density server blade features low-voltage processors for better energy management. Up to ten dual socket server blades equipped with one to two Dual-Core CPUs of the Intel® Xeon® processor 5200 series with 6 MB shared second level cache or up to two Quad-Core CPUs of the Intel® Xeon® processor 5400 series with 2x 6 MB shared second level cache these server blades are designed for an optimal performance/watt ratio.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY BLADE BX620 S5					
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP E5506/4GB 1066 ECC/ SINGLE PACKAGE/ ,	LKN:B6205S0001IT		Phased out
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP E5530/2x4GB 1066 ECC/ SINGLE PACKAGE/ ,	LKN:B6205S0002IT		Phased out
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP X5550/PERFORMANCE MODE/ SP 3X4GB 1066 ECC/SINGLE PACKAGE/ ,	LKN:B6205S0003IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S5					
	PY BX620 S5 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1270-V200	1.122,00	
PRIMERGY BLADE BX620 S6					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.176,00	

PRIMERGY BX620 S5 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY BX620 S5 provides optimal functions for enterprise environments and offers improved features as regards main memory and processors. Up to ten of the dual socket server blades can be installed in a PRIMERGY BX600 S3 system unit. The BX620 S5 systems offer an efficient Cool-safe™ design with the latest generation of Dual- and Quad-Core Intel® Xeon® processor 5500 series CPUs as low-voltage, standard and high-performance versions so as to minimize power consumption and reduce cooling requirements in data centers. Due to the support of a high storage capacity with 12 DIMM slots, main memory of up to 96GB and memory speed of 1,333 MHz the BX620 S5 is ideally suited for front and mid-tier applications that require high availability, flexibility and performance efficiency.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY BLADE BX620 S5					
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP E5506/4GB 1066 ECC/ SINGLE PACKAGE/ ,	LKN:B6205S0001IT		Phased out
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP E5530/2x4GB 1066 ECC/ SINGLE PACKAGE/ ,	LKN:B6205S0002IT		Phased out
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP X5550/PERFORMANCE MODE/ SP 3X4GB 1066 ECC/SINGLE PACKAGE/ ,	LKN:B6205S0003IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S5					
	PY BX620 S5 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1270-V200	1.122,00	
PRIMERGY BLADE BX620 S6					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.176,00	

PRIMERGY SX650 Data Sheets: http://ts.fujitsu.com/primergy

To extend the internal storage capacity of a PRIMERGY BX620 S4 or S5 dual socket server blade, up to two PRIMERGY SX650 storage blades can be connected to one server blade.
With one PRIMERGY SX650 the internal storage capacity of a BX620 S4/S5 can be extended by up to 1,500 Gbyte. It occupies one additional server blade slot within the PRIMERGY BX600 S3 system unit, positioned at the right side of an adjacent server blade.
The 5 hard disk drives of one PRIMERGY SX650 are driven by a highly functional SAS/RAID controller with 512 Mbyte cache and BBU. This controller (HBA) installed in the BX620 S4/S5 provides the RAID levels 0, 1, 5 and 6. The connection to the SX650 is realized via a corresponding SAS cable which is dedicated for this configuration pair.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE SX650					
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500	920,00	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520	920,00	

PRIMERGY SX940 S1 Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.
A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX940 S1					
	PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200	1.410,00	

PRIMERGY NX650 NAS

Data Sheets: http://ts.fujitsu.com/primergy

The NAS solution NX650 provides shared disk capacity of up to 3,000 GB per unit for server blades in the BX600 S3 enclosure as well as for other servers in the datacenter LAN.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE SX650					
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500	920,00	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520	920,00	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

| Category | Description | Details | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX80 | FibreCAT SX80iSCSI | FibreCAT SX80i/SX80i Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | PRIMERGY BLADE BX300 | PRIMERGY BLADE BX620 | PRIMERGY BLADE BX620 S2 | PRIMERGY BLADE BX620 S3 | PRIMERGY BLADE BX620 S4 | PRIMERGY BLADE BX620 S4 cBlade | PRIMERGY BLADE BX620 S5 | PRIMERGY BLADE BX630 S6 | PRIMERGY BLADE BX630 8-way | PRIMERGY BLADE BX630 Dual DP | PRIMERGY BLADE BX630 Dual MP | PRIMERGY BLADE BX630 Quad | PRIMERGY BLADE BX630 S2 Dual | PRIMERGY BLADE BX630 S2 Quad | PRIMERGY BLADE BX660 | PRIMERGY BLADE BX680 | PRIMERGY BLADE SX950 | PRIMERGY BladeFrame BF Upgrade | PRIMERGY BladeFrame BF200 | PRIMERGY BladeFrame BF400 | PRIMERGY BladeFrame BF400 S2 | PRIMERGY BX300 | PRIMERGY BX600 | PRIMERGY BX600 S2 | PRIMERGY BX600 S3 | PRIMERGY BX900 S1 | PRIMERGY BX920 S1 | PRIMERGY BX920 S2 | PRIMERGY BX922 S2 | PRIMERGY BX924 S2 | PRIMERGY BX960 S1 | PRIMERGY pRLADE BF420 | PRIMERGY pRLADE BF440 | PRIMERGY pRLADE BF520 | PRIMERGY pRLADE BF540 | PRIMERGY SX10 | PRIMERGY SX30 | PRIMERGY SX910 S1 | PRIMERGY SX940 S1 | Product Code | EUP (€) | Comments |
|---|---|---

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dd'date	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 D ual DP	PRIMERGY BL.ADE.BX630 D ual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																			
Processor (Continued)																																																			
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																															S26361-F4442-L333	2.590,00	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																															S26361-F3972-L213	388,00	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																															S26361-F3973-L226	628,00	Phased out
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink																																															S26361-F3979-L213	707,00	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																																															S26361-F3979-L226	878,00	Phased out
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																																															S26361-F3979-L240	1.218,00	Phased out
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																															S26361-F3980-L186	335,00	Phased out
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																															S26361-F3981-L200	388,00	Phased out
	Intel® Xeon® E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																															S26361-F3981-L213	388,00	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																															S26361-F3982-L226	628,00	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																															S26361-F3982-L240	878,00	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																															S26361-F3982-L253	1.218,00	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																															S26361-F3983-L267	1.574,00	Phased out
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																															S26361-F3983-L280	1.915,00	Phased out
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																															S26361-F3983-L293	2.250,00	Phased out
Memory																																																			
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533												x																																				S26361-F3000-L514	64,00	Phased out
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz															x																																S26361-F3072-L522	197,00	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz															x																																S26361-F3072-L523	426,00	Phased out
	MEM 1GB 2x512 DDR400 PC3200 rg ECC	2 modules 512MB each, registered DDR1 400MHz																					x	x	x	x																							S26361-F3166-L521	285,00	Phased out
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz w ith SDDC																	x	x																													S26361-F3230-L522	202,00	Phased out
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz w ith SDDC																	x	x																													S26361-F3230-L523	330,00	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz w ith SDDC																	x	x																													S26361-F3230-L524	463,00	Phased out
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC	2 modules, registered DDR2 800MHz w ith SDDC																																x	x												S26361-F3550-L512	223,00	
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC	2 modules, registered DDR2 800MHz w ith SDDC																																x	x												S26361-F3550-L513	441,00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																															S26361-F4003-L643	468,00	
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz w ith SDDC													x																																		S26361-F3263-L522	202,00	Phased out
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																															S26361-F4003-L644	872,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																															S26361-F4003-L645	2.128,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																																															S26361-F4003-L646	6.170,00	Orderable from: 27/09/2010
Removable Media Drives																																																			
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI	U320 SCSI Interface 68-pin, 1.6" fitting height, w ith data and cleaning cartridge												x																																			S26361-F3459-L3	2.473,00	Phased out
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , w ith SAS cable, w ith data and cleaning cartridge																																														S26361-F3626-L1	2.606,00	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, black, w ith SAS cable, w ith data and cleaning cartridge																																														S26361-F3963-L4	2.606,00	Phased out
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , w ith SAS cable, w ith data and cleaning cartridge																																														S26361-F3627-L1	3.138,00	
SCSI/RAID/SAS controller																																																			
	I/O Modul for single shipment	FibreCAT SX I/O Modul to cascading a shelf as single shipment	x			x			x		x																																								
	RAID Controller SX60 for single shipment	FibreCAT SX60 RAID Controller 4 GBit/s as single shipment			x																																														
	RAID Contr.SX80iSCSI for single shipment	FibreCAT SX80 iSCSI RAID Controller as single shipment						x																																											
	RAID Controller SX80 for single shipment	FibreCAT SX80 RAID Controller 4 GBit/s as single shipment					x																																												
	RAID Controller SX88 for single shipment	FibreCAT SX88 RAID Controller 4 GBit/s as single shipment								x																																									
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI												x	x				x					x	x	x																							S26361-F2399-L1	314,00	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI													x					x	x																												S26361-F2737-L201	314,00	Phased out
	RAID Ctrl SAS 8 Port 256MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, >>>exclusive for external attachment of FibreCAT SX40 fl. This SAS RAID controller supports SAS and SATA disks.													x	x																															S26361-F3215-L201	814,00	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LP LSI	BBU Upgrade for LSI 8344ELP													x	x																															S26361-F3215-L210	234,00	Phased out
	RAID Contr BBU Upgrade for RAID S/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. FS257 256MB and 512MB																																														x	S26361-F3257-L10	202,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																																														x	S26361-F3257-L4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU																																													x	S26361-F3257-L512	452,00	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile														x																																	S26361-F3270-L201	207,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068														x																																	S26361-F3271-L1	223,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile														x																																	S26361-F3271-L201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port																																													x	S26361-F3554-L512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports																																													x	S26361-F3554-L8	176,00	
	RAID Ctrl SAS 6G 8Port ex 512M FHLP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, w ithout iBBU																																														S26361-F3593-L501	628,00	
	RAID Ctrl SAS 8Port opt Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8880E																		x			x																									S26361-F3890-L12	186,00	
	RAID Ctrl SAS 8Port 512M FHLP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, w ithout iBBU																		x																											S26361-F3890-L501	628,00	
SATA/SAS controller																																																			



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BL.ADE BX300	PRIMERGY BL.ADE BX620	PRIMERGY BL.ADE BX620 S2	PRIMERGY BL.ADE BX620 S3	PRIMERGY BL.ADE BX620 S4	PRIMERGY BL.ADE BX620 S4 dBlade	PRIMERGY BL.ADE BX625 S5	PRIMERGY BL.ADE BX625 S6	PRIMERGY BL.ADE BX630 8-way	PRIMERGY BL.ADE BX630 D dat DP	PRIMERGY BL.ADE BX630 D dat MP	PRIMERGY BL.ADE BX630 Quad	PRIMERGY BL.ADE BX630 S2 Dual	PRIMERGY BL.ADE BX630 S2 Quad	PRIMERGY BL.ADE BX660	PRIMERGY BL.ADE NX650	PRIMERGY BL.ADE S.NX50	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY p BLADE BF420	PRIMERGY p BLADE BF440	PRIMERGY p BLADE BF620	PRIMERGY p BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY S.SX910 S1	PRIMERGY S.SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																			
SATA/SAS controller (Continued)																																																			
	SATA Storage module	SATA Controller incl. mounting kit, RAID1support for 2 SATA hard disks																	x	x																														S26361-F3207-L1	74,00	Phased out
	SAS Storage Module	SAS Controller incl. mounting kit, RAID1support for 2 SAS hard disks																		x		x	x																										S26361-F3207-L21	202,00	
	SAS/PCI-X Storage Module	SAS Controller, PCI-X slot for Ip cards incl. mounting kit, RAID1support for 2 SAS hard disks																		x																													S26361-F3207-L31	457,00	Phased out
	SAS/PCIe Storage Module	SAS Controller, PCIe slot for Ip cards incl. mounting kit, RAID1support for 2 SAS hard disks																		x		x																											S26361-F3207-L41	367,00	
	SAS/PCIe Storage Modul for BX620 S6	SAS Controller, PCIe slot for Ip cards incl. mounting kit, RAID1support for 2 SAS hard disks																					x																										S26361-F3207-L42	346,00	
	SAS/RAID Storage Module 4M	SAS/RAID Controller, ITBBU256MB Cache incl. mounting kit, RAID1support for 2 SAS hard disks																		x		x	x																											S26361-F3207-L51	941,00	
Fibre Channel																																																			
	FC module 2x2GBit/s BX600-FC22Q	Qlogic, 2GBit/s, 133MHz PCI-X, 2-channel																x	x	x					x	x	x	x			x																		S26361-F3023-L2	904,00	Phased out
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC interface, only for attachment of the subsystem FibreCAT SX60													x					x																												S26361-F3122-L1	803,00	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface													x	x				x																												S26361-F3306-L201	1.043,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface													x	x				x	x		x																											S26361-F3306-L202	1.527,00	
	First SAN FC Ctrl 4GBit/s LPe1150 LC LP	LPe1150, 4GBit/s, 1 Kanal FC Controller, PCIe x4, low profile, MMF LC-Interface can only be ordered in combination with a FibreCAT SX60 or SX80	x		x		x		x																																						S26361-F3306-L299	984,00	
	PY BX600 FC Mezz Card 4GB 2Port (FC42E)	FC module 2x4GBit/s BX600-FC42E, exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4)																		x		x	x							x	x		x															S26361-F3306-L601	660,00	
	First SAN FC Ctrl 4GBit/s LPe1150 LC	LPe1150, 4GBit/s, 1 Kanal FC Controller, PCIe x4, MMF LC-Interface can only be ordered in combination with a FibreCAT SX60 or SX80	x		x		x		x																																						S26361-F3306-L99	984,00	
	PY BX600 Eth Switch 10GB 10/2 (SE)	Uplink Ports: 2x 10GBit (X2-Cu, X2-FO), Downlink Ports: 10x 10GBit, - please read configuration hints!																																													S26361-F3309-L1	5.181,00	Phased out
	PY BX600 Eth Mezz Card 10GB 2Port (PCIe)	ServerEngines Ethernet LAN, 2x 10GBit/s, PCIe,																		x										x	x		x															S26361-F3309-L2	989,00	Phased out
	PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-channel																		x	x		x	x						x	x		x															S26361-F3451-L1	340,00	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																		x	x																											S26361-F3483-L202	1.660,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber																		x		x																											S26361-F3961-L202	1.766,00	
Communication/Network																																																			
	PY BX600 GBE Switch Blade(Cisco CBS3040)	Interfaces: external 2x RJ45, 4xSFP sockets , - please read configuration hints! The Product can be ordered normal without a special release by using following order numbers: S26361-K1234-V200 and an opt. service fee: , S26361-F2749-E1 (for installation and test) or S26361-F2749-E3 (for loose delivery without test)																																															S26361-F2297-L1	5.745,00	
	PY BX600 Eth Pass-Thru 1GB 10/10	Interfaces: external 10x RJ45 sockets (1000 Base-T full duplex)																																															S26361-F3112-L1	1.021,00	
	KVM module	Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.																																															S26361-F3113-L2	234,00	
	PY BX600 dummy KVM module	for BX600 S3 System Unit, KVM slot at the rear side																																															S26361-F3113-L5	27,00	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter													x	x																																	S26361-F3142-L1	80,00	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile														x		x																															S26361-F3142-L201	80,00	Phased out
	PY BX600 Eth Switch 1GB 10/6	Interfaces: external 6x RJ45 sockets , - please read configuration hints!																																															S26361-F3206-L6	1.580,00	
	PY BX600 Eth Switch 1GB 10/6+2	Interfaces: external 6x RJ45 sockets, 1xCX4 socket, 1x slot for XFP module, - please read configuration hints!																																															S26361-F3206-L8	2.441,00	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter																	x						x	x	x																						S26361-F3227-L2	239,00	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI															x			x	x																												S26361-F3227-L202	239,00	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter													x	x				x	x		x	x																									S26361-F3228-L201	186,00	
	Accessory Pack BladeFrame BF400	Accessory pack for System Unit BF400/BF400 S2. Contains important information, max 1x per System Unit BF400 / BF400 S2																																	x		x	x										S26361-F3229-L998	5,00	
	PY BladeFrame BF200 accessory pack	for Rack mounting in 19" PRIMECENTER Racks																																		x												S26361-F3229-L999	96,00	
	PY BF SFP Module 1000 BASE-T Copper,RJ45	for BF200 / BF400 cBlades for replacement, per port																																	x	x		x										S26361-F3240-E21	303,00	
	PY BF SFP Module TriRate Fiber 1x/2x/GBE	for BF200 / BF400 cBlades for replacement, per port																																	x	x		x										S26361-F3240-E22	261,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter													x	x				x	x																												S26361-F3241-L201	96,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter													x	x				x	x																												S26361-F3242-L201	388,00	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket																			x	x																												S26361-F3462-L1	521,00	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket															x				x	x																												S26361-F3462-L201	521,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu																																															S26361-F3610-L501	165,00	
	BX600 digital KVM switch	Keyboard Video Mouse Switch, interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.																																															S26361-F3113-L102	1.271,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable																																															S26361-F3592-L202	1.468,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102																																															S26361-F3592-L108	426,00	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables																																															S26361-F3555-L501	691,00	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC																																															S26361-F3555-L900	628,00	
	PY BX600 FC Pass-Thru 4GB 10/10	Interfaces: external 10 ports for GBIC/SFP modules																																															S26361-F3024-L10	1.830,00	
	PY BX600 FC Switch 4GB 10/6 12 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 12 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																																																S26361-F3144-L14	7.340,00	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter													x			x	x						x	x	x																						S26361-F3011-L1	239,00	Phased out
	PY BX600 FC Switch 4GB 10/6 16 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 16 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																																																S26361-F3144-L16	9.681,00	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter													x	x																																	S26361-F3053-L1	138,00	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile														x	x																															S26361-F3053-L201	138,00	Phased out
	PY BX600 Eth Switch 1GB 30/12	Interfaces: external 12x RJ45 sockets (1000 Base-T full duplex)- please read configuration hints!																																															S26361-F3467-L1	3.723,00	
	PY BX600 Eth IBP 1GB 30/12	Interfaces: external 6x RJ45 sockets , - please read configuration hints!																																															S26361-F3859-L1	2.686,00	
Rack-Infrastructure																																																			
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, DP/3rd P Racks incl.vario carrier and cable management													x																																	S26361-F2734-L32	239,00	Phased out

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dBlade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX635 8-way	PRIMERGY BL ADE BX630 D dat DP	PRIMERGY BL ADE BX630 D dat MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S.NX50	PRIMERGY BladeFarm BF Upgrade	PRIMERGY BladeFarm BF 200	PRIMERGY BladeFarm BF 400	PRIMERGY BladeFarm BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX620 S3	PRIMERGY BX624 S2	PRIMERGY BX960 S1	PRIMERGY p BLADE BF420	PRIMERGY p BLADE BF440	PRIMERGY p BLADE BF620	PRIMERGY p BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX9910 S1	PRIMERGY SX9040 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																					
Rack-Infrastructure (Continued)																																																					
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw , , Rack installation depth (19" pillar distance) between 714mm and 785mm													x																																						S26361-F2735-L101	59,00	
	RMK-P_1-2U servers	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw , , Rack installation depth (19? pillar distance) between 714mm and 785mm													x																																					S26361-F2735-L110	59,00	
	cable magmt. for 19" PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2													x																																					S26361-F2735-L7	32,00	
	Dummy Server Blade	Dummy CPU Blade																																											x	x	x	x						S26361-F3025-L1	37,00	
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks													x																																		x	x		S26361-F2201-L20	53,00	
PRIMERGY-Software																																																					
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection												x	x															x	x																						S26361-F1790-L240	319,00	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection													x																																					S26361-F1790-L241	319,00	
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: EN DE ES FR JA, ROK DVD, license																				x		x	x																				x						S26361-F2565-L315	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEPR ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license																				x		x	x																				x						S26361-F2565-L316	707,00	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system																				x		x	x																				x	x	x	x	x	x				S26361-F2565-L317	27,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system																				x		x	x																				x	x	x	x	x	x				S26361-F2565-L318	27,00	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, ROK DVD, license																				x		x	x																				x						S26361-F2565-L325	2.160,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEPR ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license																				x		x	x																				x						S26361-F2565-L326	2.160,00	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system																				x		x	x																				x	x	x	x	x	x				S26361-F2565-L327	27,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system																				x		x	x																				x	x	x	x	x	x				S26361-F2565-L328	27,00	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																				x		x	x																				x						S26361-F2565-L340	24,00	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																				x		x	x																				x						S26361-F2565-L341	117,00	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																				x		x	x																				x						S26361-F2565-L342	24,00	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																				x		x	x																				x						S26361-F2565-L343	117,00	
	Win EBS 2008 Standard ROK, GB	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an Ihren zuständigen Vertriebsbeauftragten.																				x		x																				x						S26361-F2565-L370	4.181,00	Phased out
	Win EBS 2008 Standard ROK, D	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an Ihren zuständigen Vertriebsbeauftragten.																				x		x																				x						S26361-F2565-L371	4.181,00	Phased out
	Win EBS 2008 Standard ROK, I	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an Ihren zuständigen Vertriebsbeauftragten.																				x		x																				x						S26361-F2565-L372	4.181,00	Phased out
	Win EBS 2008 CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).																				x		x																											S26361-F2565-L378	324,00	Phased out
	Win EBS 2008 CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).																				x		x																											S26361-F2565-L379	324,00	Phased out

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dbl blade	PRIMERGY BL.ADE.BX620 S5	PRIMERGY BL.ADE.BX620 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 D dual DP	PRIMERGY BL.ADE.BX630 D dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NE650	PRIMERGY BL.ADE.S.9450	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX9910 S1	PRIMERGY SX9940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																					
PRIMERGY-Software (Continued)																																																					
	Win EBS 2008 Premium ROK, GB	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edition., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.																						x		x						x	x																						S26361-F2565-L380	5.484,00	Phased out
	Win EBS 2008 Premium ROK, D	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edition., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.																						x		x						x	x																						S26361-F2565-L381	5.484,00	Phased out
	Win EBS 2008 Premium ROK, I	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edition., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.																						x		x						x	x																						S26361-F2565-L382	5.484,00	Phased out
	Win EBS 2008 Premium CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.																				x		x						x	x																						S26361-F2565-L388	782,00	Phased out
	Win EBS 2008 Premium CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.																				x		x						x	x																						S26361-F2565-L389	782,00	Phased out
	iSCSI SW Target 3.2 (64-bit) EMB	including update 1																						x	x																											S26361-F2565-L564	11,00	
	MS SysCtr Essntls 2010 TUP	MS System Center Essentials 2010 Technology Upgrade. For eligible customers only. Requires a Request for Special Release. English. OEM DVD, License.																				x		x	x					x	x																						S26361-F2567-L15	27,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.																				x		x	x					x	x																						S26361-F2567-L20	431,00	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.																				x		x	x					x	x																						S26361-F2567-L30	122,00	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment																				x		x	x					x	x																						S26361-F2567-L31	96,00	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.																				x		x																												S26361-F2567-L310	633,00	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment																				x		x	x					x	x																						S26361-F2567-L32	484,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.																						x	x																												S26361-F2567-L320	1.963,00	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.																						x	x																												S26361-F2567-L330	3.074,00	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.																				x		x	x					x	x																						S26361-F2567-L34	324,00	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.																				x		x	x					x	x																						S26361-F2567-L340	85,00	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.																				x		x	x					x	x																						S26361-F2567-L341	415,00	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.																				x		x	x					x	x																						S26361-F2567-L342	85,00	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.																				x		x	x					x	x																						S26361-F2567-L343	415,00	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																																									x	x							S26361-F2567-L360	846,00	Orderable from 15/10/2010
	SV Virtual-IO Manager Single License	License for operation of one BX Blade Server Chassis, service contract mandatory																																									x	x							U15000-C310	3.670,00	
	FF4O-RE-A-N Mono Server 2-Core	FF4O RE ApplicationNode RTU for server with one 2-core CPU																				x		x	x																												U26004-C401	2.000,00	
	FF4O-RE-A-N Mono Server 4-Core	FF4O RE ApplicationNode RTU for server with one 4-core CPU																				x		x	x																												U26004-C402	4.000,00	
	FF4O-RE-A-N Dual Server 2-Core	FF4O RE ApplicationNode RTU for Server with two 2-core CPU																				x		x	x																												U26004-C403	4.000,00	
	FF4O-RE-A-N Dual Server 4-Core	FF4O RE ApplicationNode RTU for Server with two 4-core CPU																				x		x	x																												U26004-C404	7.000,00	
	FF4O-RE Spare Mono Server 2-Core	FF4O RE RTU for spare server with one 2-core CPU																				x		x	x																												U26004-C405	1.000,00	
	FF4O-RE Spare Mono Server 4-Core	FF4O RE RTU for spare server with one 4-core CPU																				x		x	x																												U26004-C406	2.000,00	
	FF4O-RE Spare Dual Server 2-Core	FF4O RE RTU for spare server with two 2-core CPU																				x		x	x																												U26004-C407	2.000,00	
	FF4O-RE Spare Dual Server 4-Core	FF4O RE RTU for spare server with two 4-core CPU																				x		x	x																												U26004-C408	3.500,00	
	PRIMERGY MultiPath MPIO Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.																				x		x	x					x	x																						S26361-F2565-L592	468,00	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.																				x		x	x					x	x																						S26361-F2565-L593	931,00	
	PRIMERGY MultiPath Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.																				x		x	x					x	x																						S26361-F2565-L594	468,00	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.																				x		x	x					x	x																						S26361-F2565-L595	931,00	
	PRIMERGY DuplexDataManager Upgr. to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY DuplexDataManager. CD-ROM and License.																				x		x	x					x	x																						S26361-F2565-L590	1.463,00	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.																				x		x	x					x	x																						S26361-F2565-L591	2.920,00	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dbl blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX625 S6	PRIMERGY BLADE BX625 8-way	PRIMERGY BLADE BX630 D dual DP	PRIMERGY BLADE BX630 D dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BLADE NX650	PRIMERGY BLADE S 9450	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY p BLADE BF420	PRIMERGY p BLADE BF440	PRIMERGY p BLADE BF620	PRIMERGY p BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX9910 S1	PRIMERGY SX9940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																					
PRIMERGY-Software (Continued)																																																					
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.														x				x			x	x	x	x	x												x	x										x	x		U15000-C176	229,00	
	RemoteDeploy 4.1 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!														x	x	x	x	x		x	x	x		x	x			x							x														U15000-C288	64,00	Phased out
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager														x									x	x	x	x	x									x	x	x									x	x		U15000-C289	27,00	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license														x	x	x	x	x		x	x	x	x	x	x	x	x								x														U15000-C299	32,00	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!														x	x	x	x	x		x	x	x	x	x	x	x	x								x														U15000-C300	149,00	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!														x	x	x	x	x		x	x	x	x	x	x	x	x								x														U15000-C301	64,00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal																		x		x	x					x	x												x											S26361-F2346-L611	265,00	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal																		x		x	x					x	x												x											S26361-F2346-L621	531,00	
	SUSE Linux ES BX600 1Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 1-Year subscription renewal																		x		x	x					x	x																							S26361-F2346-L631	1.327,00	
	SUSE Linux ES BX900 +1Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 1-Year subscription renewal																																						x	x											S26361-F2346-L641	2.388,00	
	Debian FSE Basic Support 1Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year																																						x											S26361-F2346-L411	101,00	
	Debian FSE Basic Support 3Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years																																						x											S26361-F2346-L412	243,00	
	Debian FSE Standard Support 1Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year																																						x											S26361-F2346-L415	261,00	
	Debian FSE Standard Support 3Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years																																						x											S26361-F2346-L416	626,00	
	Debian FSE Premium Support 1Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year																																						x											S26361-F2346-L417	527,00	
	Debian FSE Premium Support 3Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years																																						x											S26361-F2346-L418	1.264,00	
	VMware ESXi 4.0 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed																					x	x																x											S26361-F2341-L500	11,00	
	VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed																		x			x	x					x	x										x											S26361-F2341-L504	859,00	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L505	859,00	
	VMware Upgrade ESXi to ADV w/o SP-1yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x																x											S26361-F2341-L508	1.936,00	
	VMware Upgrade ESXi to ADV w/o SP-3yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L509	1.936,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x																x											S26361-F2341-L512	3.016,00	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L513	3.016,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L514	859,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L515	859,00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L518	1.936,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w / ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License																x	x	x		x	x	x	x	x	x	x	x								x	x		x	x										S26361-F2341-L300	85,00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L519	1.936,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L520	2.479,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L521	2.479,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L522	3.016,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L523	3.016,00	
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x																x											S26361-F2341-L530	1.187,00	
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L531	1.187,00	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x																x											S26361-F2341-L540	2.373,00	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L541	2.373,00	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x																x											S26361-F2341-L542	1.186,00	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L543	1.186,00	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																		x			x	x																x											S26361-F2341-L544	596,00	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L545	596,00	
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!																		x			x	x																x											S26361-F2341-L546	3.346,00	
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L547	3.346,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!,																		x			x	x												x	x		x	x										S26361-F2341-L570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L571	15.367,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!																		x			x	x												x	x		x	x										S26361-F2341-L555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!																		x			x	x																x											S26361-F2341-L556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!																		x			x	x																x											S26361-F2341-L557	4.303,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ISCSI	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dbl blade	PRIMERGY BL.ADE.BX620 S5	PRIMERGY BL.ADE.BX620 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 D dual DP	PRIMERGY BL.ADE.BX630 D dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																			
PRIMERGY-Software (Continued)																																																			
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!																			x		x	x					x	x							x												S26361-F2341-L558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!																			x		x	x					x	x							x												S26361-F2341-L559	1.293,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E, - Mandatory 1 year Service Pack needed!																			x		x	x					x	x			x	x		x	x											S26361-F2341-L562	3.017,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E, - Mandatory 3 year Service Pack needed!																			x		x	x					x	x			x	x		x	x											S26361-F2341-L563	3.017,00	
OS/Application-SW																																																			
	FibreCAT NX40 iSCSI fuctionality	iSCSI Target Option, , While using this iSCSI Target option it is possible to provide block based disks via iSCSI for attached hosts. The administration is done with a multilingual MMC on the FibreCAT NX40. Snapshots and export of Snapshots are included, , For supported hosts (initiators) VSS Hardware Provider and VDS Providers are included without additional charge (x86 and x64).													x	x																																		D.FCNX-ISCSI	699,00	
	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt																					x	x							x	x	x	x																U15355-C2502-M3	2.520,00	
	CA ARCserve r12.5 WIN Disaster Recov. O.	CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htmt , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x					x	x	x	x	x		x		x												U15355-C2503	713,00	
	UP CA ARCserve r12.5 WIN Disas. Rec. Op.	Upgrade from CA ARCserve Backup for Windows Disaster Recovery Option r11.x or r12.0, CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htmt , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x					x	x	x	x	x		x		x												U15355-C2503-U	535,00	
	CA ARCserve r12.5 WIN Open Files Agent	CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htmt , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x					x	x	x	x	x		x		x												U15355-C2505	816,00	
	UP CA ARCserve r12.5 WIN Open Files Agnt	Upgrade from CA ARCserve Backup Agent for Open Files on Windows r11.x or r12.0, CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htmt , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x					x	x	x	x	x		x		x												U15355-C2505-U	612,00	
	CA ARCserve r12.5 WIN MS Exchange Agent	CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htmt , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x					x	x	x	x	x		x		x												U15355-C2507	1.021,00	
	UP CA ARCserve r12.5 WIN MS Exch. Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft Exchcange r11.x or r12.0, CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htmt , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x					x	x	x	x	x		x		x												U15355-C2507-U	681,00	
	CA ARCserve r12.5 WIN MS SQL Agent	CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htmt , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x					x	x	x	x	x		x		x												U15355-C2511	1.021,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	#FanCAT SK100	#FanCAT SK100 Expansion	#FanCAT SK40	#FanCAT SK60	#FanCAT SK60 Expansion	#FanCAT SK80	#FanCAT SK80 ECSI	#FanCAT SK80/SK86 Expansion	#FanCAT SK88	#FanCAT SK88 Expansion	#FanCAT NK20	#FanCAT NK40	#FanCAT NK40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dBlade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX635 8-way	PRIMERGY BL.ADE.BX630 D dat DP	PRIMERGY BL.ADE.BX630 D dat MP	PRIMERGY BL.ADE.BX639 Quad	PRIMERGY BL.ADE.BX639 S2 Dual	PRIMERGY BL.ADE.BX639 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX620 S1	PRIMERGY BX630 S1	PRIMERGY BX630 S2	PRIMERGY BX632 S2	PRIMERGY BX634 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF640	PRIMERGY pBLADE BF840	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																						
OS/Application-SW (Continued)																																																							
	UP CA ARCserve r12.5 WIN MS SQL Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft SQL r11.x or r12.0, CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x					x	x	x	x	x		x		x				x	x	x	x	x	x	x	x				U15355-C2511-U	766,00	
	CA ARCserve r12.5 WIN Wind. Client Agent	CA ARCserve r12.5 Client Agent f. Window s is necessary on all Window s servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Window s is certified and released for Window s 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x					x	x	x	x	x		x		x				x	x	x	x	x	x	x	x				U15355-C2513	405,00	
	UP CA ARCserve r12.5 WIN Wind. Client Ag	Upgrade from CA ARCserve Backup Client Agent for Windows r11.x or 12.0, CA ARCserve r12.5 Client Agent f. Window s is necessary on all Window s servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Window s is certified and released for Window s 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x					x	x	x	x	x		x		x				x	x	x	x	x	x	x	x				U15355-C2513-U	304,00	
	CA ARCserve r12.5 WIN MS SBS Premium Edit	CA ARCserve r12.5 MS SBS Premium Edition includes the follow ing ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent, , CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Window s 2000/2003/2008 (No Window s 2008 Support f. Sharepoint)! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x					x	x	x	x	x		x		x				x	x	x	x	x	x	x	x				U15355-C2514	764,00	
	UP CA ARCserve r12.5 WIN MS SBS Prem. E.	Upgrade from CA ARCserve Backup for Windows for MS SBS Premium Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Premium Edition includes the follow ing ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent, , CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Window s 2000/2003/2008 (No Window s 2008 Support f. Sharepoint)! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x					x	x	x	x	x		x		x				x	x	x	x	x	x	x	x				U15355-C2514-U	573,00	
	CA ARCserve r12.5 WIN MS SBS Std. Edt.	CA ARCserve r12.5 MS SBS Standard Edition includes the follow ing ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent, , CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Window s 2000/2003/2008 (No Window s 2008 Support f. Sharepoint)! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x					x	x	x	x	x		x		x				x	x	x	x	x	x	x	x				U15355-C2516	559,00	
	UP CA ARCserve r12.5 WIN MS SBS Std. Edt	Upgrade from CA ARCserve Backup for Windows for MS SBS Standard Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Standard Edition includes the follow ing ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent, , CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Window s 2000/2003/2008 (No Window s 2008 Support f. Sharepoint)! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x					x	x	x	x	x		x		x				x	x	x	x	x	x	x	x				U15355-C2516-U	419,00	
	ARCserve r12.5 Media Kit	BrightStor ARCserve Backup r12.5 Media Kit				x		x			x									x		x	x						x			x		x								x	x	x	x					U15355-C2999	25,00	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD				x		x			x									x		x	x						x			x		x								x	x	x	x					U15355-C732	25,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	#PanCAT SK100	#PanCAT SK100 Expansion	#PanCAT SK40	#PanCAT SK60	#PanCAT SK60 Expansion	#PanCAT SK80	#PanCAT SK80 ECSI	#PanCAT SK80/SK86 Expansion	#PanCAT SK88	#PanCAT SK88 Expansion	#PanCAT NK20	#PanCAT NK40	#PanCAT NK40 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dbl blade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 D dual DP	PRIMERGY BL ADE BX630 D dual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																						
OS/Application-SW (Continued)																																																							
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x			x							x							x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x					U15260-C600	1.571,00	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x							x							x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x					U15260-C616	2.394,00	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x	x			x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x					U15355-C2000	795,00	
	CA ARCserve r12 Base for Windows Gov.	Basic component of CA ARCserve Backup r12. , For Government Customers, This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x	x			x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x					U15355-C2000-G	612,00	
	UP CA ARCserve r12 Basis for Windows	## Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x	x			x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x					U15355-C2000-U	596,00	
	UP CA ARCserve r12 Basis für Windows Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12., Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x	x			x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x					U15355-C2000-U-G	459,00	
	CA ARCserve r12.5 Base for Windows	Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htm, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x	x			x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x					U15355-C2500	795,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	# FibreCAT SX100	# FibreCAT SX100 Expansion	# FibreCAT SX40	# FibreCAT SX60	# FibreCAT SX60 Expansion	# FibreCAT SX80	# FibreCAT SX80 ECS1	# FibreCAT SX80/SX88 Expansion	# FibreCAT SX88	# FibreCAT SX88 Expansion	# FibreCAT TX120	# FibreCAT TX140	# FibreCAT TX140 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dbl blade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX625 8-way	PRIMERGY BL.ADE.BX630 D.ual DP	PRIMERGY BL.ADE.BX630 D.ual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF520	PRIMERGY BLADE BF540	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	UP CA ARCserve r12.5 Basis für Windows	Upgrade From BrightStor ARCserve Backup r11.x or r12.0, Basic component of CA ARCserve Backup r12.5. This softw are is certified and released for Window s 2000/2003/2008! CA ARCserve r12.5 basic component for Window s supports tape libraries w ith one single tape drive and an unlimited number of slots as w ell as backup to disk. For backing up additional Window s servers one CA ARCserve r12.5 Client Agent for Window s per server is needed! Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htmt, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x			x	x	x	x		x		x				x	x	x	x	x	x	x	x				U15355-C2500-U	596,00	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Window s - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s w eb-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x										x		x					x				x		x					x	x	x	x					U15355-C400U1	199,00	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Window s - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s w eb-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 3 years...!				x		x			x										x		x					x				x		x					x	x	x	x					U15355-C400U3	597,00	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Window s), https://supportconnectw .ca.com/public/storagent/docs/basb115w in/basb115w in_cdl.asp, , CA Compatibility Matrix (Window s), https://supportconnectw .ca.com/public/storagent/docs/basb115w in/basb115w in-commatrix.asp				x		x			x										x		x					x				x		x					x	x	x	x					U15355-C750	495,00	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption w ith clients of more servers, too. Hardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basbbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basb115linux-commatrix.asp				x		x			x										x		x					x				x		x					x	x	x	x					U15355-C800	775,00	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basbbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basb115linux-commatrix.asp				x		x			x										x		x					x				x		x					x	x	x	x					U15355-C800-U	581,00	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s w eb-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x										x		x					x				x		x					x	x	x	x					U15355-C800U1	199,00	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s w eb-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x										x		x					x				x		x					x	x	x	x					U15355-C800U3	596,00	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex netw orked storage resources. With BrightStor SAN Manager you w ill cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.				x		x													x		x					x				x		x					x	x	x	x					U15355-C920	5.994,00	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Window s File Servers. , It supports only Window s Standard operating systems (e.g. Window s Server 2003 Standard Edition), , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x		x								x							x	x	x	x	x					x		x				x	x	x	x	x	x	x	x	x	x	x	x				U15260-C601	2.199,00	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Window s File Servers. , It supports only Window s Standard operating systems (e.g. Window s Server 2003 Standard Edition), , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x		x								x							x	x	x	x	x					x		x				x	x	x	x	x	x	x	x	x	x	x	x				U15260-C617	3.351,00	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dbl blade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 D dual DP	PRIMERGY BL ADE BX630 D dual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S.NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x		x								x	x	x	x				x	x	x	x	x				x			x		x									U15355-C2001	1.021,00	
	ARCserve r12 WIN Tape Lib. Opt. Gov.	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x				x							x	x	x	x				x	x	x	x	x				x			x		x									U15355-C2001-G	786,00	
	UP CA ARCserve r12 WIN Tape Library Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x		x								x	x	x	x				x	x	x	x	x				x			x		x									U15355-C2001-U	766,00	
	UP CA ARCserve r12 WIN Tape Lib. Opt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x		x								x	x	x	x				x	x	x	x	x				x			x		x									U15355-C2001-U-G	590,00	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x											x		x						x			x				x														U15355-C401U1	255,00	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x											x		x						x			x				x														U15355-C401U3	765,00	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storagenfodocs/basb115w in/basb115w in_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storagenfodocs/basb115w in/basb115w in-commatrix.asp				x		x			x											x		x						x			x				x														U15355-C751	695,00	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basb115linux-commatrix.asp				x		x			x											x		x						x			x				x														U15355-C801	995,00	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basb115linux-commatrix.asp						x			x											x		x						x			x				x														U15355-C801-U	746,00	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x											x		x						x			x				x														U15355-C801U1	255,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	# PrimeCAT SX100	# PrimeCAT SX100 Expansion	# PrimeCAT SX40	# PrimeCAT SX60	# PrimeCAT SX60 Expansion	# PrimeCAT SX80	# PrimeCAT SX80 ECSI	# PrimeCAT SX80/SX88 Expansion	# PrimeCAT SX88	# PrimeCAT SX88 Expansion	# PrimeCAT NX20	# PrimeCAT NX40	# PrimeCAT NX40 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dbl blade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX630	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 D ual DP	PRIMERGY BL ADE BX630 D ual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF20	PRIMERGY BLADE BF40	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX9010 S1	PRIMERGY SX9040 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																		
OS/Application-SW (Continued)																																																		
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x			x										x																												U15355-C801L0	766,00	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitoring Windows server!				x		x																							x				x		x											U15355-C921	594,00	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/comproducts/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/comproducts/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x		x				x					x									x	x	x			x		x			x	x	x	x					U15260-C602	2.394,00	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/comproducts/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/comproducts/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x		x				x					x									x	x	x			x		x			x	x	x	x					U15260-C618	3.441,00	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008 , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x		x				x					x	x	x	x						x	x	x			x		x			x	x	x	x					U15355-C2002	1.636,00	
	CA ARCserve r12 WIN SAN Option Gov.	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008 , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x		x				x					x	x	x	x						x	x	x			x		x			x	x	x	x					U15355-C2002-G	1.260,00	
	UP CA ARCserve r12 WIN SAN Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008 , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x		x				x					x	x	x	x						x	x	x			x		x			x	x	x	x					U15355-C2002-U	1.227,00	
	UP CA ARCserve r12 WIN SAN Option Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008 , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x		x				x					x	x	x	x						x	x	x			x		x			x	x	x	x					U15355-C2002-U-G	945,00	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x											x									x				x		x											U15355-C402U1	332,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dblade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX635 8-way	PRIMERGY BL.ADE.BX630 Dual DP	PRIMERGY BL.ADE.BX630 Dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																		
OS/Application-SW (Continued)																																																		
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 3 years...!				x		x			x										x		x	x						x				x		x					x	x	x	x					U15355-C402LB	996,00	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basb115linux-commatrix.asp				x		x			x										x		x	x						x				x		x					x	x	x	x					U15355-C802	995,00	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardw are and operating system dependent extract from the follow ing link: CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basb115linux-commatrix.asp				x		x			x										x		x	x						x				x		x					x	x	x	x					U15355-C802-U	746,00	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x										x		x	x						x				x		x					x	x	x	x					U15355-C802U1	255,00	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x										x		x	x						x				x		x					x	x	x	x					U15355-C802LB	766,00	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitoring Linux server!				x		x													x		x	x						x				x		x					x	x	x	x					U15355-C922	594,00	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Window s File Servers. , It supports only Window s Enterprise operating systems (e.g. Window s Server 2003 Enterprise Edition) , , Content: 1x Media Kit and 1x License for one server , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements;, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x		x								x								x	x	x	x	x					x		x			x	x	x	x	x	x	x	x	x	x				U15260-C603	3.351,00	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Window s File Servers. , It supports only Window s Enterprise operating systems (e.g. Window s Server 2003 Enterprise Edition) , Content: 1x Media Kit and 1x License for one server , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements;, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x				x							x								x	x	x	x	x					x		x			x	x	x	x	x	x	x	x	x	x				U15260-C619	4.817,00	
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Window s can only be used in conjunction w ith CA ARCserve r12 basel , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Window s 2000/2003/2008!, Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x				x							x	x	x	x					x	x	x	x	x					x		x			x	x	x	x	x	x	x	x	x	x				U15355-C2003	713,00	
	CA ARCserve r12 WIN Disaster Rec. O. Gov	CA ARCserve r12 Disaster Recovery Option for Window s can only be used in conjunction w ith CA ARCserve r12 basel , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Window s 2000/2003/2008!, Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x				x							x	x	x	x					x	x	x	x	x					x		x			x	x	x	x	x	x	x	x	x	x				U15355-C2003-G	549,00	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Window s can only be used in conjunction w ith CA ARCserve r12 basel , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Window s 2000/2003/2008!, Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x				x							x	x	x	x					x	x	x	x	x					x		x			x	x	x	x	x	x	x	x	x	x				U15355-C2003-U	535,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FSC SX100	FSC SX100 Expansion	FSC SX40	FSC SX60	FSC SX60 Expansion	FSC SX80	FSC SX80 ECS	FSC SX80/SX88 Expansion	FSC SX88	FSC SX88 Expansion	FSC TX120	FSC TX140	FSC TX140 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dbl blade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 D dual DP	PRIMERGY BL ADE BX630 D dual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S 9450	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX9910 S1	PRIMERGY SX9940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	UP CA ARCserve r12 WIN Disaster Rec. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.<--, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x	x									x		x															U15355-C2003-U-G	412,00	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x				x										x		x	x										x		x															U15355-C403U1	409,00	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x				x										x		x	x										x		x															U15355-C403U3	1.227,00	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenf/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenf/docs/basb115linux/basb115linux-compmatrix.asp				x		x				x										x		x	x										x		x															U15355-C803	995,00	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenf/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenf/docs/basb115linux/basb115linux-compmatrix.asp				x		x				x										x		x	x										x		x															U15355-C803-U	746,00	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x				x										x		x	x										x		x															U15355-C803U1	255,00	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x				x										x		x	x										x		x															U15355-C803U3	766,00	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitoring Solaris server!				x		x														x		x	x										x		x															U15355-C923	1.194,00	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance, , , The product offers data replication for Windows File Servers., It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/comproducts/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/comproducts/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x							x			x	x	x									x		x															U15260-C604	1.496,00	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance, , , The product offers data replication and high availability for Windows File Servers., It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/comproducts/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/comproducts/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x							x			x	x	x									x		x															U15260-C820	2.244,00	
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x	x									x		x															U15355-C2004	1.021,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dblade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX635 8-way	PRIMERGY BL.ADE.BX630 D dat DP	PRIMERGY BL.ADE.BX630 D dat MP	PRIMERGY BL.ADE.BX639 Quad	PRIMERGY BL.ADE.BX639 S2 Dual	PRIMERGY BL.ADE.BX639 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S2	PRIMERGY BX634 S2	PRIMERGY BX900 S1	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	CA ARCserve r12 WIN NDMP NAS Option Gov.	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x									x	x	x	x	x					x	x	x	x	x														U15355-C2004-G	786,00	
	UP CA ARCserve r12 WIN NDMP NAS Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12 ---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x			x									x	x	x	x	x					x	x	x	x	x														U15355-C2004-U	766,00	
	UP CA ARCserve r12 WIN NDMP NAS Opt. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12 ---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x									x	x	x	x	x					x	x	x	x	x														U15355-C2004-U-G	590,00	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x												x		x	x	x					x		x							x	x	x	x					U15355-C404U1	409,00	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x												x		x	x	x					x		x							x	x	x	x					U15355-C404U3	1.227,00	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x												x		x	x	x					x		x							x	x	x	x					U15355-C751U1	178,00	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb115linux-commatrix.asp				x		x			x												x		x	x	x					x		x							x	x	x	x					U15355-C804	995,00	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb115linux/basb115linux-commatrix.asp				x		x			x												x		x	x	x					x		x							x	x	x	x					U15355-C804-U	746,00	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x												x		x	x	x					x		x							x	x	x	x					U15355-C804U1	255,00	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x												x		x	x	x					x		x							x	x	x	x					U15355-C804U3	766,00	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x									x									x	x	x	x	x														U15260-C605	2.094,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	#ExaCAT SX100	#ExaCAT SX100 Expansion	#ExaCAT SX40	#ExaCAT SX60	#ExaCAT SX60 Expansion	#ExaCAT SX80	#ExaCAT SX80 ECSI	#ExaCAT SX80/SX88 Expansion	#ExaCAT SX88	#ExaCAT SX88 Expansion	#ExaCAT NX20	#ExaCAT NX40	#ExaCAT NX40 S4	PRIMERGY BL.ADE BX300	PRIMERGY BL.ADE BX620	PRIMERGY BL.ADE BX620 S2	PRIMERGY BL.ADE BX620 S3	PRIMERGY BL.ADE BX620 S4	PRIMERGY BL.ADE BX620 S4 dblade	PRIMERGY BL.ADE BX625 S5	PRIMERGY BL.ADE BX625 S6	PRIMERGY BL.ADE BX635 8-way	PRIMERGY BL.ADE BX630 Dual DP	PRIMERGY BL.ADE BX630 Dual MP	PRIMERGY BL.ADE BX630 Quad	PRIMERGY BL.ADE BX639 S2 Dual	PRIMERGY BL.ADE BX639 S2 Quad	PRIMERGY BL.ADE BX660	PRIMERGY BL.ADE NX650	PRIMERGY BL.ADE S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BP420	PRIMERGY pBLADE BP440	PRIMERGY pBLADE BP520	PRIMERGY pBLADE BP540	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Window s File Servers. , It supports only Window s Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx., , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit)., A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x							x								x	x	x	x					x		x												U15260-C621	3.142,00	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x					x	x	x	x					x		x												U15355-C2005	816,00	
	CA ARCserve r12 WIN Open Files Agent Gov	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x					x	x	x	x					x		x												U15355-C2005-G	628,00	
	UP CA ARCserve r12 WIN Open Files Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x					x	x	x	x					x		x												U15355-C2005-U	612,00	
	UP CA ARCserve r12 WIN Open File Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x					x	x	x	x					x		x												U15355-C2005-U-G	471,00	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x											x		x	x										x			x		x												U15355-C405U1	178,00	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x											x		x	x										x			x		x												U15355-C405U3	534,00	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x											x		x	x										x			x		x												U15355-C751U3	534,00	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb119linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb119linux/basb1195linux-compmatrix.asp				x		x			x											x		x	x										x			x		x												U15355-C805	995,00	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve r9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb119linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb119linux/basb1195linux-compmatrix.asp				x		x			x											x		x	x										x			x		x												U15355-C805-U	746,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dbl blade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX635 8-way	PRIMERGY BL ADE BX635 D ual DP	PRIMERGY BL ADE BX639 D ual MP	PRIMERGY BL ADE BX639 Quad	PRIMERGY BL ADE BX639 S2 Dual	PRIMERGY BL ADE BX639 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF20	PRIMERGY BLADE BF40	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x			x									x		x	x							x				x		x									x	x	x	x				U15355-C805U1	255,00	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x			x									x		x	x							x				x		x									x	x	x	x				U15355-C805U3	766,00	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation), Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x		x				x						x							x	x	x	x		x		x				x	x	x	x	x	x	x	x	x	x				U15260-C606	1.197,00	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation), Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x		x				x						x							x	x	x	x		x		x				x	x	x	x	x	x	x	x	x	x				U15260-C622	1.496,00	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client!, CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x		x				x	x	x	x			x							x	x	x	x		x		x				x	x	x	x	x	x	x	x	x	x				U15355-C2006	1.329,00	
	CA ARCserve r12 WIN IBM Informix Agt Gov	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client!, CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x		x				x	x	x	x			x							x	x	x	x		x		x				x	x	x	x	x	x	x	x	x	x				U15355-C2006-G	1.023,00	
	UP CA ARCserve r12 WIN IBM Informix Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client!, CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x		x				x	x	x	x			x							x	x	x	x		x		x				x	x	x	x	x	x	x	x	x	x				U15355-C2006-U	997,00	
	UP CA ARCserve r12 IBM Informix Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client!, CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x		x				x	x	x	x			x							x	x	x	x		x		x				x	x	x	x	x	x	x	x	x	x				U15355-C2006-U-G	767,00	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x			x									x		x	x							x				x		x									x	x	x	x				U15355-C406U1	255,00	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x			x									x		x	x							x				x		x									x	x	x	x				U15355-C406U3	765,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dblade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 Dual DP	PRIMERGY BL.ADE.BX630 Dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF20	PRIMERGY BLADE BF40	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																					
OS/Application-SW (Continued)																																																					
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIXHardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagent/nfodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagent/nfodocs/basb115linux/basb115linux-compmatrix.asp				x		x			x													x																													U15355-C806	395,00	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagent/nfodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagent/nfodocs/basb115linux/basb115linux-compmatrix.asp				x		x			x													x																													U15355-C806-U	296,00	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s w eb-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x													x																													U15355-C806U1	101,00	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s w eb-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x													x																													U15355-C806U3	304,00	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Window s File Servers. , It supports only Window s operating systems in virtual mschines (e.g. ESX Server o. VMw are Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx., , System Requirements:, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x								x							x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x					U15260-C607	1.676,00	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Window s File Servers. , It supports only Window s operating systems in virtual mschines (e.g. ESX Server o. VMw are Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx., , System Requirements:, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x								x							x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x					U15260-C623	2.094,00	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Window s can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Window s 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x								x							x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x					U15355-C2007	1.021,00	
	CA ARCserve r12 WIN MS Exchange Agt. Gov	CA ARCserve r12 Agent f. MS Exchange for Window s can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Window s 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x								x							x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x					U15355-C2007-G	786,00	
	UP CA ARCserve r12 WIN MS Exchange Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Window s can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Window s 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x								x							x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x					U15355-C2007-U	766,00	
	UP CA ARCserve r12 MS Exchange Agt Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Window s can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Window s 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x								x							x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x					U15355-C2007-U-G	590,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dbl blade	PRIMERGY BLADE BX625 S5	PRIMERGY BLADE BX625 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 D ual DP	PRIMERGY BLADE BX630 D ual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BLADE NX650	PRIMERGY BLADE S.NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x							x		x	x									x				x		x													U15355-C407U1	255,00	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x							x		x	x									x				x		x													U15355-C407U3	765,00	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb115linux/basb115linux-compmatrix.asp				x		x			x							x		x	x									x				x		x													U15355-C807	250,00	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagent/docs/basb115linux/basb115linux-compmatrix.asp				x		x			x							x		x	x									x				x		x													U15355-C807-U	188,00	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x							x		x	x									x				x		x													U15355-C807U1	64,00	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x							x		x	x									x				x		x													U15355-C807U3	192,00	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition),., Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x		x				x						x							x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x					U15260-C608	2.394,00	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x		x				x						x							x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x					U15260-C624	3.441,00	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x		x				x						x	x	x	x				x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x					U15355-C2008	1.021,00	
	CA ARCserve r12 WIN Lotus/Dmno. Agt. Gov	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x		x				x						x	x	x	x				x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x					U15355-C2008-G	786,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	#FlexCAT SX100	#FlexCAT SX100 Expansion	#FlexCAT SX40	#FlexCAT SX60	#FlexCAT SX60 Expansion	#FlexCAT SX80	#FlexCAT SX80 ECSI	#FlexCAT SX80/SX86 Expansion	#FlexCAT SX88	#FlexCAT SX88 Expansion	#FlexCAT NX20	#FlexCAT NX40	#FlexCAT NX40 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dBlade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX635 8-way	PRIMERGY BL ADE BX630 Dual DP	PRIMERGY BL ADE BX630 Dual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE BX660	PRIMERGY BL ADE S.NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX900 S1	PRIMERGY pBLADE BP420	PRIMERGY pBLADE BP440	PRIMERGY pBLADE BP820	PRIMERGY pBLADE BP840	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																				
OS/Application-SW (Continued)																																																					
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x				x	x	x	x	x		x			x		x												U15355-C2008-U	766,00	
	UP CA ARCserve r12 Lotus/Domino Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x				x	x	x	x	x		x			x		x												U15355-C2008-U-G	590,00	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x				x									x		x	x				x			x			x																		U15355-C408U1	255,00	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x				x									x		x	x				x			x			x																		U15355-C408U3	765,00	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb1159linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb1159linux/basb1159linux-compmatrix.asp				x		x				x									x		x	x				x			x			x																		U15355-C808	395,00	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb1159linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb1159linux/basb1159linux-compmatrix.asp				x		x				x									x		x	x				x			x			x																		U15355-C808-U	296,00	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x				x									x		x	x				x			x			x																		U15355-C808U1	101,00	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x				x									x		x	x				x			x			x																		U15355-C808U3	304,00	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x			x					x							x	x	x	x	x		x			x		x												U15260-C625	4.817,00	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x				x	x	x	x	x		x			x		x												U15355-C2009	1.329,00	
	CA ARCserve r12 WIN Sybase Agent Gov.	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x				x	x	x	x	x		x			x		x												U15355-C2009-G	1.023,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dirtlate	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 D ual DP	PRIMERGY BL ADE BX630 D ual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF640	PRIMERGY BLADE BF640	PRIMERGY BLADE BF620	PRIMERGY BLADE BF440	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX9910 S1	PRIMERGY SX9940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																				
OS/Application-SW (Continued)																																																					
	UP CA ARCserve r12 WIN Sybase Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003 , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x					x	x	x	x					U15355-C2009-U	997,00	
	UP CA ARCserve r12 WIN Sybase Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003 , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x				x						x	x	x	x				x	x	x	x	x		x		x					x	x	x	x					U15355-C2009-U-G	767,00	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x							x					x	x	x					x						x		x					x	x	x	x					U15355-C409U1	204,00	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x							x					x	x	x					x						x		x					x	x	x	x					U15355-C409U3	612,00	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb1159linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb1159linux/basb1159linux-compmatrix.asp				x		x			x							x					x	x	x					x						x		x					x	x	x	x					U15355-C809	250,00	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb1159linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb1159linux/basb1159linux-compmatrix.asp				x		x			x							x					x	x	x					x						x		x					x	x	x	x					U15355-C809-U	188,00	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x							x					x	x	x					x						x		x					x	x	x	x					U15355-C809U1	64,00	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x							x					x	x	x					x						x		x					x	x	x	x					U15355-C809U3	192,00	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x							x							x	x	x	x	x		x		x					x	x	x	x					U15260-C610	3.590,00	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x							x							x	x	x	x	x		x		x					x	x	x	x					U15260-C626	5.386,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	#FibreCAT SX100	#FibreCAT SX100 Expansion	#FibreCAT SX40	#FibreCAT SX60	#FibreCAT SX60 Expansion	#FibreCAT SX80	#FibreCAT SX80 ECS1	#FibreCAT SX80/SX88 Expansion	#FibreCAT SX88	#FibreCAT SX88 Expansion	#FibreCAT NX20	#FibreCAT NX40	#FibreCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dblade	PRIMERGY BL.ADE.BX620 S5	PRIMERGY BL.ADE.BX620 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 Dual DP	PRIMERGY BL.ADE.BX630 Dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarm BF Upgrade	PRIMERGY BladeFarm BF200	PRIMERGY BladeFarm BF400	PRIMERGY BladeFarm BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX900 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																				
OS/Application-SW (Continued)																																																					
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous.php?docs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous.php?docs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x				U15355-C2010	1.021,00	
	CA ARCserve r12 WIN Oracle Agent Gov.	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous.php?docs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous.php?docs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x				U15355-C2010-G	786,00	
	UP CA ARCserve r12 WIN Oracle Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous.php?docs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous.php?docs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x				U15355-C2010-U	766,00	
	UP CA ARCserve r12 WIN Oracle Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous.php?docs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous.php?docs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x			x	x	x	x	x	x	x	x	x	x				U15355-C2010-U-G	590,00	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x					x						x		x					x		x					x		x															U15355-C410U1	204,00	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x					x						x		x					x		x					x		x															U15355-C410U3	612,00	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basblx115-compmatrix.asp				x		x			x					x						x		x					x		x					x		x															U15355-C810	1.595,00	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basblx115-compmatrix.asp				x		x			x					x						x		x					x		x					x		x															U15355-C810-U	1.196,00	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x					x						x		x					x		x					x		x															U15355-C810U1	409,00	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x					x						x		x					x		x					x		x															U15355-C810U3	1.227,00	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x			x				x										x																									U15260-C611	5.027,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	#ServCAT SX100	#ServCAT SX100 Expansion	#ServCAT SX40	#ServCAT SX60	#ServCAT SX60 Expansion	#ServCAT SX80	#ServCAT SX80 ECSI	#ServCAT SX80/SX86 Expansion	#ServCAT SX88	#ServCAT SX88 Expansion	#ServCAT NX20	#ServCAT NX40	#ServCAT NX40 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dBlade	PRIMERGY BL ADE BX620 S5	PRIMERGY BL ADE BX620 S6	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 D ual DP	PRIMERGY BL ADE BX630 D ual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY p BLADE BF420	PRIMERGY p BLADE BF440	PRIMERGY p BLADE BF620	PRIMERGY p BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY S SX910 S1	PRIMERGY S SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Window s Application Servers. , It supports only Window s Enterprise operating systems (e.g. Window s Server 2003 Enterprise Edition). , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Window s 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x			x						x							x	x	x	x	x		x		x			x	x	x	x	x					U1S260-C827	7.540,00	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Window s can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Window s 2000/2003/2008! , Hardware and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x		x		x			x	x	x	x	x					U1S355-C2011	1.021,00	
	CA ARCserve r12 WIN MS SQL Agent Gov.	CA ARCserve r12 Agent f. MS SQL for Window s can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Window s 2000/2003/2008! , Hardware and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x		x		x			x	x	x	x	x					U1S355-C2011-G	786,00	
	UP CA ARCserve r12 WIN MS SQL Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Window s can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Window s 2000/2003/2008! , Hardware and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x		x		x			x	x	x	x	x					U1S355-C2011-U	766,00	
	UP CA ARCserve r12 WIN MS SQL Agt. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Window s can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Window s 2000/2003/2008! , Hardware and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x		x		x			x	x	x	x	x					U1S355-C2011-U-G	590,00	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Window s Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x											x								x						x		x						x	x	x	x					U1S355-C411U1	332,00	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Window s Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 3 years...!				x		x			x											x								x						x		x						x	x	x	x					U1S355-C411U3	996,00	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basb115linux-compmatrix.asp				x		x			x											x								x						x		x						x	x	x	x					U1S355-C811	1.595,00	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagent/docs/basb115linux/basb115linux-compmatrix.asp				x		x			x											x								x						x		x						x	x	x	x					U1S355-C811-U	1.196,00	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x											x								x						x		x						x	x	x	x					U1S355-C811U1	409,00	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	#FanCAT SK100	#FanCAT SK100 Expansion	#FanCAT SK40	#FanCAT SK60	#FanCAT SK60 Expansion	#FanCAT SK80	#FanCAT SK80 ECSI	#FanCAT SK80/SK86 Expansion	#FanCAT SK88	#FanCAT SK88 Expansion	#FanCAT NX20	#FanCAT NX40	#FanCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dbl blade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX635 8-way	PRIMERGY BL.ADE.BX630 Dual DP	PRIMERGY BL.ADE.BX630 Dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																		
OS/Application-SW (Continued)																																																		
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!					x		x			x									x		x	x							x				x		x								x	x	x	x					U15355-C811U3	1.227,00	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Window s Application Servers. , It supports only Window s Clusters. , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x		x									x							x	x	x	x		x		x								x	x	x	x					U15260-C612	2.094,00	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Window s Application Servers. , It supports only Window s Clusters. , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x		x									x							x	x	x	x		x		x								x	x	x	x					U15260-C628	2.693,00	
	ARCserve r15 WIN SAN Opt. P+3Yr Mnt	ARCserve r12.5 WIN SAN Opt. P+3Yr Mnt																					x	x								x	x	x	x									x	x	x	x	x	x	x	x	U15355-C1502-M3	2.520,00	
	CA ARCserve r12 WIN SAPR3 Oracle Option	CA ARCserve r12 Enterprise Option for SAPR3 for Oracle can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Enterprise Option for SAPR3 for Oracle is certified and released for Window s 2000/2003! , Hardw are and operating system dependencies can be found at the following link; CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x		x									x	x	x	x				x	x	x	x		x		x								x	x	x	x					U15355-C2012	2.047,00	
	CA ARCserve r12 WIN SAPR3 Oracl Opt Gov	CA ARCserve r12 Enterprise Option for SAPR3 for Oracle can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Enterprise Option for SAPR3 for Oracle is certified and released for Window s 2000/2003! , Hardw are and operating system dependencies can be found at the following link; CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x		x									x	x	x	x				x	x	x	x		x		x								x	x	x	x					U15355-C2012-G	1.576,00	
	UP CA ARCserve r12 WIN SAPR3 Oracle Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAPR3 for Oracle can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Enterprise Option for SAPR3 for Oracle is certified and released for Window s 2000/2003! , Hardw are and operating system dependencies can be found at the following link; CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x		x									x	x	x	x				x	x	x	x		x		x								x	x	x	x					U15355-C2012-U	1.535,00	
	UP CA ARCserve r12 WIN SAPR3 Oracle Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAPR3 for Oracle can be used on the backup server or a Window s Client! , CA ARCserve Backup r12 Enterprise Option for SAPR3 for Oracle is certified and released for Window s 2000/2003! , Hardw are and operating system dependencies can be found at the following link; CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x		x									x	x	x	x				x	x	x	x		x		x								x	x	x	x					U15355-C2012-U-G	1.182,00	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Window s Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!					x		x			x									x		x	x							x				x		x								x	x	x	x					U15355-C412U1	255,00	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Window s Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 3 years...!					x		x			x									x		x	x							x				x		x								x	x	x	x					U15355-C412U3	765,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dbl blade	PRIMERGY BLADE BX625 S5	PRIMERGY BLADE BX625 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BLADE NX650	PRIMERGY BLADE S.NI650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY BLADE BF820	PRIMERGY BLADE BF840	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																					
OS/Application-SW (Continued)																																																					
	ARCserve r11.5 LX Advantage Ingres Option	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagednfodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagednfodocs/basb115linux/basb115linux-compmatrix.asp				x		x			x										x		x	x						x																					U15355-C812	1.295,00	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload software and patches; Upgrade protection for 1 year...!				x		x			x										x		x	x						x																					U15355-C812U1	332,00	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Dow nload software and patches; Upgrade protection for 1 year...!				x		x			x										x		x	x						x																					U15355-C812U3	997,00	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x		x							x										x	x	x	x	x		x		x			x	x	x	x	x	x	x	x					U15260-C813	2.932,00	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x		x							x										x	x	x	x	x		x		x			x	x	x	x	x	x	x	x					U15260-C829	3.770,00	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x		x							x	x	x	x							x	x	x	x	x		x		x			x	x	x	x	x	x	x	x					U15355-C2013	257,00	
	CA ARCserve r12 WIN Windows Client A Gov	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , Nur für Government Kunden!	x	x	x	x	x	x	x	x	x		x							x	x	x	x							x	x	x	x	x		x		x			x	x	x	x	x	x	x	x					U15355-C2013-G	198,00	
	UP CA ARCserve r12 WIN Windows Client Ag	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x		x							x	x	x	x							x	x	x	x	x		x		x			x	x	x	x	x	x	x	x					U15355-C2013-U	192,00	
	UP CA ARCserve r12 Windows Client Ag Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x		x							x	x	x	x							x	x	x	x	x		x		x			x	x	x	x	x	x	x	x					U15355-C2013-U-G	148,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FbrxCAT SX100	FbrxCAT SX100 Expansion	FbrxCAT SX40	FbrxCAT SX60	FbrxCAT SX60 Expansion	FbrxCAT SX80	FbrxCAT SX80 ECS1	FbrxCAT SX80/SX86 Expansion	FbrxCAT SX88	FbrxCAT SX88 Expansion	FbrxCAT NX20	FbrxCAT NX40	FbrxCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dBlade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 Dual DP	PRIMERGY BL.ADE.BX630 Dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BR420	PRIMERGY pBLADE BR440	PRIMERGY pBLADE BR520	PRIMERGY pBLADE BR540	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																		
OS/Application-SW (Continued)																																																		
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x										x		x	x						x				x		x						x	x	x	x					U15355-C413U1	409,00	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x										x		x	x						x				x		x						x	x	x	x					U15355-C413U3	1.227,00	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp				x		x			x										x		x	x						x				x		x						x	x	x	x					U15355-C813	495,00	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x		x								x								x	x	x	x		x		x					x	x	x	x					U15260-C614	1.346,00	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x		x								x								x	x	x	x		x		x					x	x	x	x					U15260-C630	2.244,00	
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x		x								x	x	x	x					x	x	x	x		x		x					x	x	x	x					U15355-C2014	713,00	
	CA ARCserve r12 WIN MS SBS Prem Edt Gov	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x		x								x	x	x	x					x	x	x	x		x		x					x	x	x	x					U15355-C2014-G	549,00	
	UP CA ARCserve r12 WIN MS SBS Premium E.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x		x								x	x	x	x					x	x	x	x		x		x					x	x	x	x					U15355-C2014-U	535,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX630 S4	PRIMERGY BL ADE BX630 S4 dbl blade	PRIMERGY BL ADE BX630 S5	PRIMERGY BL ADE BX630 S6	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 D ual DP	PRIMERGY BL ADE BX630 D ual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NE650	PRIMERGY BL ADE S 3650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX960 S1	PRIMERGY BladeFarms BF420	PRIMERGY BladeFarms BF440	PRIMERGY BladeFarms BF620	PRIMERGY BladeFarms BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX9910 S1	PRIMERGY SX9940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																	
OS/Application-SW (Continued)																																																	
	UP CA ARCserve r12 WIN MS SBS Prem E Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.--, CA ARCserve r12 MS SBS Premium Edition includes the follow ing ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Window s 2000/2003/2008 (No Window s 2008 Support f. Sharepoint)! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x				x		x			x	x	x	x	x					U15355-C2014-U-G	412,00	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Window s MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s w eb-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 1 year...!				x		x			x											x		x	x					x				x		x						x	x	x	x					U15355-C414U1	255,00	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Window s MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s w eb-based support infrastructure; Dow nload softw are and patches; Upgrade protection for 3 years...!				x		x			x											x		x	x					x				x		x						x	x	x	x					U15355-C414U3	765,00	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardw are and operating system dependent extract from the follow ing link:, CA Certified Device List (Linux), https://supportconnectw .ca.com/public/storagelinfodocs/basb119linux/basb119_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw .ca.com/public/storagelinfodocs/basb119linux/basb119linux-compmatrix.asp				x		x			x											x		x	x					x				x		x						x	x	x	x					U15355-C814	995,00	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Window s Application Servers. , It supports only Window s operating systems in virtual machines (e.g. ESX Server o. VMw are Workstation) , , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 (32 and 64 Bit) in virtual machines. , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x							x							x	x	x	x	x				x		x			x	x	x	x	x					U15260-C615	1.885,00	
	XOsoft r12 HighAvailability APP Virt. M	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Window s Application Servers. , It supports only Window s operating systems in virtual machines (e.g. ESX Server o. VMw are Workstation) , , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardw are: PRIMERGY Server of Fujitsu Technology Solutions, Softw are : Microsoft Window s 2000 / 2003 (32 and 64 Bit) in virtual machines. , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/softw are/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x			x							x							x	x	x	x	x				x		x			x	x	x	x	x					U15260-C631	3.142,00	
	ARCserve r15 W NDMP NAS P+1Yr Mnt	CA ARCserve Backup r15 for Window s NDMP NAS Option - Product plus 1 Year Enterprise Maintenance																					x	x								x	x	x	x										x	x			x	x	U15355-C1504-M1	1.123,00	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the follow ing ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Window s 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x				x		x			x	x	x	x	x					U15355-C2015	1.636,00	
	CA ARCserve r12 WIN SAN Sec. Srv. B. Gov	CA ARCserve r12 SAN Secondary Server Bundle includes the follow ing ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Window s 2000/2003/2008! , Hardw are and operating system dependencies can be found at the follow ing link:, CA Certified Device List (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Window s), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x				x		x			x	x	x	x	x					U15355-C2015-G	1.260,00	

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dbl fat	PRIMERGY BL.ADE.BX620 S5	PRIMERGY BL.ADE.BX620 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 Dual DP	PRIMERGY BL.ADE.BX630 Dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX650	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY p BLADE BF420	PRIMERGY p BLADE BF440	PRIMERGY p BLADE BF620	PRIMERGY p BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY S.SX910 S1	PRIMERGY S.SX940 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																		
OS/Application-SW (Continued)																																																		
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008 , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x					x	x	x	x	x	x		x		x					x	x	x	x	x	x					U15355-C2015-U	1.227,00	
	UP CA ARCserve r12 WIN SAN Sec Srv Bnd G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008 , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x					x	x	x	x	x	x		x		x					x	x	x	x	x	x					U15355-C2015-U-G	945,00	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storagenfodocs/basb115linux/basb115linux-commatrix.asp				x		x			x									x		x	x						x				x				x		x									x	x	x	x					U15355-C356	2.324,00	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x									x		x	x						x				x				x		x									x	x	x	x					U15355-C415U1	255,00	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x									x		x	x						x				x				x		x									x	x	x	x					U15355-C415U3	765,00	
	CA ARCserve r12 WIN MS SBS Standard Edit.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x					x	x	x	x	x	x		x		x					x	x	x	x	x	x					U15355-C2016	508,00	
	CA ARCserve r12 WIN MS SBS Std. Edit. Gov	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x					x	x	x	x	x	x		x		x					x	x	x	x	x	x					U15355-C2016-G	391,00	
	UP CA ARCserve r12 WIN MS SBS Stand. Edit	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x					x	x	x	x	x	x		x		x					x	x	x	x	x	x					U15355-C2016-U	381,00	
	UP CA ARCserve r12 WIN MS SBS Std Edit Go	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x					x	x	x	x					x	x	x	x	x	x		x		x					x	x	x	x	x	x					U15355-C2016-U-G	293,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Accessories & services matrix

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dbl blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BLADE NX650	PRIMERGY BLADE S.NX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF 200	PRIMERGY BladeFrame BF 400	PRIMERGY BladeFrame BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX620 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX900 S1	PRIMERGY pBLADE BR420	PRIMERGY pBLADE BR440	PRIMERGY pBLADE BR20	PRIMERGY pBLADE BR40	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																																																			
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x			x									x		x	x						x				x		x								x	x	x	x					U15355-C416U1	332,00	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x			x									x		x	x						x				x		x								x	x	x	x					U15355-C416U3	996,00	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsoft WANSync HA Standard Server	x	x	x	x	x	x	x	x	x		x		x						x								x	x	x	x	x		x								x	x	x	x					U15260-C40U1	684,00	
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008!., Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x						x	x	x	x	x		x								x	x	x	x	x	x	x	x	U15355-C2017	508,00	
	CA ARCserve r12 WIN DiskToDiskToTape Gov	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008!., Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x						x	x	x	x	x		x								x	x	x	x	x	x	x	x	U15355-C2017-G	391,00	
	UP CA ARCserve r12 WIN DiskToDiskToTape	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12 ---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008!., Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x						x	x	x	x	x		x								x	x	x	x	x	x	x	x	U15355-C2017-U	381,00	
	UP CA ARCserve r12 WIN Disk2Disk2Tape Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12 ---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008!., Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x						x	x	x	x	x		x								x	x	x	x	x	x	x	x	U15355-C2017-U-G	293,00	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x			x									x		x	x						x				x		x								x	x	x	x					U15355-C417U1	255,00	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x			x									x		x	x						x				x		x								x	x	x	x					U15355-C417U3	765,00	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003!., Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x						x	x	x	x	x		x								x	x	x	x	x	x	x	x	U15355-C2018	1.021,00	
	CA ARCserve r12 WIN MS Sharepoint Ag Gov	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003!., Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x						x	x	x	x	x		x								x	x	x	x	x	x	x	x	U15355-C2018-G	786,00	

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dbl blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BLADE BX660	PRIMERGY BLADE NX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																					
OS/Application-SW (Continued)																																																						
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.--, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client. CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:. CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x			x			x			x	x	x	x	x					U15355-C2018-U	766,00	
	UP CA ARCserve r12 MS Sharepoint Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.--, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client. CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:. CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x			x			x			x	x	x	x	x					U15355-C2018-U-G	590,00	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA 's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x											x		x	x					x					x		x						x	x	x	x					U15355-C418U1	255,00	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA 's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x											x		x	x					x					x		x						x	x	x	x					U15355-C418U3	765,00	
	ARCserve r15 Ag. Informix P+1Yr Mnt	CA ARCserve Backup r15 Agent for Informix - Product plus 1 Year Enterprise Maintenance																					x	x									x		x			x	x	x	x	x	x	x	x	x					U15355-C1506-M1	1.462,00	
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:. CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x			x			x			x	x	x	x	x					U15355-C2019	4.335,00	
	CA ARCserve r12 WIN Enterprise Modul Gov	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:. CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x			x			x			x	x	x	x	x					U15355-C2019-G	3.338,00	
	UP CA ARCserve r12 WIN Enterprise Module	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.--, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:. CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x			x			x			x	x	x	x	x					U15355-C2019-U	3.848,00	
	UP CA ARCserve r12 WIN Enterp. Mod. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.--, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:. CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x							x	x	x	x				x	x	x	x	x			x			x			x	x	x	x	x					U15355-C2019-U-G	2.963,00	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA 's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x											x		x	x					x					x		x						x	x	x	x					U15355-C419U1	400,00	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA 's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x											x		x	x					x					x		x						x	x	x	x					U15355-C419U3	1.200,00	
	ARCserve r15 Ag. Informix P+3Yr Mnt	CA ARCserve Backup r15 Agent for Informix - Product plus 3 Years Enterprise Maintenance																					x	x									x		x			x	x	x	x	x	x	x	x	x					U15355-C1506-M3	2.046,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dbl blade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 Dual DP	PRIMERGY BL ADE BX630 Dual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX639 S2 Dual	PRIMERGY BL ADE BX639 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S5	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S2	PRIMERGY BX634 S2	PRIMERGY BX900 S1	PRIMERGY p BLADE BF420	PRIMERGY p BLADE BF440	PRIMERGY p BLADE BF620	PRIMERGY p BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY S SX910 S1	PRIMERGY S SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																					
OS/Application-SW (Continued)																																																						
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x			x								x	x	x	x				x	x	x	x	x		x		x															U15355-C2020	1.021,00	
	CA ARCserve r12 WIN MS DPM Agent Gov.	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x								x	x	x	x				x	x	x	x	x		x		x															U15355-C2020-G	786,00	
	UP CA ARCserve r12 WIN MS DPM Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x			x								x	x	x	x				x	x	x	x	x		x		x															U15355-C2020-U	766,00	
	UP CA ARCserve r12 WIN MS DPM Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x								x	x	x	x				x	x	x	x	x		x		x															U15355-C2020-U-G	590,00	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x											x		x	x					x		x		x												x	x	x	x					U15355-C420U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x											x		x	x					x		x		x												x	x	x	x					U15355-C420U3	303,00	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://support.connectw.ca.com/public/storagent/docs/basb115w in/basb115w in_cdl.asp, , CA Compatibility Matrix (Windows), https://support.connectw.ca.com/public/storagent/docs/basb115w in/basb115w in-commatrix.asp				x		x			x											x		x	x					x		x		x												x	x	x	x					U15355-C720	395,00	
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x			x								x	x	x	x				x	x	x	x	x		x		x															U15355-C2021	5.125,00	
	CA ARCserve r12 WIN VSS-HW Snap. Opt Gov	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x			x								x	x	x	x				x	x	x	x	x		x		x															U15355-C2021-G	3.946,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BL ADE BX300	PRIMERGY BL ADE BX620	PRIMERGY BL ADE BX620 S2	PRIMERGY BL ADE BX620 S3	PRIMERGY BL ADE BX620 S4	PRIMERGY BL ADE BX620 S4 dBlade	PRIMERGY BL ADE BX625 S5	PRIMERGY BL ADE BX625 S6	PRIMERGY BL ADE BX630 8-way	PRIMERGY BL ADE BX630 Dual DP	PRIMERGY BL ADE BX630 Dual MP	PRIMERGY BL ADE BX630 Quad	PRIMERGY BL ADE BX630 S2 Dual	PRIMERGY BL ADE BX630 S2 Quad	PRIMERGY BL ADE BX660	PRIMERGY BL ADE NX650	PRIMERGY BL ADE S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX900 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX9910 S1	PRIMERGY SX9940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 basel , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x												U15355-C2021-U	3.844,00	
	UP CA ARCserve r12 WIN VSS-HW Snap Opt G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 basel , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x												U15355-C2021-U-G	2.960,00	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x						x		x	x										x			x		x														U15355-C421U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x						x		x	x										x			x		x														U15355-C421U3	303,00	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html				x		x			x						x		x	x										x			x		x														U15355-C780-U	581,00	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 basel , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x												U15355-C2022	1.021,00	
	CA ARCserve r12 WIN VMware Agent Gov.	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 basel , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x			x						x	x	x	x				x	x	x	x	x		x		x												U15355-C2022-G	786,00	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x						x		x	x										x			x		x														U15355-C422U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x						x		x	x										x			x		x														U15355-C422U3	303,00	
	UP ARCserve r11.5 Client Agent Linux Gov	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storagenfodocs/basb115w in/basb115w in_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storagenfodocs/basb115w in/basb115w in-commatrix.asp, , For Government Customers only!				x		x			x						x		x	x										x			x		x														U15355-C721-U-G	148,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL,BDE BX300	PRIMERGY BL,BDE BX620	PRIMERGY BL,BDE BX620 S2	PRIMERGY BL,BDE BX620 S3	PRIMERGY BL,BDE BX620 S4	PRIMERGY BL,BDE BX620 S4 dBlade	PRIMERGY BL,BDE BX625 S5	PRIMERGY BL,BDE BX625 S6	PRIMERGY BL,BDE BX630 8-way	PRIMERGY BL,BDE BX630 Dual DP	PRIMERGY BL,BDE BX630 Dual MP	PRIMERGY BL,BDE BX630 Quad	PRIMERGY BL,BDE BX630 S2 Dual	PRIMERGY BL,BDE BX630 S2 Quad	PRIMERGY BL,BDE BX660	PRIMERGY BL,BDE NX650	PRIMERGY BL,BDE S.NX50	PRIMERGY BladeFarm BF Upgrade	PRIMERGY BladeFarm BF200	PRIMERGY BladeFarm BF400	PRIMERGY BladeFarm BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html	x	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x				x	x	x	x	x				x		x													U15355-C2023	1.534,00	
	CA ARCserve r12 WIN Central Mgt. Opt Gov	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_commatrix.html, , For Government Customers only!	x	x	x	x	x	x	x	x	x	x	x		x							x	x	x	x				x	x	x	x	x				x		x													U15355-C2023-G	1.181,00	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x						x						x	x	x					x				x		x															U15355-C423U1	101,00	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x						x						x	x	x					x				x		x															U15355-C423U3	303,00	
	UP ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storagenfodocs/basb115w/basb115w_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storagenfodocs/basb115w/basb115w-commatrix.asp, , For Government Customers only!				x		x			x						x						x	x	x					x				x		x															U15355-C720-U-G	234,00	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storagenfodocs/basb115w/basb115w_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storagenfodocs/basb115w/basb115w-commatrix.asp				x		x			x						x						x	x	x					x				x		x															U15355-C723	250,00	
	ARCserve r15 WIN Lot./Dom. P+3Yr Mnt	CA ARCserve Backup r15 for Windows Agent for Lotus/Domino - Product plus 3 Years Enterprise Maintenance																					x	x	x	x	x				x	x		x	x	x	x					x	x							U15355-C1S08-M3	1.572,00	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x						x						x	x	x					x				x		x															U15355-C424U1	101,00	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x						x						x	x	x					x				x		x															U15355-C424U3	303,00	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x						x						x	x	x					x				x		x															U15355-C428U1	409,00	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x						x						x	x	x					x				x		x															U15355-C428U3	1.227,00	
	1Yr Mnt ARCserve WIN Clt V SS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x						x						x	x	x					x				x		x															U15355-C429U1	332,00	
	3Yr Mnt ARCserve WIN Clt V SS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x		x			x						x						x	x	x					x				x		x															U15355-C429U3	996,00	
	ARCserve r15 WIN Ag. Oracle P+1Yr Mnt	ACA ARCserve Backup r15 for Windows Agent for Oracle - Product plus 1 Year Enterprise Maintenance																					x	x	x	x	x				x	x		x	x	x	x					x	x							U15355-C1S10-M1	1.123,00	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x		x			x						x						x	x	x					x				x		x															U15355-C430U1	867,00	

Blade Servers Accessories — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Fibre CAT NX20	Fibre CAT NX40	Fibre CAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dbl blade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 Dual DP	PRIMERGY BL.ADE.BX630 Dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF200	PRIMERGY BladeFarms BF400	PRIMERGY BladeFarms BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BLADE BF420	PRIMERGY BLADE BF440	PRIMERGY BLADE BF520	PRIMERGY BLADE BF540	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX960 S1	PRIMERGY SX960 S2	Product Code	ELP (€)	Comments
Accessories & services matrix																																																			
OS/Application-SW (Continued)																																																			
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C430L3	2.601,00	
	ARCserve r15 WIN Ag. Oracle P+3Yr Mnt	CA ARCserve Backup r15 for Windows Agent for Oracle - Product plus 3 Years Enterprise Maintenance																					x	x								x	x	x	x	x		x			x	x	x	x						x		x	x	U15355-C1S10-M3	1.572,00	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C431U1	127,00	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C431U3	381,00	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C432U1	255,00	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C432U3	765,00	
	ARCserve r11.5 WIN Client Agt. Linux Gov	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/nfodocs/basb115w in/basb115w in_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/nfodocs/basb115w in/basb115w in-commatrix.asp, , For Government Customers only!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C721-G	226,00	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C433U1	255,00	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C433U3	765,00	
	ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/nfodocs/basb115w in/basb115w in_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/nfodocs/basb115w in/basb115w in-commatrix.asp, , For Government Customers only!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C720-G	312,00	
	ARCserve r15 W SAP R/3 Cr. P+1Yr Mnt	CA ARCserve Backup r15 for Windows Enterprise Option for SAP R/3 for Oracle - Product plus 1 Year Enterprise Maintenance																														x		x			x	x	x	x	x	x	x					x	x	U15355-C1S12-M1	2.252,00	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C434U1	383,00	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C434U3	1.150,00	
	ARCserve r15 W SAP R/3 Cr. P+3Yr Mnt	CA ARCserve Backup r15 for Windows Enterprise Option for SAP R/3 for Oracle - Product plus 3 Years Enterprise Maintenance																														x	x	x	x	x		x			x		x	x	x	x	x					x	x	U15355-C1S12-M3	3.152,00	
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C435U1	255,00	
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C435U3	766,00	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C436U1	1.207,00	
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!				x	x		x											x	x	x									x			x	x												x	x	x	x					U15355-C436U3	3.621,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60	FibreCAT SX80	FibreCAT SX80 ECSI	FibreCAT SX80/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX120	FibreCAT TX140	FibreCAT TX140 S4	PRIMERGY BL.ADE BX300	PRIMERGY BL.ADE BX620	PRIMERGY BL.ADE BX620 S2	PRIMERGY BL.ADE BX620 S3	PRIMERGY BL.ADE BX620 S4	PRIMERGY BL.ADE BX620 S4 dd fabr	PRIMERGY BL.ADE BX620 S5	PRIMERGY BL.ADE BX620 S6	PRIMERGY BL.ADE BX630 8-way	PRIMERGY BL.ADE BX630 D dual DP	PRIMERGY BL.ADE BX630 D dual MP	PRIMERGY BL.ADE BX630 Quad	PRIMERGY BL.ADE BX630 S2 Dual	PRIMERGY BL.ADE BX630 S2 Quad	PRIMERGY BL.ADE BX660	PRIMERGY BL.ADE BX660	PRIMERGY BL.ADE S.9450	PRIMERGY BladeFarms BF Upgrade	PRIMERGY BladeFarms BF 200	PRIMERGY BladeFarms BF 400	PRIMERGY BladeFarms BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY p.BLADE BF420	PRIMERGY p.BLADE BF440	PRIMERGY p.BLADE BF620	PRIMERGY p.BLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																					
OS/Application-SW (Continued)																																																					
UPS/Power supply																																																				
	Power Supply Module 450W (hot plug)	for PS redundancy											x																																								
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module											x																																								
	Power Supply Modul 2100W (hot-plug)	for PS redundancy (3./4. PSU), with power cord																																										x	x									
	PY BX900 Power Supply Unit 100-240V AC	for PS redundancy (4. - 6. PSU), with power cord 3m																																												x								
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans																																												x								
	sliding rails UPS for classic rack	for installation in 19" rack for USP, etc.																																																		x				SNP:SY-F1331LS1-P
	Cable power cord (D,,), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR																																																	x		
	Cable power cord (USA), 1.8m, grey	suitable for USA, Cnd																																																		x	x	
	Power cord 16A, IEC320, C19->C20	with connector IEC320 C19->C20																																												x	x	x						
	Cable power cord (UK, IR), 1.8m, grey	suitable for UK, IR																																																		x		
	Cable power cord (I), 1.8m, grey	suitable for I																																																		x		
	Power cord 16A, IEC320, C19->CEE 7/7	with connector IEC320 C19->Schuko																																																				
	Power cord 16A, IEC320, C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																																																				
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p																																																			
Miscellaneous																																																					
	FC SX100 244 Snapshots	Upgrade to 244 SnapShots for FibreCAT SX100	x																																																			
	FC SX60 16 Snapshots	Upgrade to 16 SnapShots for FibreCAT SX60				x																																																
	FC SX80 iSCSI 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX80 iSCSI							x																																												
	FC SX80 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX80						x																																													
	FC SX88 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX88									x																																										
	cable Parallelport Option Centronics	Cable with 25 pin Centronics interface														x																																						
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface														x																																						
	PY BX600 4GB FC Switch Lizenz (FWATCH)	Software Upgrade Lizenz (Fabric Watch) for SW4016																																												x	x							
	PY BX600 4GB FC Switch Port Upgrade	Port Upgrade Lizenz for Brocade Silkworm 4016 and SW4016-D4 from 12 to 16 Ports																																												x	x							
	PY BX600 4GB FC Switch Licence (TRUNK)	Software Upgrade Licence (Trunking) for Brocade Silkworm 4016																																												x	x							
	PY BX600 4GB FC Switch Lizenz (EFABRIC)	Software Upgrade Lizenz Extended Fabric for SW4016																																												x	x							
	PY BX600 4GB FC Switch Lizenz (APERFM)	Lizenz Advanced Performance Monitoring for SW4016																																												x	x							
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!																					x																									x	x	x					
	PY BX600 conversion kit (MMB S3, FCB)	2x MMB S3, 1x Front-Control-Board																																													x								
	Serial port option	Cable with 9 pin D-SUB interface											x																																									
FC/IP-Infrastructure																																																							
	PY BX900 Management Blade S1	Redundant Management Blade																																																				
	Cisco SFP Multi Mode (MMF) 1GBE	SFP MMF for BX600 Cisco Switch uplink ports																																											x	x	x								
	Cisco SFP Copper Module RJ45 1GB	SFP RJ45 for BX600 Cisco Switch uplink ports																																											x	x	x								
	SFP multi-mode 4G module (MMF)	Short-Wavelength SFP Transceiver																																												x	x							
	XFP multi-mode module 10GBA SE-SR	for BX600 GBE Switch with 10GB ports																		x																										x							
	Infiniband cable 10GBASE-CX4, 10m	for BX600 GBE Switch with 10GB ports																																												x	x							
	X2 Copper Connection Module	MID-PAK for 10GBE Switch Blade X2-10GBASE-CX4																																													x							
	X2 Fiber Optic Connection Module	MID-PAK for 10GBE Switch Blade X2-10GBASE-SR																																													x							
Media																																																					
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label																																																				
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives																																																			
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives																																																		
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives																																																		
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives																																																		
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives																																																		
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives																																																		
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives																																																		
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives																																																		
	LTO cleaning cart. Sony single pack	1x Cleaning cartridge without label from Sony for LTO drives at a single package																																																		
	LTO cleaning cart.Sony single pack&label	1x Cleaning cartridge with label from Sony for LTO drives at a single package																																																		
	VXA cleaning label	Label for VXA cleaning cartridge																																																		
	VXA cleaning cartridge	VXA cleaning cartridge																																																		
	VXA cleaning cartridge with label	VXA cleaning cartridge																																																		
	DAT72 data cartridge	DAT72 data cartridge without label																																																		
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity																																																		
	LTO 1 data cartridge with label Fuji	LTO-1 data cartridge with label from Fuji, 100 GB native capacity																																																		
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity																																																		
	LTO 1 data cartridge with label IBM	LTO-1 data cartridge with label from IBM, 100 GB native capacity																																																		
	LTO 1 barcode label	label for LTO-1 data cartridges																																																		
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity																																																		
	LTO 1 data cartridge with label Maxell	LTO-1 data cartridge with label from Maxell, 100 GB native capacity																																																		
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity																																																		
	LTO 2 data cartridge with label Fuji	LTO-2 data cartridge with label from Fuji, 200 GB native capacity																																																		
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity																																																		
	LTO 2 data cartridge with label IBM	LTO 2 data cartridge with label from IBM, 200 GB native capacity																																																		
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity																																																		
	LTO 2 data cartridge with label Maxell	LTO-2 data cartridge with label from Maxell, 200 GB native capacity																																																		
	VXA barcode label	Label for VXA data cartridge																																																		
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																																																		
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																																																	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																																																	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																																																	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity																																																	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity																																																	
	LTO-3 data cartridge single pack Sony	1x LTO-3 data cartridges without label from Sony at a single package , 400 GB native capacity																																																	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity																																																	
	LTO 3 data cartridge with label IBM	LTO-3 data cartridge with label from IBM, 400 GB native capacity																																																	
	LTO 3 data cartridge with label Sony	LTO-3 data cartridge with label from Sony, 400 GB native capacity																																																	
	LTO-3 data cart. single pack Sony label	LTO-3 data cartridge with label from Sony, 400 GB native capacity, at single package																																																	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity. WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																																																
	LTO3 WORM data cartridge with label Fuji	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity. WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																																															
	LTO cleaning label	label for LTO cleaning cartridges																																																		
	LTO 3 barcode label	label for LTO-3 data cartridges																																																		
Cables																																																					
	Cascading Cable for single shipment	FibreCAT SX Cascading Cable 0.5m as single shipment		x			x			x		x																																								

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60	FibreCAT SX80	FibreCAT SX80 ECS1	FibreCAT SX80/SX88 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	PRIMERGY BL.ADE.BX300	PRIMERGY BL.ADE.BX620	PRIMERGY BL.ADE.BX620 S2	PRIMERGY BL.ADE.BX620 S3	PRIMERGY BL.ADE.BX620 S4	PRIMERGY BL.ADE.BX620 S4 dblade	PRIMERGY BL.ADE.BX625 S5	PRIMERGY BL.ADE.BX625 S6	PRIMERGY BL.ADE.BX630 8-way	PRIMERGY BL.ADE.BX630 Dual DP	PRIMERGY BL.ADE.BX630 Dual MP	PRIMERGY BL.ADE.BX630 Quad	PRIMERGY BL.ADE.BX630 S2 Dual	PRIMERGY BL.ADE.BX630 S2 Quad	PRIMERGY BL.ADE.BX660	PRIMERGY BL.ADE.NX650	PRIMERGY BL.ADE.S.NX50	PRIMERGY BladeFarm BF Upgrade	PRIMERGY BladeFarm BF 200	PRIMERGY BladeFarm BF 400	PRIMERGY BladeFarm BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BF620	PRIMERGY pBLADE BF640	PRIMERGY SX10	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Accessories & services matrix																																																						
Cables (Continued)																																																					
	SAS cable external 2 m	SFF 8470-SFF 8470 with screw connection, 2.0m			x																																																	
	SAS cable external 0.5 m	SFF 8470-SFF 8470 with screw connection, 0.5m			x																																																
	PY BX600 Y-Cable backside	for KVM connection to KVM module																																									x											
	PY BX600 Y-Cable frontside	for KVM connection to Server Blade																	x				x	x					x	x																							
	PY BX900 Y-Cable frontside	for KVM connection to Server Blade																																														x	x	x	x					
	Cable power cord rack, 4m	with Euro socket connector																																							x										x	x			
	SAS CBL EXT 2m 8088-8470	SFF 8088-SFF 8470 with screw connection, 2.0m			x																																																	
	SAS CBL EXT 4m 8088-8470	SFF 8088-SFF 8470 with screw connection, 4.0m			x																																																	
	SAS CBL EXT 6m 8088-8470	SFF 8088-SFF 8470 with screw connection, 6.0m			x																																																	
	Console switch cable 3,5m	cable for keyboard, monitor and mouse																																							x														
	SCSI cable HD68(S)-HD68(S) 1,5m	HD68(S)-HD68(S) with screw connection, 1.5m																																																		x			
	SCSI cable HD68(S)-HD68(S) 5,0m	HD68(S)-HD68(S) with screw connection, 5m																																																		x			
	SCSI cable UHD68(S)-HD68(S) 1.8m	UHD68(S)-HD68(S) with screw connection																																																		x			
	SCSI cable UHD68(S)-HD68(S) 5m	UHD68(S)-HD68(S) with screw connection																																																		x			
	SCSI cable UHD68(S)-UHD68(S) 2m	UHD68(S)-UHD68(S) with screw connection																																																			x		
	SCSI cable UHD68(S)-UHD68(S) 5m	UHD68(S)-UHD68(S) with screw connection																																																			x		
Additional Software																																																							
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1															x	x	x						x	x	x		x						x			x													x	x		U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x	x						x	x	x		x						x					x												x	x		U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x	x						x	x	x		x						x					x												x	x		U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME															x	x	x						x	x	x		x						x			x												x	x		U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x	x						x	x	x		x						x			x												x	x		U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs															x	x	x						x	x	x		x						x			x												x	x		U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions															x	x	x						x	x	x		x						x			x												x	x		U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0															x	x	x						x	x	x		x						x			x												x	x		U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C204	3.988,00	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C205	5.982,00	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C206	7.976,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C207	710,00	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C208	1.156,00	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C209	2.313,00	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C210	3.469,00	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201															x	x	x						x	x	x		x						x			x												x	x		U11081-C211	4.626,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202															x	x	x						x	x	x		x						x			x												x	x		U11081-C212	1.225,00	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203															x	x	x						x	x	x		x						x			x												x	x		U11081-C213	1.994,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204															x	x	x						x	x	x		x						x			x												x	x		U11081-C214	3.988,00	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205															x	x	x						x	x	x		x						x			x												x	x		U11081-C215	5.982,00	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206															x	x	x						x	x	x		x						x			x												x	x		U11081-C216	7.976,00	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207															x	x	x						x	x	x		x						x			x												x	x		U11081-C217	710,00	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208															x	x	x						x	x	x		x						x			x												x	x		U11081-C218	1.156,00	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209															x	x	x						x	x	x		x						x			x												x	x		U11081-C219	2.313,00	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210															x	x	x						x	x	x		x						x			x												x	x		U11081-C220	3.469,00	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211															x	x	x						x	x	x		x						x			x												x	x		U11081-C221	4.626,00	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202															x	x	x						x	x	x		x						x			x												x	x		U11081-C222	500,00	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203															x	x	x						x	x	x		x						x			x												x	x		U11081-C223	814,00	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204															x	x	x						x	x	x		x						x			x												x	x		U11081-C224	1.628,00	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205															x	x	x						x	x	x		x						x			x												x	x		U11081-C225	2.442,00	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 ECS	FibreCAT SX80/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX20	FibreCAT TX40	FibreCAT TX40 S4	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dbl blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BLADE NX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF 200	PRIMERGY BladeFrame BF 400	PRIMERGY BladeFrame BF 400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BLADE BF620	PRIMERGY BLADE BF640	PRIMERGY BLADE BF660	PRIMERGY SX20	PRIMERGY SX910 S1	PRIMERGY SX960 S1	Product Code	ELP (€)	Comments
Accessories & services matrix																																																		
Additional Software (Continued)																																																		
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206														x	x	x							x	x	x			x			x			x	x	x											U11081-C226	3.255,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x			x	x	x		x	x	x	x	x					U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x			x	x	x		x	x	x	x	x					U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x			x	x	x		x	x	x	x	x					U11081-C321	500,00	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU														x	x	x							x	x	x			x			x	x	x	x	x	x				x	x	x				U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU														x	x	x							x	x	x			x			x	x	x	x	x	x				x	x	x				U11081-C312	1.994,00	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU														x	x	x							x	x	x			x			x	x	x	x	x	x				x	x	x				U11081-C322	814,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U11081-C303	3.988,00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U11081-C313	3.988,00	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U11081-C323	1.628,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x			x	x	x							x	x			U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x			x	x	x							x	x			U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x			x	x	x							x	x			U10987-C525	500,00	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU														x	x	x							x	x	x			x			x	x	x	x	x	x				x	x	x				U10987-C502	1.994,00	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU														x	x	x							x	x	x			x			x	x	x	x	x	x				x	x	x				U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU														x	x	x							x	x	x			x			x	x	x	x	x	x				x	x	x				U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU														x	x	x							x	x	x			x			x			x	x	x							x	x			U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions														x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U10987-C499	15,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Options matrix

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Processor																												
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel® Xeon® processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink																			x					S26361-F4007-E520	1.394,00	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB	Intel® Xeon® processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 W) incl. heat sink																			x					S26361-F4007-E530	2.207,00	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																			x					S26361-F4007-E540	3.149,00	
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB	Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink																			x					S26361-F4007-E542	3.149,00	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB	Intel® Xeon® processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 95 W) incl. heat sink																			x					S26361-F4007-E545	3.431,00	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																			x					S26361-F4007-E550	4.335,00	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB	Intel® Xeon® processor L7555 (8C/16T, 1.86 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5, 5.86 GT/s, 95 W) incl. heat sink																			x					S26361-F4007-E555	5.011,00	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																			x					S26361-F4007-E560	5.851,00	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																x								S26361-F4422-E200	335,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																x								S26361-F4422-E226	457,00	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																x	x							S26361-F4423-E200	335,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																x	x							S26361-F4423-E226	457,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																x								S26361-F4424-E240	628,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																x								S26361-F4424-E253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																x								S26361-F4424-E266	1.218,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																x	x							S26361-F4425-E240	628,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																x	x							S26361-F4425-E253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																x	x							S26361-F4425-E266	1.218,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																x								S26361-F4426-E266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																x								S26361-F4426-E280	1.915,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																x								S26361-F4426-E293	2.250,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																x	x							S26361-F4427-E266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																x	x							S26361-F4427-E280	1.915,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																x	x							S26361-F4427-E293	2.250,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																x								S26361-F4428-E186	707,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																x								S26361-F4428-E213	878,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																x	x							S26361-F4429-E186	707,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																x	x							S26361-F4429-E213	878,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																x								S26361-F4430-E226	1.574,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																x	x							S26361-F4431-E226	1.574,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
Processor (Continued)																												
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink									x															S26361-F4434-E200	335,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink									x															S26361-F4434-E226	457,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink									x															S26361-F4435-E240	628,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink									x															S26361-F4435-E253	878,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink									x															S26361-F4435-E266	1.218,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink									x															S26361-F4436-E266	1.574,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink									x															S26361-F4436-E280	1.915,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink									x															S26361-F4436-E293	2.250,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink									x															S26361-F4437-E186	707,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink									x															S26361-F4437-E213	878,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink									x															S26361-F4438-E226	1.574,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																	x							S26361-F4440-E333	2.590,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																	x							S26361-F4442-E333	2.590,00	
	2x Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x						S26361-F4444-E200	670,00	
	2x Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x						S26361-F4444-E226	915,00	
	2x Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						S26361-F4445-E240	1.255,00	
	2x Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						S26361-F4445-E253	1.755,00	
	2x Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						S26361-F4445-E266	2.436,00	
	2x Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						S26361-F4446-E266	3.149,00	
	2x Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						S26361-F4446-E280	3.830,00	
	2x Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						S26361-F4446-E293	4.500,00	
	2x Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																		x						S26361-F4447-E186	1.415,00	
	2x Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																		x						S26361-F4447-E213	1.755,00	
	2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																		x						S26361-F4448-E226	3.149,00	
	2x Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x						S26361-F4449-E213	777,00	
	2x Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x						S26361-F4456-E200	670,00	
	2x Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x						S26361-F4456-E226	915,00	
	2x Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						S26361-F4457-E240	1.255,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
Processor (Continued)																												
	2x Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						S26361-F4457-E253	1.755,00	
	2x Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																		x						S26361-F4457-E266	2.436,00	
	2x Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						S26361-F4458-E266	3.149,00	
	2x Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						S26361-F4458-E280	3.830,00	
	2x Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																		x						S26361-F4458-E293	4.500,00	
	2x Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																		x						S26361-F4459-E186	1.415,00	
	2x Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																		x						S26361-F4459-E213	1.755,00	
	2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																		x						S26361-F4460-E226	3.149,00	
	2x Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																		x						S26361-F4461-E213	777,00	
	2x Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																		x						S26361-F4477-E333	5.181,00	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																x								S26361-F3966-E213	388,00	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																x	x							S26361-F3972-E213	388,00	
	Intel Xeon L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink								x																S26361-F3979-E213	707,00	Phased out
	Intel Xeon L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink								x																S26361-F3979-E226	878,00	Phased out
	Intel Xeon L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink								x																S26361-F3979-E240	1.218,00	Phased out
	Intel Xeon E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink								x																S26361-F3980-E186	335,00	Phased out
	Intel Xeon E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink								x																S26361-F3981-E200	388,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink								x	x															S26361-F3981-E213	388,00	Phased out
	Intel Xeon E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																S26361-F3982-E226	628,00	Phased out
	Intel Xeon E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																S26361-F3982-E240	878,00	Phased out
	Intel Xeon E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																S26361-F3982-E253	1.218,00	Phased out
	Intel Xeon X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																S26361-F3983-E267	1.574,00	Phased out
	Intel Xeon X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																S26361-F3983-E280	1.915,00	Phased out
	Intel Xeon X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																S26361-F3983-E293	2.250,00	Phased out
Memory																												
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory																		x						S26361-F4003-E1	5,00	Orderable from: 20/09/2010
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory																		x						S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory																		x						S26361-F4003-E3	5,00	Orderable from: 20/09/2010
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																		x						S26361-F4003-E643	468,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																		x						S26361-F4003-E644	872,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																		x						S26361-F4003-E645	2.128,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF-Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
Memory (Continued)																												
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																			x					S26361-F4003-E646	6.170,00	Orderable from: 27/09/2010
Memory Modules																												
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory									x							x	x	x						S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory								x	x							x	x	x						S26361-F3284-E3	5,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM									x							x	x	x						S26361-F4413-E513	90,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory								x	x							x	x	x						S26361-F3284-E2	5,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode									x							x	x	x						S26361-F4412-E513	117,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode									x							x	x	x						S26361-F4412-E523	234,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	6 GB (3 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM									x							x	x	x						S26361-F4412-E533	351,00	
	4 GB DDR3 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode									x							x	x	x						S26361-F4412-E514	218,00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg d	8 GB (2 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM									x							x	x	x						S26361-F4412-E524	436,00	
	SP 12GB 3x4 DDR3 1333 MHz PC3-10600 rg d	12 GB (3 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM									x							x	x	x						S26361-F4412-E534	654,00	
	2GB DDR3-1066 PC3-8500 ub ECC	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode								x																S26361-F3995-E513	90,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode									x							x	x	x						S26361-F4412-E515	532,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	16 GB (2 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM									x							x	x	x						S26361-F4412-E525	1.064,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	32 GB (2 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM									x							x	x	x						S26361-F4412-E526	3.085,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	24 GB (3 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM									x							x	x	x						S26361-F4412-E535	1.596,00	
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																S26361-F3993-E513	117,00	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode								x																S26361-F3993-E523	234,00	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode								x																S26361-F3993-E533	351,00	
	2GB DDR3-1066 PC3-8500 rg ECC	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																S26361-F3994-E513	117,00	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode								x																S26361-F3994-E523	234,00	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode								x																S26361-F3994-E533	351,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM									x							x	x	x						S26361-F4412-E516	1.543,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	48 GB (3 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM									x							x	x	x						S26361-F4412-E536	4.628,00	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																S26361-F3993-E514	218,00	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode								x																S26361-F3993-E524	436,00	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode								x																S26361-F3993-E534	654,00	
	4GB DDR3-1066 PC3-8500 rg d ECC	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																S26361-F3994-E514	218,00	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode								x																S26361-F3994-E524	436,00	
	SP 12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode								x																S26361-F3994-E534	654,00	
	MM 8GB 2x4 DDR3 LV 1333 MHz 10600 rg d	8 GB (2 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM									x							x	x	x						S26361-F4415-E524	479,00	
	SP 12GB 3x4 DDR3 LV 1333 MHz 10600 rg d	12 GB (3 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM									x							x	x	x						S26361-F4415-E534	718,00	
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																S26361-F3993-E515	532,00	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode								x																S26361-F3993-E525	1.064,00	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode								x																S26361-F3993-E535	1.596,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF-Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
Memory Modules (Continued)																												
	8GB DDR3-1066 PC3-8500 rg d ECC	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																S26361-F3994-E515	771,00	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode								x																S26361-F3994-E525	1.543,00	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode								x																S26361-F3994-E535	2.314,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode									x								x	x	x					S26361-F4415-E514	239,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	16 GB (2 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM									x								x	x	x					S26361-F4415-E525	1.223,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	24 GB (3 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM									x								x	x	x					S26361-F4415-E535	1.835,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode									x								x	x	x					S26361-F4415-E515	612,00	
Removable Media Drives																												
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																							x	S26361-F3561-E4	1.851,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge																							x	S26361-F3626-E1	2.606,00	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																							x	S26361-F3963-E4	2.606,00	Phased out
	Tape Kit LTO5HH 1500GB 140MB/s SAS	LTO5HH Ultrium, 1500 GB, 140 MB/s, half height, SAS 6GB/s																							x	S26361-F3627-E1	3.138,00	
Hard Disks																												
	HD SAS 3GB/s 146GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"			x																					S26361-F3244-E514	270,00	
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"			x																					S26361-F3244-E530	470,00	
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"			x																					S26361-F3244-E545	645,00	
	HD SAS 3GB/s 600GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"			x																					S26361-F3244-E560	760,00	
	HD SATA 3GB/s 1TB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"			x																					S26361-F3245-E100	475,00	
	HD SATA 3GB/s 250GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"			x																					S26361-F3245-E250	150,00	
	HD SATA 3GB/s 500GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"			x																					S26361-F3245-E500	250,00	
	HD SATA 3GB/s 750GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"			x																					S26361-F3245-E750	335,00	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise								x	x															S26361-F3998-E32	697,00	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise								x	x															S26361-F3998-E64	1.340,00	
	disk drive mounting kit	BX922 Disk drive mounting kit																	x							S26361-F4008-E1	32,00	
	disk drive mounting kit	BX924 Disk drive mounting kit																		x						S26361-F4008-E2	59,00	Deliverable from: 13/09/2010,Orderable from: 27/09/2010
	SSD SATA 3G 32GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, non-hot-plug, 2.5-inch, enterprise																	x	x	x					S26361-F4008-E32	697,00	
	SSD SATA 3G 64GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, non-hot-plug, 2.5-inch, enterprise																	x	x	x					S26361-F4008-E64	1.340,00	
	BX900 Mezz. bracket	Mounting Kit for two BX900 Mezzanine Cards																			x					S26361-F4468-E1	37,00	
	BX900 Mezz./Disk bracket	Mounting Kit for one Mezzanine Card and two SSD																			x					S26361-F4469-E1	37,00	
	SX-HDD SAS 600GB 15.000rpm	FibreCAT SX SAS HDD, 600GB 15.000rpm	x	x		x	x	x																		D:FCSX-SAS600	1.220,00	
	SX-HDD SAS 450GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 450GB 15,000rpm	x	x		x	x	x																		D:FCSX-SAS450	735,00	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic								x	x	x														S26361-F3515-E160	176,00	
	SX-HDD SAS 300GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 300GB 15,000rpm	x	x		x	x	x																		D:FCSX-SAS300	575,00	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic								x	x	x														S26361-F3515-E320	271,00	
	HD SATA 3GB/s 160GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical								x	x	x														S26361-F3600-E160	207,00	
	SX-HDD SATA 1 TB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 1 TB 7,200rpm	x	x		x	x	x	x																	D:FCSX-SATA1TB	555,00	
	SX-HDD SATA 750GB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 750GB 7,200rpm	x	x		x	x	x	x																	D:FCSX-SATA750	345,00	Phased out
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical								x	x	x														S26361-F3600-E500	277,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise																x							x	S26361-F3298-E32	697,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise																x							x	S26361-F3298-E64	1.340,00	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic																x							x	S26361-F3297-E160	176,00	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic																x							x	S26361-F3297-E320	271,00	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																x							x	S26361-F3601-E160	207,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																x							x	S26361-F3601-E500	277,00	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																							x	S26361-F3292-E114	261,00	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																							x	S26361-F3292-E130	473,00	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																							x	S26361-F3292-E573	335,00	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																							x	S26361-F3292-E514	484,00	
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																x							x	S26361-F4006-E114	229,00	
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																x							x	S26361-F4006-E130	441,00	
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																x							x	S26361-F4006-E573	293,00	
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																x							x	S26361-F4006-E514	431,00	
	HD SAS 3GB/s 146GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise								x	x	x														S26361-F3208-E114	261,00	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise								x	x	x														S26361-F3208-E130	473,00	
	HD SAS 3GB/s 73GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise								x	x	x														S26361-F3208-E573	335,00	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise								x	x	x														S26361-F3208-E514	484,00	
SCSI/RAID/SAS controller																												
	I/O Modul	FibreCAT SX I/O Modul to cascading a shelf		x		x	x		x																	D:FCSX-IO	540,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF300	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
SCSI/RAID/SAS controller (Continued)																												
	RAID Controller SX100	FibreCAT SX100 RAID Controller 4 GBit/s	x																							D:FCSX-RD100	5.220,00	Phased out
	RAID Controller SX88	FibreCAT SX88 RAID Controller 4 GBit/s						x																		D:FCSX-RD88	3.930,00	
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108									x														x	S26361-F3257-E116	176,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																						x	x	S26361-F3257-E4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU;, SAS RAID controller for attachment of internal SAS/SATA-HD`s in all RAID modes																							x	S26361-F3257-E512	452,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile								x	x															S26361-F3271-E201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports																							x	S26361-F3554-E512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports																							x	S26361-F3554-E8	176,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU									x															S26361-F3593-E201	628,00	
	RAID Ctrl SAS 8Port 512M with BBU LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, with iBBU								x																S26361-F3890-E220	739,00	
SATA/SAS controller																												
	SAS Storage Module	SAS Controller incl. mounting kit, RAID1support for 2 SAS hard disks								x	x															S26361-F3207-E21	202,00	
	SAS/PCIe Storage Module	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks								x																S26361-F3207-E41	367,00	
	SAS/PCIe Storage Modul for BX620 S6	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks									x															S26361-F3207-E42	346,00	
	SAS/RAID Storage Module 4M	SAS/RAID Controller, iTBBU/256MB Cache incl. mounting kit, RAID1support for 2 SAS hard disks								x	x															S26361-F3207-E51	941,00	
Fibre Channel																												
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC inferface								x																S26361-F3306-E202	1.527,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber									x															S26361-F3961-E202	1.766,00	
	PY BX600 FC Mezz Card 4GB 2Port (FC42E)	4 GBit/s FC I/O module (PCIe), exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4) and PY BX600 FC Pass Thru Blade 4GB								x	x															S26361-F3306-E601	660,00	
	PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-channel								x	x															S26361-F3451-E1	340,00	
Connection Blades																												
	CX4 Stacking Cable customized	for PY CB Eth Switch/IBP 1GB 36/8+2															x									S26361-F3989-E500	170,00	
	PY CB FC Pass Thru 8G 18/18	Fibre Channel Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all pathes are 100% independent from each other and support 4GB/8GB Fibre Channel speed with autonegotiation															x									S26361-K1363-V18	4.309,00	
	PY CB Eth Switch/IBP 1GB 18/6	1GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern:18x 1GB Eth (downlinks), extern: 6x RJ45 1GBE															x									S26361-K1366-V100	1.862,00	Deliverable from: 13/09/2010,Orderable from: 27/09/2010
	PY CB Eth Switch/IBP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern: 36 (downlinks), extern:, 8 RJ45 GBE, 4 SFP GBE															x									S26361-K1304-V100	3.191,00	
	PY CB Eth Switch/IBP 1GB 36/8+2	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern: 36 (downlinks), extern:, 8 RJ45 GBE, 2 SFP+ 10GBE															x									S26361-K1304-V101	5.851,00	
	PY CB Eth Switch/IBP 10GB 18/8	10GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:, intern: 18x 10GB Eth (downlinks), extern: 8x SFP+ 10GBE															x									S26361-K1304-V200	8.777,00	
	PY CB FC Switch 8GB 18/8 14 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are:, - License for 14 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL), LC connector															x									S26361-K1305-V14	8.085,00	
	PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are:, - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL), LC connector															x									S26361-K1305-V26	11.915,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
Connection Blades (Continued)																												
	PY CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are:, - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 8 GBit/sec Short-Wavelength Laser (SWL), LC connector															x										S26361-K1305-V126	16.170,00	
	PY CB IB Switch 40GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., , Double wide, Single height, , Quad Data Rate (QDR x4), , Interfaces:, , intern: 18x (downlinks), , extern: 18x QSFP connectors (uplink)															x										S26361-K1336-V200	12.553,00	
Mezzanine Cards																												
	PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8																x	x	x	x					S26361-F3992-E2	1.330,00	
	PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller																x	x	x	x					S26361-F3331-E1	521,00	
	PY Eth Mezz Card 10GB 2 Port	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller																x	x	x	x					S26361-F3997-E1	596,00	
	PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.																x	x	x	x					S26361-F3874-E1	670,00	
	PY IB Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8																x	x	x						S26361-F3992-E1	1.298,00	
Communication/Network																												
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter								x	x															S26361-F3228-E201	186,00	
	PY BladeFrame BF400 S2 Option 4/4f/4c	CB3S0110R, Interfaces on control blades: 4x 2GBit FC, 4x 1GBit Ethernet (Fibre), 4x 10/100/1000 Ethernet (RJ45)											x		x											S26361-F3240-E13	5,00	
	PY BladeFrame BF400 S2 Option 4/4c/4c	CB3S0111R, Interfaces on control blades: 4x 2GBit FC, 4x 1GBit Ethernet (RJ45), 4x 10/100/1000 Ethernet (RJ45)											x		x											S26361-F3240-E14	5,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu lp									x															S26361-F3610-E201	165,00	
	KVM module	Keyboard Video Mouse Switch for BX600 System Unit. Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.														x										S26361-F3113-E2	234,00	
	BX600 digital KVM switch	Digital Keyboard Video Mouse Switch for BX600 System Unit, with graphical Console re-direction and USB Storage Device Emulation for BX600 Server Blades. Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA; external 1x RJ45 for 10/100 Mbit/s Ethernet LAN."														x										S26361-F3113-E102	1.271,00	
	PY BX600 dummy KVM module	KVM Switch Dummy for BX600 System Unit.														x										S26361-F3113-E5	27,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable									x															S26361-F3592-E202	1.468,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102									x															S26361-F3592-E108	426,00	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC lp	Intel 10 Gigabit XF SR Dual Port Server Adapter								x																S26361-F3505-E201	3.936,00	Phased out
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables									x															S26361-F3555-E201	691,00	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC									x															S26361-F3555-E900	628,00	
	PY BX600 FC Pass-Thru 4GB 10/10	Interfaces: external 10 ports for GBIC/SFP modules														x										S26361-F3024-E10	1.830,00	
	PY BX600 FC Switch 4GB 10/6 12 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 12 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E														x										S26361-F3144-E14	7.340,00	
	PY BX600 FC Switch 4GB 10/6 16 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 16 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E														x										S26361-F3144-E16	9.681,00	
	PY BX600 Eth Pass-Thru 1GB 10/10	Interfaces: external 10x RJ45 sockets (1000 Base-T full duplex) , - please read configuration hints!														x										S26361-F3112-E1	1.021,00	
	PY BX600 Eth Switch 1GB 10/6	Interfaces: external 6x RJ45 sockets , - please read configuration hints!														x										S26361-F3206-E6	1.580,00	
	PY BX600 Eth Switch 1GB 10/6+2	Interfaces: external 6x RJ45 sockets, 1xCX4 socket, 1x slot for XFP module, - please read configuration hints!														x										S26361-F3206-E8	2.441,00	
	PY BX600 Eth Switch 1GB 30/12	Interfaces: external 12x RJ45 sockets (1000 Base-T full duplex)- please read configuration hints!														x										S26361-F3467-E1	3.723,00	
	PY BX600 Eth IBP 1GB 30/12	Interfaces: external 12x RJ45 sockets , - please read configuration hints!														x										S26361-F3859-E1	2.686,00	
	PY BX600 Eth Switch 1GB 10/6 (CBS3040)	CISCO LAN Switch CBS3040 internal use for BX600 system unit., For installation into the BX600 system unit, please order additionally the option S26361-F2749-E1. For loose delivery please order additionally S26361-F2749-E3														x										S26361-K1234-V200	5.745,00	
Rack-Infrastructure																												



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
Rack-Infrastructure (Continued)																												
	PRIMERGY Rackinstallation SX/DX ex works	Service for installation of a FibreCAT SX60 / SX80 Raid-Subsystem into a PRIMERGY Rack ex works., With ordering this service, the FibreCAT SX will be premounted in a 12/24/38U Rack ex works.	x	x		x	x	x	x																		D:FCSX-INPSR	115,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x																					S26361-F1647-E302	69,00	
	PY SX650 packed and delivered	Storageblade single package/delivery, incl. test with BX620 S4, Service without integration ex works										x														S26361-F2749-E65	11,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.														x	x									SNP:SY-F1647E301-P	138,00	
	Blade Installation in System Unit	Service for installation of a server blade into the system unit PRIMERGY BX600 ex works Augsburg., With ordering this service, the system unit will be delivered completely premounted and tested ex works.								x	x	x						x	x	x	x			x	x	S26361-F2749-E1	11,00	
	Serverblade single package/delivery	Serverblade single package/delivery, incl. test in PRIMERGY BX600, Service without integration ex works								x	x							x	x	x	x			x	x	S26361-F2749-E2	48,00	
PRIMERGY-Software																												
	BIA-Appliance Modul	HA functionality for Bi-Accelerator., Mandatory for each extension modul for BIA Entry model								x	x															D:BIA-ADDON	4.000,00	Phased out
	FF4O RE Identifier	FF4O RE Identifier. Must be ordered once per FF4O RE configuration.														x										D:FF4O-RE-ID-V10	0,01	
	Win Web Srv 2008 w/SP2 EFGJS	Windows Web Server 2008 w/SP2 1-4 CPU, Languages: EN DE ES FR JA, OEM DVD, license								x	x							x	x		x					S26361-F2565-E303	351,00	Phased out
	Win Web Srv 2008 w/SP2 CEIPR	Windows Web Server 2008 w/SP2 1-4 CPU,, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license								x	x							x	x		x					S26361-F2565-E304	351,00	Phased out
	Win Server 2008 Standard AdditionalCOA	Windows Server 2008 Standard AdditionalCOA (1-4 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for one (1) additional Virtual Use Right of a Windows Server Standard guest operating system instance and 5 additional CAL (CAL Client Access License).								x	x							x	x		x					S26361-F2565-E312	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: EN DE ES FR JA, OEM DVD, license								x	x							x	x		x					S26361-F2565-E315	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license								x	x							x	x		x					S26361-F2565-E316	707,00	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x							x	x	x	x					S26361-F2565-E317	27,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x							x	x	x	x					S26361-F2565-E318	27,00	
	Win Server 2008 Enterprise AdditionalCOA	Windows Server 2008 Enterprise AdditionalCOA (1-8 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for four (4) additional Virtual Use Rights of a Windows Server Enterprise or Standard guest operating system instance and 25 additional CAL (CAL Client Access License).								x	x							x	x		x					S26361-F2565-E322	2.553,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, OEM DVD, license								x	x							x	x		x					S26361-F2565-E325	2.160,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license								x	x							x	x		x					S26361-F2565-E326	2.160,00	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x							x	x	x	x					S26361-F2565-E327	27,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x							x	x	x	x					S26361-F2565-E328	27,00	
	Win Srv 2008 Dtc w/SP2 2CPU EFGJS	Win Srv 2008 Dtc w/SP2 2CPU , Languages: EN DE ES FR JA. LangPack IT, OEM DVD, license								x	x							x	x		x					S26361-F2565-E333	3.415,00	Phased out
	Windows Storage Server 2008 64-bit EMB	Standard, SP2, update 2								x	x															S26361-F2565-E560	739,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.								x	x							x	x	x	x					S26361-F2567-E20	431,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.								x	x							x	x	x	x					S26361-F2567-E30	122,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.																	x	x						S26361-F2567-E360	846,00	Orderable from: 15/10/2010
	HPC SW Stack 1-node 1Y	HPC Software Stack per node (head and compute node) 5x9 level3 support 1-Year																x	x	x						S26361-F2346-C951	167,00	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.								x	x							x	x	x	x					S26361-F2565-E593	931,00	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.								x	x							x	x	x	x					S26361-F2565-E595	931,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x	x							x	x	x	x					S26361-F2567-E302	340,00	
	Citrix XS AE, 3yr SA	N/A								x								x	x	x	x					S26361-F2341-S980	1.117,00	
	Citrix XS EE, 3yr SA	N/A								x								x	x	x	x					S26361-F2341-S981	2.798,00	
	Citrix XS PE, 3yr SA	N/A								x								x	x	x	x					S26361-F2341-S982	5.628,00	
	Citrix XS AE-EE upgr, 3yr SA	N/A								x								x	x	x	x					S26361-F2341-S983	2.128,00	
	Citrix XS AE-PE upgr, 3yr SA	N/A								x								x	x	x	x					S26361-F2341-S984	5.191,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	Citrix XS EE-PE upgr, 3yr SA	N/A								x								x	x	x	x					S26361-F2341-S985	3.766,00	
	Citrix XS AE, 1yr SA	N/A								x								x	x	x	x					S26361-F2341-S986	883,00	
	Citrix XS EE, 1yr SA	N/A								x								x	x	x	x					S26361-F2341-S987	2.213,00	
	Citrix XS PE, 1yr SA	N/A								x								x	x	x	x					S26361-F2341-S988	4.436,00	
	Citrix XS AE-EE upgr, 1yr SA	N/A								x								x	x	x	x					S26361-F2341-S989	1.553,00	
	Citrix XS AE-PE upgr, 1yr SA	N/A								x								x	x	x	x					S26361-F2341-S990	3.989,00	
	Citrix XS EE-PE upgr, 1yr SA	N/A								x								x	x	x	x					S26361-F2341-S991	2.574,00	
	HPC SW services entitlement 1Y	HPC Software Stack Services entitlement per HPC confiruation 1-Year																x	x	x						S26361-F2346-S951	2,00	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.								x	x							x	x	x	x					S26361-F2565-E591	2.920,00	
	Citrix Essentials XS5.5 EE, PVS, 3yr SA	Citrix Essentials for XS EE, PVS, 3yr SA; Enterprise Edition + Provisioning 1 SCCU Licenses, 3 years Subscription Advantage; SW and Lizence keys per Download								x								x	x	x	x					S26361-F2341-E980	2.681,00	Phased out
	Citrix Essentials XS5.5 PE, PVS, 3yr SA	Citrix Essentials for XS PE, PVS, 3yr SA; Platinum Edition + Provisioning 4 SCCU; Licenses, 3 years Subscription Advantage; SW and Lizence keys per Download								x								x	x	x	x					S26361-F2341-E981	5.404,00	Phased out
	Citrix Ess XS5.5 EE-PE upgr, PVS, 3yr SA	Citrix Essent XS EE-PE upgr, PVS, 3yr SA; Essentials XS Enterprise to PlatinumUpgrade, w/ PVS, 3 years Subscripion; Lizence keys per Download								x								x	x	x	x					S26361-F2341-E982	3.617,00	Phased out
	Red Hat EL HPC 2-CPU Basic Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year																x	x	x						S26361-F2346-C851	66,00	
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x	x							x	x	x	x					S26361-F2567-E310	633,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x	x							x	x	x	x					S26361-F2567-E320	1.963,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x	x							x	x	x	x					S26361-F2567-E330	3.074,00	
	FF RTU RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame ApplicationNode RTU for RX300 S5, BX620 S5 und BX920 S1.								x	x							x		x	x					U21348-C291	4.785,00	
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5, BX620 S5 und BX920 S1), which is connected via SAN to the database								x	x							x		x	x					U21348-C292	2.393,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5, BX620 S5 oder BX920 S1 (optional).								x	x							x		x	x					U21348-C293	2.393,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5, BX620 S5, BX920 S1								x	x							x		x	x					U21348-C294	2.393,00	
	FF-VMWare Package vSphere STD Option	FlexFrame VMWare vSphere 4 Standard RTU for a RX300 S5, BX620 S5 and BX920 S1. The license includes the corresponding VMware vSphere 4 Standard licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)								x	x							x								U21348-C491	1.832,00	
	FF-VMWare Package vSphere ADV Option	FlexFrame VMWare vSphere 4 Advanced RTU for a RX300 S5, BX620 S5 and BX920 S1. The license includes the corresponding VMware vSphere 4 Advanced licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)								x	x							x								U21348-C492	3.712,00	
	FF-VMWare Package vSphere ENT PL Option	FlexFrame VMWare vSphere 4 Enterprise Plus RTU for a RX300 S5, BX620 S5 and BX920 S1. The license includes the corresponding VMware vSphere 4 Enterprise Plus licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)								x	x							x								U21348-C493	5.336,00	
	FF-VMware Option	FlexFrame for SAP VMware option for a RX300 S5, BX620 S5 or BX920 S1 Server., This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts., These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support								x	x							x								U21348-C490	800,00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription								x	x							x	x	x	x					S26361-F2346-E611	265,00	
	SUSE Linux ES 32-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3-Years subscription								x	x							x	x	x	x					S26361-F2346-E612	714,00	
	SUSE Linux E 11 HAE 32-CPU 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3-Years subscription								x	x							x	x	x	x					S26361-F2346-E622	1.436,00	
	SUSE Linux ES BX600 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 3-Years subscription								x	x					x										S26361-F2346-E632	3.578,00	
	SUSE Linux ES BX900 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 3-Years subscription															x	x	x	x	x					S26361-F2346-E642	6.404,00	
	Red Hat EL 2-CPU 5x9 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 1-Year								x	x							x	x	x	x	x				S26361-F2346-E701	336,00	
	Red Hat EL 2-CPU 5x9 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 3-Years								x	x							x	x	x	x	x				S26361-F2346-E702	835,00	
	Red Hat EL 2-CPU 7x24 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 1-Year								x	x							x	x	x	x	x				S26361-F2346-E706	566,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF-Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	Red Hat EL 2-CPU 7x24 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 3-Years								x	x							x	x	x	x					S26361-F2346-E707	1.376,00	
	Red Hat EL AP 5x9 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 1-Year								x	x							x	x	x	x	x				S26361-F2346-E711	701,00	
	Red Hat EL AP 5x9 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 3-Years								x	x							x	x	x	x	x				S26361-F2346-E712	1.595,00	
	Red Hat EL AP 7x24 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 1-Year								x	x							x	x	x	x	x				S26361-F2346-E716	850,00	
	Red Hat EL AP 7x24 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 3-Years								x	x							x	x	x	x	x				S26361-F2346-E717	2.122,00	
	Red Hat EL 2-CPU 5x9 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 1-Year								x	x							x	x	x	x					S26361-F2346-S801	745,00	
	Red Hat EL 2-CPU 5x9 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 3-Years								x	x							x	x	x	x					S26361-F2346-S802	2.016,00	
	Red Hat EL 2-CPU 7x24 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 1-Year								x	x							x	x	x	x					S26361-F2346-S806	1.218,00	
	Red Hat EL 2-CPU 7x24 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 3-Years								x	x							x	x	x	x					S26361-F2346-S807	3.293,00	
	Red Hat EL AP 5x9 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 1-Year								x	x							x	x	x	x					S26361-F2346-S811	1.410,00	
	Red Hat EL AP 5x9 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 3-Years								x	x							x	x	x	x					S26361-F2346-S812	3.777,00	
	Red Hat EL AP 7x24 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 1-Year								x	x							x	x	x	x					S26361-F2346-S816	2.335,00	
	Red Hat EL AP 7x24 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 3-Years								x	x							x	x	x	x					S26361-F2346-S817	6.335,00	
	VMware ESXi 4.0 Embedded UFM Device	VMware ESXi 4.0 Embedded UFM Device Embedded UFM Storage Device , Additional License and SP required								x	x							x	x	x	x					S26361-F2341-E431	64,00	
	VMware ESXi 4.0 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E500	11,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x		x			S26361-F2341-E514	859,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x		x			S26361-F2341-E515	859,00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E518	1.936,00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E519	1.936,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x		x			S26361-F2341-E520	2.479,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x		x			S26361-F2341-E521	2.479,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E522	3.016,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License								x	x							x	x	x	x					S26361-F2341-E300	85,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E523	3.016,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!,								x	x							x	x	x	x					S26361-F2341-E570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E571	15.367,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E557	4.303,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E559	1.293,00	
	VMware Essentials Plus w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E562	3.017,00	
	VMware Essentials Plus w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!								x	x							x	x	x	x					S26361-F2341-E563	3.017,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	VMware View ENT Start 10 CLI w/7x24-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E601	1.622,00	
	VMware View ENT Start 10 CLI w/7x24-3yr	VMware View ENT Start 10 CLI w/7x24-3yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E602	2.324,00	
	VMware View ENT 100 CLI w/7x24-1yr	VMware View ENT 100 CLI w/7x24-1yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E603	16.207,00	
	VMware View ENT 100 CLI w/7x24-3yr	VMware View ENT 100 CLI w/7x24-3yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E604	23.186,00	
	VMware View ENT Add 10 CLI w/7x24-1yr	VMware View ENT Add 10 CLI w/7x24-1yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E605	1.622,00	
	VMware View ENT Add 10 CLI w7x24-3yr	VMware View ENT Add 10 CLI w7x24-3yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E606	2.324,00	
	VMware View ENT Start 10 CLI w/5x9-1yr	VMware View ENT Start 10 CLI w/5x9-1yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E611	1.569,00	
	VMware View ENT Start 10 CLI w/5x9-3yr	VMware View ENT Start 10 CLI w/5x9-3yr, VMware View ENT Start 10 Desktop VM's, Bundle w/ VDM,VC-FND+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E612	2.165,00	
	VMware View ENT 100 CLI w/5x9-1yr	VMware View ENT 100 CLI w/5x9-1yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 1 year VMware 5x9 Servicet+Sub.								x	x							x	x	x	x		x			S26361-F2341-E613	15.686,00	
	VMware View ENT 100 CLI w/5x9-3yr	VMware View ENT 100 CLI w/5x9-3yr, VMware View ENT 100 Desktop VM's, Bundle w/ VDM,VC-STD+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E614	21.697,00	
	VMware View ENT Add 10 CLI w/5x9-1yr	VMware View ENT Add 10 CLI w/5x9-1yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 1 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E615	1.569,00	
	VMware View ENT Add 10 CLI w/5x9-3yr	VMware View ENT Add 10 CLI w/5x9-3yr, VMware View ENT Add. 10 Desktop VM's, Bundle w/ VDM+ESX ENT-PL, - Inc. 3 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E616	2.165,00	
	VMware View PRE Start 10 CLI w/7x24-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E621	2.697,00	
	VMware View PRE Start 10 CLI w/7x24-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E622	3.867,00	
	VMware View PRE 100 CLI w/7x24-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E623	26.979,00	
	VMware View PRE 100 CLI w/7x24-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E624	38.670,00	
	VMware View PRE Add 10 CLI w/7x24-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E625	2.697,00	
	VMware View PRE Add 10 CLI w7x24-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E626	3.867,00	
	VMware View PRE Start 10 CLI w/5x9-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E631	2.612,00	
	VMware View PRE Start 10 CLI w/5x9-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E632	3.612,00	
	VMware View PRE 100 CLI w/5x9-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E633	26.117,00	
	VMware View PRE 100 CLI w/5x9-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E634	36.117,00	
	VMware View PRE Add 10 CLI w/5x9-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E635	2.612,00	
	VMware View PRE Add 10 CLI w5x9-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E636	3.612,00	
	VMware SRM for 1 ESX CPU w/7x24-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E641	1.899,00	
	VMware SRM for 1 ESX CPU w/7x24-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E642	2.729,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/7x24-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E643	28.186,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/7x24-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E644	40.372,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/7x24-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E645	34.165,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/7x24-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.								x	x							x	x	x	x		x			S26361-F2341-E646	49.096,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF-Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	VMware SRM for 1 ESX CPU w/5x9-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 5x9 Service+Sub.								x	x						x	x	x	x		x				S26361-F2341-E651	1.840,00	
	VMware SRM for 1 ESX CPU w/5x9-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 5x9 Service+Sub.								x	x						x	x	x	x		x				S26361-F2341-E652	2.543,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/5x9-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.								x	x						x	x	x	x		x				S26361-F2341-E653	27.282,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w/5x9-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.								x	x						x	x	x	x		x				S26361-F2341-E654	37.819,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/5x9-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.								x	x						x	x	x	x		x				S26361-F2341-E655	33.074,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w/5x9-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.								x	x						x	x	x	x		x				S26361-F2341-E656	45.798,00	
	FF4O-RE-STAGING-ID	FF4O RE Staging Identifier. Must be ordered once per FF4O RE configuration to install customer configration at installing site.														x										U26004-C400	0,01	
OS/Application-SW																												
	Solaris 10 Media kit	Solaris 10 Media Kit											x	x	x											S26361-F3226-E330	101,00	
	Solaris 10 3rd Level Support, 2 Sockets	Solaris 10 3rd Level Support and SunSolve access for patches, for 1 pBlade with up to 2 CPU, 3 years upgrade protection, 5x9. The Support has to be ordered together with the Solaris 10 license. In addition a 1st + 2nd Level support contract with Fujitsu ITPS is mandatory.											x	x	x											S26361-F3226-E337	1.670,00	
	Solaris 10 license f. PBlade 4 sockets	Solaris 10 license, 4-Socket Server											x	x	x											S26361-F3226-E338	5,00	
	Solaris 10 3rd Level Support, 4 Sockets	Solaris 10 3rd Level Support and SunSolve access for patches, for 1 pBlade with up to 4 CPU, 3 years upgrade protection, 5x9. The Support has to be ordered together with the Solaris 10 license. In addition a 1st + 2nd Level support contract with Fujitsu ITPS is mandatory.											x	x	x											S26361-F3226-E340	3.340,00	
	Solaris 10 license f. PBlade 2 sockets	Solaris 10 License, 2 socket server											x	x	x											S26361-F3226-E341	5,00	
	SUSE Linux ES 32-CPU 3Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 3-Years subscription													x							x	x			U15045-C112-B	914,00	
	SUSE Linux ES BF200 3Y	SUSE Linux Enterprise Server for all platforms BF200 System Unit 3-Years subscription												x								x	x			U15045-C162-B	2.751,00	
	SUSE Linux ES BF400 3Y	SUSE Linux Enterprise Server for all platforms BF400 System Unit 3-Years subscription													x							x	x			U15045-C172-B	11.000,00	
UPS/Power supply																												
	Power Supply Modul 2100W (hot-plug)	for PS redundancy (3./4. PSU), with power cord														x										S26113-F603-E1	670,00	
	PY BX900 Power Supply Unit 100-240V AC	BX900 Power supply 100-240V AC, incl. power cable with IEC320 16A plug															x									S26113-F606-E200	814,00	
	PY BF400 S2 24A Std Power Option, USA	PMS00101R, for input power													x											S26361-F3240-E102	5,00	
	PY BF400 S2 24A Red Power Option, USA	PMS00111R, for redundant input power													x											S26361-F3240-E103	3.149,00	
	PY BF400 S2 24A Standard Power Option	PMS00101R, for input power													x											S26361-F3240-E110	5,00	
	PY BF400 S2 24A Redundant Power Option	PMS00111R, for redundant input power													x											S26361-F3240-E111	3.149,00	
	PY BF400 Upgr 24A Standard Power Option	PMS00102R, for input power											x													S26361-F3240-L110	5,00	
	PY BF400 Upgr 24A Redundant Power Opt.	PMS00112R, for redundant input power											x													S26361-F3240-L111	3.149,00	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans															x									S26361-F3962-E100	303,00	
Miscellaneous																												
	FC SX100 244 Snapshots	Upgrade to 244 SnapShots for FibreCAT SX100	x																							D:FCSX100-SNAP	3.500,00	
	FC SX80 iSCSI 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX80i	x																							D:FCSX80I-SNAP	1.495,00	
	FC SX88 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX88						x																		D:FCSX88-SNAP	1.495,00	
	FibreCat SX with LINUX	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with LINUX operating system.	x					x																		D:FCSX-ANLIN	2,00	
	FibreCat SX with SOLARIS	FibreCAT SX80/SX88 order position if connect it to a Server with SOLARIS operating system.	x					x																		D:FCSX-ANSUN	2,00	
	FibreCat SX with VMware	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with VMware operating system.	x					x																		D:FCSX-ANVM	2,00	
	FibreCat SX with Windows	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with WINDOWS operating system.	x					x																		D:FCSX-ANWIN	2,00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order			x					x	x	x				x	x	x								S26361-F1647-E410	27,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!								x	x							x	x	x						S26361-F3552-E1	53,00	
	PY BF Dummy Processing Blade	PB-000010R, for BF200 / BF400 / BF400S2 necessary if not all slots are populated												x	x											S26361-K1061-V210	5,00	
FC/IP-Infrastructure																												
	PY BX900 Management Blade S1	Redundant Management Blade															x									S26361-F3962-E500	840,00	
	SFP multi-mode 4G module (MMF)	Short-Wavelength SFP Transceiver														x										S26361-F3024-E4	122,00	
	XFP multi-mode module 10GBASE-SR	for BX600 GBE Switch with 10GB ports														x										S26361-F3206-E10	1.032,00	
	Infiniband cable 10GBASE-CX4, 10m	for BX600 GBE Switch with 10GB ports														x										S26361-F3206-E15	207,00	
RAID Systems																												
	FibreCat SX non FSC Server Connection	FibreCAT SX60/SX80/SX88 order position to connect non Fujitsu Server.	x					x																		D:FCSX-ANNON	2,00	
	FibreCat SX Primergy Connection	FibreCAT SX60/SX80/SX88 order position to connect PRIMERGY Server.	x					x																		D:FCSX-ANPS	2,00	
	FibreCat SX Primepower/SES Connection	FibreCAT SX80/SX88 order position to connect PRIMEPOWER / Sparc Enterprise Server.	x					x																		D:FCSX-ANPW	2,00	
	SX100 host port add on 25-48	FibreCAT SX100 order position to connect the system from 25 up to 48 host ports.	x																							D:FCSX-HOSTPORT-48	2,00	
Cables																												
	Cascading Cable	FibreCAT SX Cascading Cable 0.5m		x		x	x		x																	D:FCSX-IO-CAB	70,00	
SW Operating Systems																												
	PY BF Win2008 Virtualization Extensions	SW900327FS, PY BF Win2008 Virtualization Extensions, includes CD and license for one processing blade for Windows 2008											x	x	x											S26361-F3226-E327	5,00	
	PY BF Win2003 Virtualization Extensions	SW900310FS, PY BF Win2003 Virtualization Extensions, includes CD and license for one processing blade for Windows 2003												x	x											S26361-F3226-E312	5,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF300	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
SW Operating Systems (Continued)																												
SW Data Center Products																												
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E913	1.106,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E914	5.543,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E915	11.085,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E923	2.617,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E924	13.074,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E925	26.149,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E933	3.989,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E934	19.947,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-E935	39.894,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E960	2.309,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E961	11.521,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E962	23.053,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E963	3.681,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E964	18.394,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E965	36.787,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E966	2.351,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E967	11.745,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-E968	23.489,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S913	840,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S914	4.213,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S915	8.426,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S923	2.000,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S924	9.979,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S925	19.947,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S933	3.106,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF-Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF-400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
SW Operating Systems (Continued)																												
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S934	15.511,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x	x							x	x	x	x					S26361-F2341-S935	31.032,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S960	1.681,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S961	8.426,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S962	16.840,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S963	2.798,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S964	13.968,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S965	27.926,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S966	1.468,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S967	7.319,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x							x	x	x	x					S26361-F2341-S968	14.628,00	
	SVRCVESCD V21 (WIN) MED CD	Resource Coordinator VE Standard Media Pack (Windows) V2.1								x						x	x		x							U11420-C900	50,00	
	CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX,Solaris), Data media for Xprint Unix Alien, Intel/HP/IBM-based HW																				x				U11436-C231	36,00	
	SVRCVESCD V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2								x	x					x	x	x	x	x	x					U11420-C910	50,00	
	SVRCVESCD V21 (LINUX) MED CD	Resource Coordinator VE Standard Media Pack (Linux) V2.1								x						x	x		x							U11420-C901	50,00	
	SVRCVESCD V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2								x	x					x	x	x	x	x	x					U11420-C911	50,00	
	SVRCVESMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2								x	x					x	x	x	x	x	x					U11420-C902	2.363,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2								x	x					x	x	x	x	x	x					U11420-C922	2.363,00	
	SVRCVESSAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2								x	x					x	x	x	x	x	x					U11420-C903	517,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2								x	x					x	x	x	x	x	x					U11420-C904	4.033,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2								x	x					x	x	x	x	x	x					U11420-C905	7.869,00	
	SVRCVEFCO V2 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows) V2								x	x					x	x	x	x	x	x					U11420-C906	100,00	
	SVRCVEMCO V22 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows) V2								x	x					x	x	x	x	x	x					U11420-C936	100,00	
	SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2								x	x					x	x	x	x	x	x					U11420-C907	0,01	
	SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2								x	x					x	x	x	x	x	x					U11420-C935	0,01	
	SVRORCD V22 (WIN) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Windows								x	x					x	x	x	x	x	x					U11420-C937	50,00	
	SVRORCD V22 (LINUX) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Linux								x	x					x	x	x	x	x	x					U11420-C938	50,00	
	XTN-CD V31 (PS) MED CD	x10sure CD 3.1; (Binaries / Documents) 1 Medium, German & English Version								x	x							x	x	x	x					U11420-C775	50,00	
	SVRORSVR V22 (WIN/LINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2								x	x					x	x	x	x	x	x					U11420-C940	1.331,00	
	XTN-B V31 (PS) RTU -1CN1AN	x10sure 3.1 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included)								x	x							x	x	x	x					U11420-C877	1.400,00	
	XTN-B V31 (PS) UgRTU -1CN1AN	x10sure 3.1 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)								x	x							x	x	x	x					U11420-C773-U	1,00	
	XTN-N V31 (PS) RtU -1 Node	x10sure 3.1 RtU for 1 additional Application- or Spare Node; no support nor updates included								x	x							x	x	x	x					U11420-C878	1.100,00	
	SVRORSVR V22 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2								x	x					x	x	x	x	x	x					U11420-C942	12.376,00	
	XTN-N V31 (PS) UgRtU -1 Node	x10sure 3.1 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)								x	x							x	x	x	x					U11420-C774-U	1,00	
	SVRORSVR V22 (WIN/LINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2								x	x					x	x	x	x	x	x					U11420-C943	22.277,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2								x	x					x	x	x	x	x	x					U11420-C946	814,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
SW Operating Systems (Continued)																												
	SVRORSVR V22 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2								x	x					x	x	x	x	x	x					U11420-C948	8.343,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2								x	x					x	x	x	x	x	x					U11420-C949	14.408,00	
	Xprint-NET(W2000/2003) V8.0	Xprint-NET (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)																				x				U11436-C568	4.374,00	
	Xprint-NET-CL (W2000/2003) V8.0	Xprint-NET-CL (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																				x				U11436-C569	1.188,00	
	Xprint-UGM (W2000/2003) V8.0	Xprint-UGM (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																				x				U11436-C570	1.458,00	
	Xprint-UG2 (W2000/2003) V8.0	Xprint-UG2 (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																				x				U11436-C571	1.458,00	
	Xprint-UG3 (W2000/2003) V8.0	Xprint-UG3 (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																				x				U11436-C572	2.484,00	
	Xprint-UG4 (W2000/2003) V8.0	Xprint-UG4 (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																				x				U11436-C573	2.268,00	
	Xprint-UG5 (W2000/2003) V8.0	Xprint-UG5 (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																				x				U11436-C574	1.890,00	
	Xprint-UG6 (W2000/2003) V8.0	Xprint-UG6 (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																				x				U11436-C575	1.890,00	
	Xprint-UG7 (W2000/2003) V8.0	Xprint-UG7 (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																				x				U11436-C576	1.890,00	
	Xprint-UG8 (W2000/2003) V8.0	Xprint-UG8 (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																				x				U11436-C577	1.890,00	
	Xprint-ERP-Kit (W2000/2003) V8.0	Xprint-R/3-Kit (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																				x				U11436-C578	4.439,00	
	Xprint-NET-UP(W2000/2003) V8.0	Xprint-NET-UP (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C580	1.761,00	
	Xprint-NET-CL-UP(W2000/2003) V8.0	Xprint-NET-CL-UP(W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C581	486,00	
	Xprint-UGM-UP (W2000/2003) V8.0	Xprint-UGM-UP (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C582	589,00	
	Xprint-UG2-UP (W2000/2003) V8.0	Xprint-UG2-UP (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C583	589,00	
	Xprint-UG3-UP (W2000/2003) V8.0	Xprint-UG3-UP (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C584	1.005,00	
	Xprint-UG4-UP (W2000/2003) V8.0	Xprint-UG4-UP (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C585	908,00	
	Xprint-UG5-UP (W2000/2003) V8.0	Xprint-UG5-UP (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C586	756,00	
	Xprint-UG6-UP (W2000/2003) V8.0	Xprint-UG6-UP (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C587	756,00	
	Xprint-UG7-UP (W2000/2003) V8.0	Xprint-UG7-UP (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C588	756,00	
	Xprint-UG8-UP (W2000/2003) V8.0	Xprint-UG8-UP (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C589	756,00	
	Xprint-ERP-Kit-UP (W2000/2003) V8.0	Xprint-R/3-Kit-UP (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C590	1.804,00	
	Xprint-NET (LINUX) V8.0	Xprint (LINUX) V8.0 LC f. up to 32 printers for Intel based HW (Licence no data media)																				x				U11436-C616	4.374,00	
	Xprint-NET-CL (LINUX) V8.0	Xprint-NET-CL (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																				x				U11436-C617	1.188,00	
	Xprint-UGM (LINUX) V8.0	Xprint-UGM (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																				x				U11436-C618	1.458,00	
	Xprint-UG2 (LINUX) V8.0	Xprint-UG2 (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																				x				U11436-C619	1.458,00	
	Xprint-UG3 (LINUX) V8.0	Xprint-UG3 (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																				x				U11436-C620	2.484,00	
	Xprint-UG4 (LINUX) V8.0	Xprint-UG4 (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																				x				U11436-C621	2.268,00	
	Xprint-UG5 (LINUX) V8.0	Xprint-UG5 (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																				x				U11436-C622	1.890,00	
	Xprint-UG6 (LINUX) V8.0	Xprint-UG6 (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																				x				U11436-C623	1.890,00	
	Xprint-UG7 (LINUX) V8.0	Xprint-UG7 (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																				x				U11436-C624	1.890,00	
	Xprint-UG8 (LINUX) V8.0	Xprint-UG8 (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																				x				U11436-C625	1.890,00	
	Xprint-ERP-Kit (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																				x				U11436-C626	4.439,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
SW Operating Systems (Continued)																												
	Xprint-NET-UP (LINUX) V8.0	Xprint-NET-UP (LINUX) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C628	1.761,00	
	Xprint-NET-CL-UP (LINUX) V8.0	Xprint-NET-CL-UP (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C629	486,00	
	Xprint-UGM-UP (LINUX) V8.0	Xprint-UGM-UP (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C630	589,00	
	Xprint-UG2-UP (LINUX) V8.0	Xprint-UG2-UP (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C631	589,00	
	Xprint-UG3-UP (LINUX) V8.0	Xprint-UG3-UP (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C632	1.005,00	
	Xprint-UG4-UP (LINUX) V8.0	Xprint-UG4-UP (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C633	908,00	
	Xprint-UG5-UP (LINUX) V8.0	Xprint-UG5-UP (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C634	756,00	
	Xprint-UG6-UP (LINUX) V8.0	Xprint-UG6-UP (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C635	756,00	
	Xprint-UG7-UP (LINUX) V8.0	Xprint-UG7-UP (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0											x	x	x							x	x			U11436-C636	756,00	
	Xprint-UG8-UP (LINUX) V8.0	Xprint-UG8-UP (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C637	756,00	
	Xprint-ERP-Kit-UP (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																				x				U11436-C638	1.804,00	
	Xprint DMG-UG1 V1.0	Domain Monitoring GUI -UG1 V1.0 Licence for 3 to 8 instances																				x				U11436-C664	432,00	
	Xprint DMG-UG2 V1.0	Domain Monitoring GUI -UG2 V1.0 Licence for 9 to 16 instances																				x				U11436-C665	432,00	
	Xprint DMG-UG3 V1.0	Domain Monitoring GUI -UG3 V1.0 Licence for 17 to 32 instances											x	x	x							x	x			U11436-C666	648,00	
	Xprint DMG-UG4 V1.0	Domain Monitoring GUI -UG4 V1.0 Licence for 33 to 64 instances											x	x	x							x	x			U11436-C667	972,00	
	EMANATE-Primecluster (LINUX) V1.5	EMANATE V1.4 Licence SNMP-Masteragent on Linux for Primecluster only								x																U16525-C400	400,00	
SW Screen Interface																												
	PY BF400 SW Base License (24 pBlades)	SW100600FS, SW Base License (PAN Virtualization & Mgmt and vBlades) for 24 pBlades + Frame per BF400S2 Systemeinheit, incl. CD/Doku,, includes BladeFrame software, documentation and licence for one system unit BF400S2, incl. OS extensions for RedHat RHEL4 and 5 and SuSE SLES9 and 10 (32-Bit and 64-Bit versions)													x											S26361-F3226-E370	82.144,00	
	PY BF200 SW Base License (6 pBlades)	SW100300FS, SW Base License (PAN Virtualization & Mgmt and vBlades) for 6 pBlades + Frame per BF200 Systemeinheit, incl. CD/Doku, includes BladeFrame software, documentation and licence for one system unit BF200, incl. OS extensions for RedHat RHEL4 and 5 and SuSE SLES9 and 10 (32-Bit and 64-Bit versions)												x											S26361-F3226-E379	20.537,00	
	PY BF SW PAN Port./DR License (2 socket)	SW100605FS, per 2 Socket (2-way) pBlade, includes PAN portability and DR license for one pBlade, Basis+Server Port./N+1 License and CD/Docu license separately												x	x											S26361-F3226-E375	6.793,00	
	PY BF SW Server Port./n+1 License (2soc)	SW100603FS, per 2 Socket (2-way) pBlade, includes server portability and failover license for one pBlade, Frame/pBlade Base License and CD/Docu license separately												x	x											S26361-F3226-E373	3.505,00	
	PY BF SW PAN Port./DR License (4 socket)	SW100606FS, per 4 Socket (4-way) pBlade, ncludes PAN portability and DR license for one pBlade, Basis+Server Port./N+1 License and CD/Docu license separately												x	x											S26361-F3226-E376	12.154,00	
	PY BF SW Server Port./n+1 License (4soc)	SW100604FS, per 4 Socket (4-way) pBlade, includes server portability and failover license for one pBlade, Frame/pBlade Base License and CD/Docu license separately												x	x											S26361-F3226-E374	6.133,00	
	PY BF400 SW Basis Set (24 pBlades)	SW100210FS, includes BladeFrame software and documentation for one system unit BF400 S2 (PAN Manager incl. vBlades), incl. OS extensions for RedHat RHEL4 and 5 and SuSE SLES9 and 10 (32-bit and 64-bit versions)													x											S26361-F3226-E310	291.878,00	
	PY BF200 SW Basis Set (6 pBlades)	SW100301FS, includes BladeFrame ssoftware and documentation for one system unit BF200 (PAN Manager incl. vBlades), incl. OS extensions for RedHat RHEL4 and 5 and SuSE SLES9 and 10 (32-bit and 64-bit versions)												x												S26361-F3226-E311	72.984,00	
	PY BF400 SW License (24 pBlades)	includes licence for up to 24 pBlades for BF400 system software (PAN Manager incl. vBlades) and OS extensions for RedHat Linux AS3.0 / 4.0 and SuSE Linux ES 9 (32-bit und 64-bit versions).													x											S26361-F3226-E315	5,00	
	PY BF200 SW License (6 pBlades)	includes licence for up to 6 pBlades for BF200 system software (PAN Manager incl. vBlades) and OS extensions for RedHat Linux AS3.0 / 4.0 and SuSE Linux ES 9 (32-bit und 64-bit versions).												x												S26361-F3226-E316	5,00	



Blade Servers Options

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	PRIMERGY SX910 S1	PRIMERGY SX940 S1	Product Code	EUP (€)	Comments
Options matrix																												
SW Screen Interface (Continued)																												
	PY BF400 SW License (1 add. pBlade)	includes licence for 1 pBlade for BF400S2 system software and OS extensions for RedHat Linux AS3.0 / 4.0 and SuSE Linux ES 9 (32-bit und 64-bit versions).													x											S26361-F3226-E318	14.277,00	
	PY BF400 SW Demo Basis Set (24 pBlades)	SW100210FS, for demo system only, non production incl. documentation / no license (PAN Manager incl. vBlades); per BF400, up to 24 pBlades													x											S26361-F3226-E321	5,00	
	PY BF200 SW Demo Basis Set (6 pBlades)	SW100301FS, for demo system only, non production incl. documentation / no license (PAN Manager incl. vBlades); per BF200, up to 6 pBlades												x												S26361-F3226-E322	5,00	
	PY BF400 SW Eval Basis Set (24 pBlades)	SW100210FS, for eval system only, non production incl. documentation / license separate (PAN Manager incl. vBlades); per BF400, up to 24 pBlades													x											S26361-F3226-E323	5,00	
	PY BF200 SW Eval Basis Set (6 pBlades)	SW100301FS, for eval system only, non production incl. documentation / license separate (PAN Manager incl. vBlades); per BF200, up to 6 pBlades												x												S26361-F3226-E324	5,00	
	PY BF400 SW Eval License (24 pBlades)	for evaluation purposes only (PAN Manager incl. vBlades), BF400 not usable in production - valid max 6 months from delivery!													x											S26361-F3226-E325	5,00	
	PY BF200 SW Eval License (6 pBlades)	for evaluation purposes only (PAN Manager incl. vBlades), BF200 not usable in production - valid max 6 months from delivery!												x												S26361-F3226-E326	5,00	
	Solaris 10 Demo Media kit	SW900488FS, for demo systems only, non production incl. extensions for BladeFrame												x	x											S26361-F3226-E336	96,00	
Solution identifier																												
	HPC Compute Node Inst. ex works incl ICR	Please note confiugration hints																	x							S26361-F3638-E2	218,00	